

**Appendix I:** Pesticide active ingredients looked up for Pesticides and Parkinson's Committee public group. Sources include NSPIRS registration data, EPA registration information, Agency for Toxic Substances and Disease Registry, and the Compendium of Pesticide Common Names.

Name	Type	Chemical Class	Registration Status	Some Potential NM Sites Include	Other Sites Include	Notes
Maneb	Fungicide	Dithiocarbamate	Inactive	n/a	n/a	Last uses <b>CANCELED</b> in 2010
Heptachlor	Insecticide	Cyclodiene	Inactive	n/a	n/a	Most uses <b>CANCELED</b> in 1974; final cancelation in 1999
Endrin	Insecticide	Cyclodiene	Inactive	n/a	n/a	Most uses <b>CANCELED</b> in 1986; final cancelation in 1991
Aldrin	Insecticide	Cyclodiene	Inactive	n/a	n/a	<b>CANCELED</b> by USDA in 1970; EPA lifted in 1972 for limited use; final use canceled 1987
Dieldrin	Insecticide	Cyclodiene	Inactive	n/a	n/a	<b>CANCELED</b> by USDA in 1970; EPA lifted in 1972 for limited use; final use canceled 1987

Name	Type	Chemical Class	Registration Status	Some Potential NM Sites Include	Other Sites Include	Notes
Benomyl	Fungicide	Benzimidazole fungicide; carbamate acaricide	Inactive	n/a	n/a	<b>CANCELED</b> in '80s-'90s
Zineb	Fungicide	Dithiocarbamate	Inactive	n/a	n/a	<b>CANCELED</b> in 1991
Lindane	Insecticide	Organochlorine	Inactive	n/a	n/a	Most uses <b>CANCELED</b> by 1999; all uses canceled by 2006. Pharmaceutical use remains.
Ziram	Fungicide	Dithiocarbamate	Active Not restricted 2 registered in 2013	Pecans, ornamentals	Berries, many fruits, flowers	Fungal diseases rare in NM
Rotenone	Piscicide, insecticide	Botanical	Active Restricted 2 piscicides registered in 2013	Aquatic sites for control of undesirable fish		
Propargite	Miticide	Sulfite	Active All are restricted 4 registered in 2013	Potatoes, corn, beans, peanuts, cotton, alfalfa	Berries, citrus, mint, hops, carrots, many fruits	

<b>Name</b>	<b>Type</b>	<b>Chemical Class</b>	<b>Registration Status</b>	<b>Some Potential NM Sites Include</b>	<b>Other Sites Include</b>	<b>Notes</b>
Diazinon	Insecticide	Organphosphorus	Active Many are restricted 9 registered in 2013	Lettuce, onions, nursery plants, dairy cattle, beef cattle	Grapes, many veggies, berries, melons, fruits	
Mancozeb	Fungicide	Dithiocarbamate	Active Not restricted 44 registered in 2013	Potatoes, onions	Melons, cucurbits, mangos, apples, citrus, cranberries	Fungal diseases rare in NM
Endosulfan	Insecticide/miticide	Cyclodiene	Active Restricted 3 registered in 2013	Pecans, cotton, wheat, ornamentals 3 registered in 2013	Cucurbits, many vegetables, peaches, cherries, tobacco	
Permethrin	Insecticide/miticide	Pyrethroid	Active Most are not restricted 556 registered in 2013	Many sites; many are nonagricultural. Homes, yards, garden dusts, dogs & cats, buildings, lettuce, pecans, many vegetables, ornamentals, etc.	Berries, many fruits, flowers, many vegetables, nuts, etc.	

<b>Name</b>	<b>Type</b>	<b>Chemical Class</b>	<b>Registration Status</b>	<b>Some Potential NM Sites Include</b>	<b>Other Sites Include</b>	<b>Notes</b>
Cypermethrin	Insecticide/miticide	Pyrethroid	Active Most are not restricted 80 registered in 2013	Many sites; many are nonagricultural. Foggers, roach sprays, pecans, onions, cotton, lettuce	Other greens, broccoli, cauliflower, garlic	
Chlorpyrifos	Insecticide/miticide	Organophosphorus	Active Some restricted, some not 46 registered in 2013	Alfalfa, cotton, onions, pecan, cattle, wood products, industrial sites, ant dens, vector control	Citrus, soybeans, tobacco, many fruits, many vegetables	
Methomyl	Insecticide/miticide	Carbamate	Active Some restricted, some not. 9 registered in 2013	Many food crops, restaurants, sod, food processing plants	Fruits, vegetables, grains, tobacco, mint, barns	
2,4-D	Herbicide	Phenoxyacetic	Active Not federally restricted 383 registered in 2013	Many agricultural & nonagricultural sites		

Name	Type	Chemical Class	Registration Status	Some Potential NM Sites Include	Other Sites Include	Notes
Paraquat	Herbicide, desiccant	Quaternary ammonium	Active Restricted 12 registered in 2013	Many agricultural sites. Pecans, alfalfa, cotton, peanuts, grapes, lettuce	Berries, citrus, greens, melons, many fruits, many vegetables, soybeans, tobacco, grains, ornamentals, sod, conifers	

**Appendix II: Results of PubMed Search on July 2<sup>nd</sup>, 2013**  
**((Parkinson's Disease) AND pesticide) OR insecticide, herbicide, rodenticide, fungicide**

Items 1 - 200 of 1547 ([Display the 200 citations in PubMed](#))

1. [The Parkinson's disease protein DJ-1 binds metals and protects against metal induced cytotoxicity.](#)  
Bjorkblom B, Adilbayeva A, Maple-Grodem J, Piston D, Okvist M, Xu XM, Brede C, Larsen JP, Moller SG.  
J Biol Chem. 2013 Jun 21. [Epub ahead of print]  
PMID: 23792957 [PubMed - as supplied by publisher] **Free Article**  
[Related citations](#)
2. [Rotenone induces neuronal death by microglial phagocytosis of neurons.](#)  
Emmrich JV, Hornik TC, Neher JJ, Brown GC.  
FEBS J. 2013 Jun 21. doi: 10.1111/febs.12401. [Epub ahead of print]  
PMID: 23789887 [PubMed - as supplied by publisher]  
[Related citations](#)
3. [Dopaminergic neurotoxicity of S-ethyl N,N-dipropylthiocarbamate \(EPTC\), molinate, and S-methyl-N,N-diethylthiocarbamate \(MeDETC\) in Caenorhabditis elegans.](#)  
Caito SW, Valentine WM, Aschner M.  
J Neurochem. 2013 Jun 21. doi: 10.1111/jnc.12349. [Epub ahead of print]  
PMID: 23786526 [PubMed - as supplied by publisher]  
[Related citations](#)
4. [Cellular Localization of Dieldrin and Structure-Activity Relationship of Dieldrin Analogues in Dopaminergic Cells.](#)  
Allen EM, Florang VR, Davenport LL, Jinsmaa Y, Doorn JA.  
Chem Res Toxicol. 2013 Jun 27. [Epub ahead of print]  
PMID: 23763672 [PubMed - as supplied by publisher]  
[Related citations](#)
5. [Involvement of NF Kappa B in Potentiated Effect of Mn-containing Dithiocarbamates on MPP<sup>+</sup> Induced Cell Death.](#)  
Williams CA, Lin Y, Maynard A, Cheng SY.  
Cell Mol Neurobiol. 2013 Jun 7. [Epub ahead of print]  
PMID: 23744253 [PubMed - as supplied by publisher]  
[Related citations](#)
6. [Exposure to pesticides or solvents and risk of Parkinson disease.](#)  
Pezzoli G, Cereda E.  
Neurology. 2013 May 28;80(22):2035-41. doi: 10.1212/WNL.0b013e318294b3c8.

PMID: 23713084 [PubMed - in process]

[Related citations](#)

7. [Differential Effects of Methyl-4-Phenylpyridinium Ion, Rotenone, and Paraquat on Differentiated SH-SY5Y Cells.](#)  
Martins JB, Bastos Mde L, Carvalho F, Capela JP.  
J Toxicol. 2013;2013:347312. doi: 10.1155/2013/347312. Epub 2013 Mar 20.  
PMID: 23710172 [PubMed] **Free PMC Article**  
[Related citations](#)
8. [Rotenone Could Activate Microglia Through NFκB Associated Pathway.](#)  
Yuan YH, Sun JD, Wu MM, Hu JF, Peng SY, Chen NH.  
Neurochem Res. 2013 Aug;38(8):1553-60. doi: 10.1007/s11064-013-1055-7. Epub 2013 May 7.  
PMID: 23645222 [PubMed - in process]  
[Related citations](#)
9. [Sodium butyrate improves locomotor impairment and early mortality in a rotenone-induced Drosophila model of Parkinson's disease.](#)  
St Laurent R, O'Brien LM, Ahmad ST.  
Neuroscience. 2013 Aug 29;246:382-90. doi: 10.1016/j.neuroscience.2013.04.037. Epub 2013 Apr 25.  
PMID: 23623990 [PubMed - in process]  
[Related citations](#)
10. [Functional paraoxonase 1 variants modify the risk of Parkinson's disease due to organophosphate exposure.](#)  
Lee PC, Rhodes SL, Sinsheimer JS, Bronstein J, Ritz B.  
Environ Int. 2013 Jun;56:42-7. doi: 10.1016/j.envint.2013.03.004. Epub 2013 Apr 16.  
PMID: 23602893 [PubMed - in process]  
[Related citations](#)
11. [Construction of photoenergetic mitochondria in cultured mammalian cells.](#)  
Hara KY, Wada T, Kino K, Asahi T, Sawamura N.  
Sci Rep. 2013;3:1635. doi: 10.1038/srep01635.  
PMID: 23567447 [PubMed - in process] **Free PMC Article**  
[Related citations](#)
12. [Neonatal exposure to lipopolysaccharide enhances accumulation of α-synuclein aggregation and dopamine transporter protein expression in the substantia nigra in responses to rotenone challenge in later life.](#)  
Tien LT, Kaizaki A, Pang Y, Cai Z, Bhatt AJ, Fan LW.  
Toxicology. 2013 Jun 7;308:96-103. doi: 10.1016/j.tox.2013.03.014. Epub 2013 Apr 5.  
PMID: 23567316 [PubMed - in process]

[Related citations](#)

13. [\[Neurotoxicity of pesticides: its relationship with neurodegenerative diseases\].](#)  
Thany SH, Reynier P, Lenaers G.  
Med Sci (Paris). 2013 Mar;29(3):273-8. doi: 10.1051/medsci/2013293013. Epub 2013 Mar 27. French.  
PMID: 23544381 [PubMed - indexed for MEDLINE]

[Related citations](#)

14. [Specific Pesticide-Dependent Increases in  \$\alpha\$ -Synuclein Levels in Human Neuroblastoma \(SH-SY5Y\) and Melanoma \(SK-MEL-2\) Cell Lines.](#)  
Chorfa A, Bétemps D, Morignat E, Lazizzera C, Hogeveen K, Andrieu T, Baron T.  
Toxicol Sci. 2013 Jun;133(2):289-97. doi: 10.1093/toxsci/kft076. Epub 2013 Mar 27.  
PMID: 23535362 [PubMed - in process]

[Related citations](#)

15. [Genetic susceptibility loci, environmental exposures, and Parkinson's disease: a case-control study of gene-environment interactions.](#)  
Chung SJ, Armasu SM, Anderson KJ, Biernacka JM, Lesnick TG, Rider DN, Cunningham JM, Ahlskog JE, Frigerio R, Maraganore DM.  
Parkinsonism Relat Disord. 2013 Jun;19(6):595-9. doi: 10.1016/j.parkreldis.2013.02.008. Epub 2013 Mar 16.  
PMID: 23507417 [PubMed - in process]

[Related citations](#)

16. [MPP+ induces PUMA- and p53-dependent, but ATF3-independent cell death.](#)  
Bernstein AI, O'Malley KL.  
Toxicol Lett. 2013 May 23;219(2):93-8. doi: 10.1016/j.toxlet.2013.03.003. Epub 2013 Mar 14.  
PMID: 23500530 [PubMed - indexed for MEDLINE]

[Related citations](#)

17. [PACAP deficiency sensitizes nigrostriatal dopaminergic neurons to paraquat-induced damage and modulates central and peripheral inflammatory activation in mice.](#)  
Watson MB, Nobuta H, Abad C, Lee SK, Bala N, Zhu C, Richter F, Chesselet MF, Waschek JA.  
Neuroscience. 2013 Jun 14;240:277-86. doi: 10.1016/j.neuroscience.2013.03.002. Epub 2013 Mar 14.  
PMID: 23500093 [PubMed - in process]

[Related citations](#)

18. [Chronic exposure to rotenone, a dopaminergic toxin, results in peripheral neuropathy associated with dopaminergic damage.](#)  
Binienda ZK, Sarkar S, Mohammed-Saeed L, Gough B, Beaudoin MA, Ali SF, Paule MG, Imam SZ.



Neurosci Lett. 2013 Apr 29;541:233-7. doi: 10.1016/j.neulet.2013.02.047. Epub 2013 Mar 7.  
PMID: 23499956 [PubMed - in process]

[Related citations](#)

19. [Amurensin G induces autophagy and attenuates cellular toxicities in a rotenone model of Parkinson's disease.](#)

Ryu HW, Oh WK, Jang IS, Park J.

Biochem Biophys Res Commun. 2013 Mar 29;433(1):121-6. doi:  
10.1016/j.bbrc.2013.02.053. Epub 2013 Feb 26.

PMID: 23485458 [PubMed - indexed for MEDLINE]

[Related citations](#)

20. [Neuroprotective Properties of Standardized Extracts of Hypericum Perforatum on Rotenone Model of Parkinson's Disease.](#)

Gómez Del Rio MA, Sánchez-Reus MI, Iglesias I, Pozo MA, García-Arencibia M,  
Fernández-Ruiz J, García-García L, Delgado M, Benedí J.

CNS Neurol Disord Drug Targets. 2013 Feb 27. [Epub ahead of print]

PMID: 23469842 [PubMed - as supplied by publisher]

[Related citations](#)

21. [Neonatal Systemic Exposure to Lipopolysaccharide Enhances Susceptibility of Nigrostriatal Dopaminergic Neurons to Rotenone Neurotoxicity in Later Life.](#)

Cai Z, Fan LW, Kaizaki A, Tien LT, Ma T, Pang Y, Lin S, Lin RC, Simpson KL.

Dev Neurosci. 2013 Feb 22. [Epub ahead of print]

PMID: 23446007 [PubMed - as supplied by publisher]

[Related citations](#)

22. [Pesticides and human chronic diseases: evidences, mechanisms, and perspectives.](#)

Mostafalou S, Abdollahi M.

Toxicol Appl Pharmacol. 2013 Apr 15;268(2):157-77. doi: 10.1016/j.taap.2013.01.025. Epub  
2013 Feb 9. Review.

PMID: 23402800 [PubMed - indexed for MEDLINE]

[Related citations](#)

23. [\[Protective effect of six Kaixin San formulas on nerve cells injured by different materials\].](#)

Zhao HX, Zhou XJ, Hu Y, Dong XZ, Cao Y, Liu P.

Zhongguo Zhong Yao Za Zhi. 2012 Nov;37(22):3472-6. Chinese.

PMID: 23373224 [PubMed - indexed for MEDLINE]

[Related citations](#)

24. [Pesticides, microglial NOX2, and Parkinson's disease.](#)

Taetzsch T, Block ML.

J Biochem Mol Toxicol. 2013 Feb;27(2):137-49. doi: 10.1002/jbt.21464. Epub 2013 Jan 24.

PMID: 23349115 [PubMed - in process]

[Related citations](#)

25. [\[Parkinson's disease due to laboral exposition to paraquat\].](#)

León-Verastegui AG.

Rev Med Inst Mex Seguro Soc. 2012 Nov-Dec;50(6):665-72. Spanish.

PMID: 23331754 [PubMed - indexed for MEDLINE]

[Related citations](#)

26. [Drosophila Trap1 protects against mitochondrial dysfunction in a PINK1/parkin model of Parkinson's disease.](#)

Costa AC, Loh SH, Martins LM.

Cell Death Dis. 2013 Jan 17;4:e467. doi: 10.1038/cddis.2012.205.

PMID: 23328674 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

27. [Neuroactive insecticides: targets, selectivity, resistance, and secondary effects.](#)

Casida JE, Durkin KA.

Annu Rev Entomol. 2013;58:99-117. doi: 10.1146/annurev-ento-120811-153645. Review.

PMID: 23317040 [PubMed - indexed for MEDLINE]

[Related citations](#)

28. [The interplay between environmental and genetic factors in Parkinson's disease susceptibility: the evidence for pesticides.](#)

Dardiotis E, Xiromerisiou G, Hadjichristodoulou C, Tsatsakis AM, Wilks MF, Hadjigeorgiou GM.

Toxicology. 2013 May 10;307:17-23. doi: 10.1016/j.tox.2012.12.016. Epub 2013 Jan 4.

PMID: 23295711 [PubMed - in process]

[Related citations](#)

29. [The behavioural and neuropathological impact of intranigral AAV- \$\alpha\$ -synuclein is exacerbated by systemic infusion of the Parkinson's disease-associated pesticide, rotenone, in rats.](#)

Mulcahy P, O'Doherty A, Paucard A, O'Brien T, Kirik D, Dowd E.

Behav Brain Res. 2013 Apr 15;243:6-15. doi: 10.1016/j.bbr.2012.12.051. Epub 2013 Jan 4.

PMID: 23295396 [PubMed - in process]

[Related citations](#)

30. [Astaxanthin protects against MPP\(+\)-induced oxidative stress in PC12 cells via the HO-1/NOX2 axis.](#)

Ye Q, Huang B, Zhang X, Zhu Y, Chen X.

BMC Neurosci. 2012 Dec 29;13:156. doi: 10.1186/1471-2202-13-156.

PMID: 23272707 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

31. [Aldehyde dehydrogenase inhibition as a pathogenic mechanism in Parkinson disease.](#)

Fitzmaurice AG, Rhodes SL, Lulla A, Murphy NP, Lam HA, O'Donnell KC, Barnhill L, Casida JE, Cockburn M, Sagasti A, Stahl MC, Maidment NT, Ritz B, Bronstein JM. Proc Natl Acad Sci U S A. 2013 Jan 8;110(2):636-41. doi: 10.1073/pnas.1220399110. Epub 2012 Dec 24.

PMID: 23267077 [PubMed - indexed for MEDLINE]

[Related citations](#)

32. [Rotenone inhibits autophagic flux prior to inducing cell death.](#)

Mader BJ, Pivtoraiko VN, Flippo HM, Klocke BJ, Roth KA, Mangieri LR, Shacka JJ. ACS Chem Neurosci. 2012 Dec 19;3(12):1063-72. doi: 10.1021/cn300145z. Epub 2012 Sep 13.

PMID: 23259041 [PubMed - indexed for MEDLINE]

[Related citations](#)

33. [Piracetam and vinpocetine ameliorate rotenone-induced Parkinsonism in rats.](#)

Zaitone SA, Abo-Elmatty DM, Elshazly SM. Indian J Pharmacol. 2012 Nov-Dec;44(6):774-9. doi: 10.4103/0253-7613.103300.

PMID: 23248410 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

34. [The role of pesticide exposure in the genesis of Parkinson's disease: epidemiological studies and experimental data.](#)

Moretto A, Colosio C. Toxicology. 2013 May 10;307:24-34. doi: 10.1016/j.tox.2012.11.021. Epub 2012 Dec 12.

PMID: 23246862 [PubMed - in process]

[Related citations](#)

35. [Environmental toxicants as extrinsic epigenetic factors for Parkinsonism: studies employing transgenic C. elegans model.](#)

Jadiya P, Nazir A. CNS Neurol Disord Drug Targets. 2012 Dec;11(8):976-83.

PMID: 23244436 [PubMed - in process]

[Related citations](#)

36. [Elicitation of dopaminergic features of Parkinson's disease in C. elegans by monocrotophos, an organophosphorous insecticide.](#)

Ali SJ, Rajini PS. CNS Neurol Disord Drug Targets. 2012 Dec;11(8):993-1000.

PMID: 23244418 [PubMed - in process]

[Related citations](#)

37. [Effect of various classes of pesticides on expression of stress genes in transgenic C. elegans model of Parkinson's disease.](#)

Jadiya P, Mir SS, Nazir A.

CNS Neurol Disord Drug Targets. 2012 Dec;11(8):1001-5.

PMID: 23244415 [PubMed - in process]

[Related citations](#)

38. [The relative sensitivity of macrophyte and algal species to herbicides and fungicides: an analysis using species sensitivity distributions.](#)

Giddings JM, Arts G, Hommen U.

Integr Environ Assess Manag. 2013 Apr;9(2):308-18. doi: 10.1002/ieam.1387. Epub 2013 Feb 15.

PMID: 23229339 [PubMed - in process]

[Related citations](#)

39. [Thioredoxin reductase deficiency potentiates oxidative stress, mitochondrial dysfunction and cell death in dopaminergic cells.](#)

Lopert P, Day BJ, Patel M.

PLoS One. 2012;7(11):e50683. doi: 10.1371/journal.pone.0050683. Epub 2012 Nov 30.

PMID: 23226354 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

40. [Environmental toxins trigger PD-like progression via increased alpha-synuclein release from enteric neurons in mice.](#)

Pan-Montojo F, Schwarz M, Winkler C, Arnhold M, O'Sullivan GA, Pal A, Said J, Marsico G, Verbavatz JM, Rodrigo-Angulo M, Gille G, Funk RH, Reichmann H.

Sci Rep. 2012;2:898. doi: 10.1038/srep00898. Epub 2012 Nov 30.

PMID: 23205266 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

41. [Colchicine protects dopaminergic neurons in a rat model of Parkinson's disease.](#)

Salama M, Ellaithy A, Helmy B, El-Gamal M, Tantawy D, Mohamed M, Sheashaa H, Sobh M, Arias-Carrión O.

CNS Neurol Disord Drug Targets. 2012 Nov 1;11(7):836-43.

PMID: 23198691 [PubMed - indexed for MEDLINE]

[Related citations](#)

42. [Expression of human E46K-mutated  \$\alpha\$ -synuclein in BAC-transgenic rats replicates early-stage Parkinson's disease features and enhances vulnerability to mitochondrial impairment.](#)

Cannon JR, Geghman KD, Tapias V, Sew T, Dail MK, Li C, Greenamyre JT.

Exp Neurol. 2013 Feb;240:44-56. doi: 10.1016/j.expneurol.2012.11.007. Epub 2012 Nov 12.

PMID: 23153578 [PubMed - indexed for MEDLINE]

[Related citations](#)

43. [p10, the N-terminal domain of p35, protects against CDK5/p25-induced neurotoxicity.](#)

Zhang L, Liu W, Szumlinski KK, Lew J.

Proc Natl Acad Sci U S A. 2012 Dec 4;109(49):20041-6. doi: 10.1073/pnas.1212914109.

Epub 2012 Nov 14.

PMID: 23151508 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

44. [Traumatic brain injury, paraquat exposure, and their relationship to Parkinson disease.](#)  
Lee PC, Bordelon Y, Bronstein J, Ritz B.  
Neurology. 2012 Nov 13;79(20):2061-6. doi: 10.1212/WNL.0b013e3182749f28.  
PMID: 23150532 [PubMed - indexed for MEDLINE]  
[Related citations](#)
45. [Deletion in exon 5 of the SNCA gene and exposure to rotenone leads to oligomerization of  \$\alpha\$ -synuclein and toxicity to PC12 cells.](#)  
Ma KL, Song LK, Long WA, Yuan YH, Zhang Y, Song XY, Niu F, Han N, Chen NH.  
Brain Res Bull. 2013 Jan;90:127-31. doi: 10.1016/j.brainresbull.2012.10.007. Epub 2012 Nov 2.  
PMID: 23128054 [PubMed - indexed for MEDLINE]  
[Related citations](#)
46. [Heterozygous mutations in the FGF8, SHH and nodal/transforming growth factor beta pathways do not confer increased dopaminergic neuron vulnerability--a zebrafish study.](#)  
Lo C, Flinn LJ, Bandmann O.  
Neurosci Lett. 2013 Jan 4;532:55-8. doi: 10.1016/j.neulet.2012.10.035. Epub 2012 Nov 2.  
PMID: 23123778 [PubMed - indexed for MEDLINE]  
[Related citations](#)
47. [Functional GPR37 trafficking protects against toxicity induced by 6-OHDA, MPP+ or rotenone in a catecholaminergic cell line.](#)  
Lundius EG, Stroth N, Vukojević V, Terenius L, Svenningsson P.  
J Neurochem. 2013 Feb;124(3):410-7. doi: 10.1111/jnc.12081. Epub 2012 Dec 6.  
PMID: 23121049 [PubMed - indexed for MEDLINE]  
[Related citations](#)
48.  [\$\omega\$ -3 fatty acid eicosapentaenoic acid attenuates MPP+-induced neurodegeneration in fully differentiated human SH-SY5Y and primary mesencephalic cells.](#)  
Luchtman DW, Meng Q, Wang X, Shao D, Song C.  
J Neurochem. 2013 Mar;124(6):855-68. doi: 10.1111/jnc.12068. Epub 2013 Jan 13.  
PMID: 23106698 [PubMed - indexed for MEDLINE]  
[Related citations](#)
49. [Parkinson's disease: evidence for environmental risk factors.](#)  
Kiebertz K, Wunderle KB.  
Mov Disord. 2013 Jan;28(1):8-13. doi: 10.1002/mds.25150. Epub 2012 Oct 24.  
PMID: 23097348 [PubMed - in process]  
[Related citations](#)

50. [Occupational pesticide exposure and screening tests for neurodegenerative disease among an elderly population in Costa Rica.](#)  
Steenland K, Wesseling C, Román N, Quirós I, Juncos JL.  
Environ Res. 2013 Jan;120:96-101. doi: 10.1016/j.envres.2012.08.014. Epub 2012 Oct 22.  
PMID: 23092715 [PubMed - indexed for MEDLINE]  
[Related citations](#)
51. [Inhibition of rho kinase enhances survival of dopaminergic neurons and attenuates axonal loss in a mouse model of Parkinson's disease.](#)  
Tönges L, Frank T, Tatenhorst L, Saal KA, Koch JC, Szego ÉM, Bähr M, Weishaupt JH, Lingor P.  
Brain. 2012 Nov;135(Pt 11):3355-70. doi: 10.1093/brain/aws254. Epub 2012 Oct 19.  
PMID: 23087045 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
52. [Meta-analysis of early nonmotor features and risk factors for Parkinson disease.](#)  
Noyce AJ, Bestwick JP, Silveira-Moriyama L, Hawkes CH, Giovannoni G, Lees AJ, Schrag A.  
Ann Neurol. 2012 Dec;72(6):893-901. doi: 10.1002/ana.23687. Epub 2012 Oct 15. Review.  
PMID: 23071076 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
53. [DJ-1 expression modulates astrocyte-mediated protection against neuronal oxidative stress.](#)  
Mullett SJ, Di Maio R, Greenamyre JT, Hinkle DA.  
J Mol Neurosci. 2013 Mar;49(3):507-11. doi: 10.1007/s12031-012-9904-4. Epub 2012 Oct 15.  
PMID: 23065353 [PubMed - in process]  
[Related citations](#)
54. [Environmental-genetic interactions in the pathogenesis of Parkinson's disease.](#)  
Tsuboi Y.  
Exp Neurobiol. 2012 Sep;21(3):123-8. doi: 10.5607/en.2012.21.3.123. Epub 2012 Sep 17.  
PMID: 23055790 [PubMed] **Free PMC Article**  
[Related citations](#)
55. [Low doses of paraquat and polyphenols prolong life span and locomotor activity in knock-down parkin Drosophila melanogaster exposed to oxidative stress stimuli: implication in autosomal recessive juvenile Parkinsonism.](#)  
Bonilla-Ramirez L, Jimenez-Del-Rio M, Velez-Pardo C.  
Gene. 2013 Jan 10;512(2):355-63. doi: 10.1016/j.gene.2012.09.120. Epub 2012 Oct 6.  
PMID: 23046578 [PubMed - indexed for MEDLINE]  
[Related citations](#)
56. [Genetic modification of the association of paraquat and Parkinson's disease.](#)

Goldman SM, Kamel F, Ross GW, Bhudhikanok GS, Hoppin JA, Korell M, Marras C, Meng C, Umbach DM, Kasten M, Chade AR, Comyns K, Richards MB, Sandler DP, Blair A, Langston JW, Tanner CM.

Mov Disord. 2012 Nov;27(13):1652-8. doi: 10.1002/mds.25216. Epub 2012 Oct 8.

PMID: 23045187 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

57. [Neuroprotective efficacy of aminopropyl carbazoles in a mouse model of Parkinson disease.](#)

De Jesús-Cortés H, Xu P, Drawbridge J, Estill SJ, Huntington P, Tran S, Britt J, Tesla R, Morlock L, Naidoo J, Melito LM, Wang G, Williams NS, Ready JM, McKnight SL, Pieper AA.

Proc Natl Acad Sci U S A. 2012 Oct 16;109(42):17010-5. doi: 10.1073/pnas.1213956109. Epub 2012 Oct 1.

PMID: 23027934 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

58. [Combined exposure to Maneb and Paraquat alters transcriptional regulation of neurogenesis-related genes in mice models of Parkinson's disease.](#)

Desplats P, Patel P, Kosberg K, Mante M, Patrick C, Rockenstein E, Fujita M, Hashimoto M, Masliah E.

Mol Neurodegener. 2012 Sep 28;7:49. doi: 10.1186/1750-1326-7-49.

PMID: 23017109 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

59. [Dysregulated expression of secretogranin III is involved in neurotoxin-induced dopaminergic neuron apoptosis.](#)

Li F, Tian X, Zhou Y, Zhu L, Wang B, Ding M, Pang H.

J Neurosci Res. 2012 Dec;90(12):2237-46. doi: 10.1002/jnr.23121. Epub 2012 Sep 18.

PMID: 22987761 [PubMed - indexed for MEDLINE]

[Related citations](#)

60. [Amelioration of rotenone-induced dopaminergic cell death in the striatum by oxytocin treatment.](#)

Erbaş O, Oltulu F, Taşkıran D.

Peptides. 2012 Dec;38(2):312-7. doi: 10.1016/j.peptides.2012.05.026. Epub 2012 Sep 14.

PMID: 22985856 [PubMed - indexed for MEDLINE]

[Related citations](#)

61. [Controlled release of rasagiline mesylate promotes neuroprotection in a rotenone-induced advanced model of Parkinson's disease.](#)

Fernández M, Barcia E, Fernández-Carballido A, Garcia L, Slowing K, Negro S.

Int J Pharm. 2012 Nov 15;438(1-2):266-78. doi: 10.1016/j.ijpharm.2012.09.024. Epub 2012 Sep 15.

PMID: 22985602 [PubMed - indexed for MEDLINE]

[Related citations](#)

62. [\[Chronic central nervous system effects of pesticides: state-of-the-art\].](#)  
Blanc-Lapierre A, Bouvier G, Garrigou A, Canal-Raffin M, Raheison C, Brochard P, Baldi I.  
Rev Epidemiol Sante Publique. 2012 Oct;60(5):389-400. doi: 10.1016/j.respe.2012.03.006.  
Epub 2012 Sep 14. Review. French.  
PMID: 22981160 [PubMed - indexed for MEDLINE]

[Related citations](#)

63. [Nitrosative stress mediated misfolded protein aggregation mitigated by Na-D-β-hydroxybutyrate intervention.](#)  
Kabiraj P, Pal R, Varela-Ramirez A, Miranda M, Narayan M.  
Biochem Biophys Res Commun. 2012 Sep 28;426(3):438-44. doi:  
10.1016/j.bbrc.2012.08.121. Epub 2012 Sep 4.  
PMID: 22974977 [PubMed - indexed for MEDLINE]

[Related citations](#)

64. [MDR1 C3435T polymorphism and interaction with environmental factors in risk of Parkinson's disease: a case-control study in Japan.](#)  
Kiyohara C, Miyake Y, Koyanagi M, Fujimoto T, Shirasawa S, Tanaka K, Fukushima W, Sasaki S, Tsuboi Y, Yamada T, Oeda T, Shimada H, Kawamura N, Sakae N, Fukuyama H, Hirota Y, Nagai M; Fukuoka Kinki Parkinson's Disease Study Group.  
Drug Metab Pharmacokinet. 2013;28(2):138-43. Epub 2012 Sep 11.  
PMID: 22971641 [PubMed - in process] **Free Article**

[Related citations](#)

65. [Transcriptome analysis of a rotenone model of parkinsonism reveals complex I-tied and -untied toxicity mechanisms common to neurodegenerative diseases.](#)  
Cabeza-Arvelaiz Y, Schiestl RH.  
PLoS One. 2012;7(9):e44700. doi: 10.1371/journal.pone.0044700. Epub 2012 Sep 7.  
PMID: 22970289 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

66. [Distinct effects of rotenone, 1-methyl-4-phenylpyridinium and 6-hydroxydopamine on cellular bioenergetics and cell death.](#)  
Giordano S, Lee J, Darley-Usmar VM, Zhang J.  
PLoS One. 2012;7(9):e44610. doi: 10.1371/journal.pone.0044610. Epub 2012 Sep 6.  
PMID: 22970265 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

67. [Central nervous system damage due to acute paraquat poisoning: a neuroimaging study with 3.0 T MRI.](#)  
Wu B, Song B, Tian S, Huo S, Cui C, Guo Y, Liu H.  
Neurotoxicology. 2012 Oct;33(5):1330-7. doi: 10.1016/j.neuro.2012.08.007. Epub 2012 Aug



27.

PMID: 22947519 [PubMed - indexed for MEDLINE]

[Related citations](#)

68. [A current review of cypermethrin-induced neurotoxicity and nigrostriatal dopaminergic neurodegeneration.](#)

Singh AK, Tiwari MN, Prakash O, Singh MP.

Curr Neuropharmacol. 2012 Mar;10(1):64-71. doi: 10.2174/157015912799362779.

PMID: 22942879 [PubMed] **Free PMC Article**

[Related citations](#)

69. [Glycogen synthase kinase-3 \$\beta\$  activation mediates rotenone-induced cytotoxicity with the involvement of microtubule destabilization.](#)

Hongo H, Kihara T, Kume T, Izumi Y, Niidome T, Sugimoto H, Akaike A.

Biochem Biophys Res Commun. 2012 Sep 14;426(1):94-9. doi: 10.1016/j.bbrc.2012.08.042. Epub 2012 Aug 17.

PMID: 22922102 [PubMed - indexed for MEDLINE]

[Related citations](#)

70. [Quercetin and sesamin protect dopaminergic cells from MPP<sup>+</sup>-induced neuroinflammation in a microglial \(N9\)-neuronal \(PC12\) coculture system.](#)

Bournival J, Plouffe M, Renaud J, Provencher C, Martinoli MG.

Oxid Med Cell Longev. 2012;2012:921941. doi: 10.1155/2012/921941. Epub 2012 Jul 3.

PMID: 22919443 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

71. [Defective autophagy in Parkinson's disease: role of oxidative stress.](#)

Janda E, Isidoro C, Carresi C, Mollace V.

Mol Neurobiol. 2012 Dec;46(3):639-61. doi: 10.1007/s12035-012-8318-1. Epub 2012 Aug 17.

PMID: 22899187 [PubMed - in process]

[Related citations](#)

72. [DJ-1 protects dopaminergic neurons against rotenone-induced apoptosis by enhancing ERK-dependent mitophagy.](#)

Gao H, Yang W, Qi Z, Lu L, Duan C, Zhao C, Yang H.

J Mol Biol. 2012 Oct 19;423(2):232-48. doi: 10.1016/j.jmb.2012.06.034. Epub 2012 Aug 14.

PMID: 22898350 [PubMed - indexed for MEDLINE]

[Related citations](#)

73. [Lipid-like components released from degenerating dopaminergic neurons trigger the dynamic migration of microglia.](#)

Kim H, Park JH, Kim K.

Biochem Biophys Res Commun. 2012 Sep 14;426(1):18-25. doi:

10.1016/j.bbrc.2012.07.167. Epub 2012 Aug 7.  
PMID: 22898047 [PubMed - indexed for MEDLINE]

[Related citations](#)

74. [Activation of transcription factor MEF2D by bis\(3\)-cognitin protects dopaminergic neurons and ameliorates Parkinsonian motor defects.](#)

Yao L, Li W, She H, Dou J, Jia L, He Y, Yang Q, Zhu J, Cápiro NL, Walker DI, Pennell KD, Pang Y, Liu Y, Han Y, Mao Z.

J Biol Chem. 2012 Oct 5;287(41):34246-55. doi: 10.1074/jbc.M112.367540. Epub 2012 Aug 13.

PMID: 22891246 [PubMed - indexed for MEDLINE]

[Related citations](#)

75. [ROS-dependent regulation of Parkin and DJ-1 localization during oxidative stress in neurons.](#)

Joselin AP, Hewitt SJ, Callaghan SM, Kim RH, Chung YH, Mak TW, Shen J, Slack RS, Park DS.

Hum Mol Genet. 2012 Nov 15;21(22):4888-903. doi: 10.1093/hmg/dds325. Epub 2012 Aug 7.

PMID: 22872702 [PubMed - indexed for MEDLINE]

[Related citations](#)

76. [3-\(Fur-2-yl\)-10-\(2-phenylethyl\)-\[1,2,4\]triazino\[4,3-a\]benzimidazol-4\(10H\)-one, a novel adenosine receptor antagonist with A\(2A\)-mediated neuroprotective effects.](#)

Scatena A, Fornai F, Trincavelli ML, Taliani S, Daniele S, Pugliesi I, Cosconati S, Martini C, Da Settimo F.

ACS Chem Neurosci. 2011 Sep 21;2(9):526-35. doi: 10.1021/cn200036s. Epub 2011 Jun 10.

PMID: 22860174 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

77. [5'-Aza-dC sensitizes paraquat toxic effects on PC12 cell.](#)

Kong M, Ba M, Liang H, Ma L, Yu Q, Yu T, Wang Y.

Neurosci Lett. 2012 Aug 22;524(1):35-9. doi: 10.1016/j.neulet.2012.07.001. Epub 2012 Jul 11.

PMID: 22796470 [PubMed - indexed for MEDLINE]

[Related citations](#)

78. [Whole genome expression profile in neuroblastoma cells exposed to 1-methyl-4-phenylpyridine.](#)

Mazzio E, Soliman KF.

Neurotoxicology. 2012 Oct;33(5):1156-69. doi: 10.1016/j.neuro.2012.06.009. Epub 2012 Jul 7.

PMID: 22776087 [PubMed - indexed for MEDLINE]

[Related citations](#)

79. [Parkinson's disease and the environment: beyond pesticides.](#)

Caudle WM, Guillot TS, Lazo C, Miller GW.  
Neurotoxicology. 2012 Jun;33(3):585. No abstract available.  
PMID: 22774228 [PubMed - indexed for MEDLINE]

[Related citations](#)

80. [IL6 protects MN9D cells and midbrain dopaminergic neurons from MPP+-induced neurodegeneration.](#)

Spittau B, Zhou X, Ming M, Krieglstein K.  
Neuromolecular Med. 2012 Dec;14(4):317-27. doi: 10.1007/s12017-012-8189-7. Epub 2012 Jul 8.

PMID: 22772723 [PubMed - indexed for MEDLINE]

[Related citations](#)

81. [Clavulanic acid inhibits MPP<sup>+</sup>-induced ROS generation and subsequent loss of dopaminergic cells.](#)

Kost GC, Selvaraj S, Lee YB, Kim DJ, Ahn CH, Singh BB.  
Brain Res. 2012 Aug 21;1469:129-35. doi: 10.1016/j.brainres.2012.06.005. Epub 2012 Jun 29.

PMID: 22750587 [PubMed - indexed for MEDLINE]

[Related citations](#)

82. [Epigallocatechin-3-gallate suppresses 1-methyl-4-phenyl-pyridine-induced oxidative stress in PC12 cells via the SIRT1/PGC-1 \$\alpha\$  signaling pathway.](#)

Ye Q, Ye L, Xu X, Huang B, Zhang X, Zhu Y, Chen X.  
BMC Complement Altern Med. 2012 Jun 28;12:82. doi: 10.1186/1472-6882-12-82.

PMID: 22742579 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

83. [Induction of apoptotic erythrocyte death by rotenone.](#)

Lupescu A, Jilani K, Zbidah M, Lang F.  
Toxicology. 2012 Oct 28;300(3):132-7. doi: 10.1016/j.tox.2012.06.007. Epub 2012 Jun 19.

PMID: 22727881 [PubMed - indexed for MEDLINE]

[Related citations](#)

84. [Protective role of glutathione reductase in paraquat induced neurotoxicity.](#)

Djukic MM, Jovanovic MD, Ninkovic M, Stevanovic I, Ilic K, Curcic M, Vekic J.  
Chem Biol Interact. 2012 Aug 30;199(2):74-86. doi: 10.1016/j.cbi.2012.05.008. Epub 2012 Jun 18.

PMID: 22721943 [PubMed - indexed for MEDLINE]

[Related citations](#)

85. [Regenerative effects of umbilical cord matrix cells \(UCMCs\) in a rodent model of rotenone neurotoxicity.](#)

Salama M, Eldakroory SA, Eltantawy D, Ghanem AA, Elghaffar HA, Elhusseiny M, Elhak

SG.

Environ Toxicol Pharmacol. 2012 Sep;34(2):338-44. doi: 10.1016/j.etap.2012.05.005. Epub 2012 May 29.

PMID: 22717662 [PubMed - indexed for MEDLINE]

[Related citations](#)

86. [Rotenone-induced parkinsonism elicits behavioral impairments and differential expression of parkin, heat shock proteins and caspases in the rat.](#)

Sonia Angeline M, Chaterjee P, Anand K, Ambasta RK, Kumar P.

Neuroscience. 2012 Sep 18;220:291-301. doi: 10.1016/j.neuroscience.2012.06.021. Epub 2012 Jun 16.

PMID: 22710069 [PubMed - indexed for MEDLINE]

[Related citations](#)

87. [Alterations in bioenergetic function induced by Parkinson's disease mimetic compounds: lack of correlation with superoxide generation.](#)

Dranka BP, Zielonka J, Kanthasamy AG, Kalyanaraman B.

J Neurochem. 2012 Sep;122(5):941-51. doi: 10.1111/j.1471-4159.2012.07836.x. Epub 2012 Jul 11.

PMID: 22708893 [PubMed - indexed for MEDLINE]

[Related citations](#)

88. [Association of a protective paraoxonase 1 \(PON1\) polymorphism in Parkinson's disease.](#)

Belin AC, Ran C, Anvret A, Paddock S, Westerlund M, Håkansson A, Nissbrandt H, Söderkvist P, Dizdar N, Ahmadi A, Anvret M, Willows T, Sydow O, Galter D.

Neurosci Lett. 2012 Jul 26;522(1):30-5. doi: 10.1016/j.neulet.2012.06.007. Epub 2012 Jun 13.

PMID: 22704918 [PubMed - indexed for MEDLINE]

[Related citations](#)

89. [Parkinson disease and Alzheimer disease: environmental risk factors.](#)

Campdelacreu J.

Neurologia. 2012 Jun 13. [Epub ahead of print] English, Spanish.

PMID: 22703631 [PubMed - as supplied by publisher] **Free Article**

[Related citations](#)

90. [Occupational exposure to pesticides and Parkinson's disease: a systematic review and meta-analysis of cohort studies.](#)

Van Maele-Fabry G, Hoet P, Vilain F, Lison D.

Environ Int. 2012 Oct 1;46:30-43. doi: 10.1016/j.envint.2012.05.004. Epub 2012 Jun 13. Review.

PMID: 22698719 [PubMed - indexed for MEDLINE]

[Related citations](#)

91. [Risk factors for Parkinson's disease may differ in men and women: an exploratory study.](#)

Savica R, Grossardt BR, Bower JH, Ahlskog JE, Rocca WA.  
Horm Behav. 2013 Feb;63(2):308-14. doi: 10.1016/j.yhbeh.2012.05.013. Epub 2012 Jun 8.  
PMID: 22687345 [PubMed - in process]

[Related citations](#)

92. [Salidroside protects PC12 cells from MPP<sup>+</sup>-induced apoptosis via activation of the PI3K/Akt pathway.](#)

Zhang L, Ding W, Sun H, Zhou Q, Huang J, Li X, Xie Y, Chen J.

Food Chem Toxicol. 2012 Aug;50(8):2591-7. doi: 10.1016/j.fct.2012.05.045. Epub 2012 Jun 1.

PMID: 22664423 [PubMed - indexed for MEDLINE]

[Related citations](#)

93. [Pesticide exposure and Parkinson's disease: epidemiological evidence of association.](#)

Freire C, Koifman S.

Neurotoxicology. 2012 Oct;33(5):947-71. doi: 10.1016/j.neuro.2012.05.011. Epub 2012 May 22. Review.

PMID: 22627180 [PubMed - indexed for MEDLINE]

[Related citations](#)

94. [Urate and its transgenic depletion modulate neuronal vulnerability in a cellular model of Parkinson's disease.](#)

Cipriani S, Desjardins CA, Burdett TC, Xu Y, Xu K, Schwarzschild MA.

PLoS One. 2012;7(5):e37331. doi: 10.1371/journal.pone.0037331. Epub 2012 May 14.

PMID: 22606360 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

95. [Mitochondrial complex I inhibitor rotenone-induced toxicity and its potential mechanisms in Parkinson's disease models.](#)

Xiong N, Long X, Xiong J, Jia M, Chen C, Huang J, Ghoorah D, Kong X, Lin Z, Wang T.

Crit Rev Toxicol. 2012 Aug;42(7):613-32. doi: 10.3109/10408444.2012.680431. Epub 2012 May 11. Review.

PMID: 22574684 [PubMed - indexed for MEDLINE]

[Related citations](#)

96. [Concordant signaling pathways produced by pesticide exposure in mice correspond to pathways identified in human Parkinson's disease.](#)

Gollamudi S, Johri A, Calingasan NY, Yang L, Elemento O, Beal MF.

PLoS One. 2012;7(5):e36191. doi: 10.1371/journal.pone.0036191. Epub 2012 May 1.

PMID: 22563483 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

97. [Viral-toxin interactions and Parkinson's disease: poly I:C priming enhanced the neurodegenerative effects of paraquat.](#)

Bobyn J, Mangano EN, Gandhi A, Nelson E, Moloney K, Clarke M, Hayley S.  
J Neuroinflammation. 2012 May 4;9:86. doi: 10.1186/1742-2094-9-86.  
PMID: 22559812 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

98. [The caspase 6 derived N-terminal fragment of DJ-1 promotes apoptosis via increased ROS production.](#)

Robert G, Puissant A, Dufies M, Marchetti S, Jacquel A, Cluzeau T, Colosetti P, Belhacene N, Kahle P, Da Costa CA, Luciano F, Checler F, Auberger P.

Cell Death Differ. 2012 Nov;19(11):1769-78. doi: 10.1038/cdd.2012.55. Epub 2012 May 4.

PMID: 22555455 [PubMed - indexed for MEDLINE]

[Related citations](#)

99. [Evidence for synergism between cell death mechanisms in a cellular model of neurodegeneration in Parkinson's disease.](#)

Yong-Kee CJ, Warre R, Monnier PP, Lozano AM, Nash JE.

Neurotox Res. 2012 Nov;22(4):355-64. Epub 2012 Apr 20.

PMID: 22528248 [PubMed - indexed for MEDLINE]

[Related citations](#)

100. [Glyphosate induced cell death through apoptotic and autophagic mechanisms.](#)

Gui YX, Fan XN, Wang HM, Wang G, Chen SD.

Neurotoxicol Teratol. 2012 May-Jun;34(3):344-9. doi: 10.1016/j.ntt.2012.03.005. Epub 2012 Apr 4.

PMID: 22504123 [PubMed - indexed for MEDLINE]

[Related citations](#)

101. [\[Adenovirus vector mediated human 14-3-3  \$\gamma\$  gene transfer protects dopaminergic cells against rotenone-induced injury\].](#)

Chen XW, Wang T, Yuan KX, Wang YJ, Wang SR, Sun SG, Chen ZB.

Zhonghua Yi Xue Za Zhi. 2012 Jan 3;92(1):55-9. Chinese.

PMID: 22490660 [PubMed - indexed for MEDLINE]

[Related citations](#)

102. [PEP-1-heat shock protein 27 protects from neuronal damage in cells and in a Parkinson's disease mouse model.](#)

Lee YP, Kim DW, Kang HW, Hwang JH, Jeong HJ, Sohn EJ, Kim MJ, Ahn EH, Shin MJ, Kim DS, Kang TC, Kwon OS, Cho SW, Park J, Eum WS, Choi SY.

FEBS J. 2012 Jun;279(11):1929-42. doi: 10.1111/j.1742-4658.2012.08574.x. Epub 2012 Apr 16.

PMID: 22429328 [PubMed - indexed for MEDLINE]

[Related citations](#)

103. [The decrease of dopamine D<sub>2</sub>/D<sub>3</sub> receptor densities in the putamen and nucleus caudatus goes parallel with maintained levels of CB<sub>1</sub> cannabinoid receptors in Parkinson's disease: a](#)

[preliminary autoradiographic study with the selective dopamine D<sub>2</sub>/D<sub>3</sub> antagonist \[<sup>3</sup>H\]raclopride and the novel CB<sub>1</sub> inverse agonist \[<sup>125</sup>I\]SD7015.](#)

Farkas S, Nagy K, Jia Z, Harkany T, Palkovits M, Donohou SR, Pike VW, Halldin C, Máthé D, Csiba L, Gulyás B.

Brain Res Bull. 2012 Apr 10;87(6):504-10. doi: 10.1016/j.brainresbull.2012.02.012. Epub 2012 Mar 7.

PMID: 22421165 [PubMed - indexed for MEDLINE]

[Related citations](#)

104. [Molecular aspects of dopaminergic neurodegeneration: gene-environment interaction in parkin dysfunction.](#)

Ali SF, Binienda ZK, Imam SZ.

Int J Environ Res Public Health. 2011 Dec;8(12):4702-13. doi: 10.3390/ijerph8124702. Epub 2011 Dec 16. Review.

PMID: 22408597 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

105. [Is pesticide use related to Parkinson disease? Some clues to heterogeneity in study results.](#)

van der Mark M, Brouwer M, Kromhout H, Nijssen P, Huss A, Vermeulen R.

Environ Health Perspect. 2012 Mar;120(3):340-7. doi: 10.1289/ehp.1103881. Review.

PMID: 22389202 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

106. [Use of PC12 cells and rat superior cervical ganglion sympathetic neurons as models for neuroprotective assays relevant to Parkinson's disease.](#)

Grau CM, Greene LA.

Methods Mol Biol. 2012;846:201-11. doi: 10.1007/978-1-61779-536-7\_18.

PMID: 22367813 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

107. [Decrease in nicotinamide adenine dinucleotide dehydrogenase is related to skin pigmentation.](#)

Nakama M, Murakami Y, Tanaka H, Nakata S.

J Cosmet Dermatol. 2012 Mar;11(1):3-8. doi: 10.1111/j.1473-2165.2011.00592.x.

PMID: 22360328 [PubMed - indexed for MEDLINE]

[Related citations](#)

108. [Chiral pesticides: identification, description, and environmental implications.](#)

Ulrich EM, Morrison CN, Goldsmith MR, Foreman WT.

Rev Environ Contam Toxicol. 2012;217:1-74. doi: 10.1007/978-1-4614-2329-4\_1. Review.

PMID: 22350557 [PubMed - indexed for MEDLINE]

[Related citations](#)

109. [Emerging neurotoxic mechanisms in environmental factors-induced neurodegeneration.](#)

Kanthasamy A, Jin H, Anantharam V, Sondarva G, Rangasamy V, Rana A, Kanthasamy A. Neurotoxicology. 2012 Aug;33(4):833-7. doi: 10.1016/j.neuro.2012.01.011. Epub 2012 Feb 7.

PMID: 22342404 [PubMed - indexed for MEDLINE]

[Related citations](#)

110. [Resveratrol potentiates cytochrome P450 2 d22-mediated neuroprotection in maneb- and paraquat-induced parkinsonism in the mouse.](#)

Srivastava G, Dixit A, Yadav S, Patel DK, Prakash O, Singh MP.

Free Radic Biol Med. 2012 Apr 15;52(8):1294-306. doi: 10.1016/j.freeradbiomed.2012.02.005. Epub 2012 Feb 11.

PMID: 22334051 [PubMed - indexed for MEDLINE]

[Related citations](#)

111. [Peripheral inflammation increases the deleterious effect of CNS inflammation on the nigrostriatal dopaminergic system.](#)

Hernández-Romero MC, Delgado-Cortés MJ, Sarmiento M, de Pablos RM, Espinosa-Oliva AM, Argüelles S, Báñez MJ, Villarán RF, Mauriño R, Santiago M, Venero JL, Herrera AJ, Cano J, Machado A.

Neurotoxicology. 2012 Jun;33(3):347-60. doi: 10.1016/j.neuro.2012.01.018. Epub 2012 Feb 6.

PMID: 22330755 [PubMed - indexed for MEDLINE]

[Related citations](#)

112. [Circadian dysfunction in a rotenone-induced parkinsonian rodent model.](#)

Lax P, Esquivia G, Esteve-Rudd J, Ojalora BB, Madrid JA, Cuenca N.

Chronobiol Int. 2012 Mar;29(2):147-56. doi: 10.3109/07420528.2011.649870.

PMID: 22324553 [PubMed - indexed for MEDLINE]

[Related citations](#)

113. [The mitochondrial chaperone protein TRAP1 mitigates  \$\alpha\$ -Synuclein toxicity.](#)

Butler EK, Voigt A, Lutz AK, Toegel JP, Gerhardt E, Karsten P, Falkenburger B, Reinartz A, Winklhofer KF, Schulz JB.

PLoS Genet. 2012 Feb;8(2):e1002488. doi: 10.1371/journal.pgen.1002488. Epub 2012 Feb 2.

PMID: 22319455 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

114. [WldS but not Nmnat1 protects dopaminergic neurites from MPP+ neurotoxicity.](#)

Antenor-Dorsey JA, O'Malley KL.

Mol Neurodegener. 2012 Feb 8;7:5. doi: 10.1186/1750-1326-7-5.

PMID: 22315973 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

115. [Industrial toxicants and Parkinson's disease.](#)



- Caudle WM, Guillot TS, Lazo CR, Miller GW.  
Neurotoxicology. 2012 Mar;33(2):178-88. doi: 10.1016/j.neuro.2012.01.010. Epub 2012 Jan 30. Review.  
PMID: 22309908 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
116. [Paraquat, but not maneb, induces synucleinopathy and tauopathy in striata of mice through inhibition of proteasomal and autophagic pathways.](#)  
Wills J, Credle J, Oaks AW, Duka V, Lee JH, Jones J, Sidhu A.  
PLoS One. 2012;7(1):e30745. doi: 10.1371/journal.pone.0030745. Epub 2012 Jan 23.  
PMID: 22292029 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
117. [Genetic dissection of strain dependent paraquat-induced neurodegeneration in the substantia nigra pars compacta.](#)  
Jiao Y, Lu L, Williams RW, Smeyne RJ.  
PLoS One. 2012;7(1):e29447. doi: 10.1371/journal.pone.0029447. Epub 2012 Jan 24.  
PMID: 22291891 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
118. [Astragaloside IV prevents MPP<sup>+</sup>-induced SH-SY5Y cell death via the inhibition of Bax-mediated pathways and ROS production.](#)  
Zhang ZG, Wu L, Wang JL, Yang JD, Zhang J, Zhang J, Li LH, Xia Y, Yao LB, Qin HZ, Gao GD.  
Mol Cell Biochem. 2012 May;364(1-2):209-16. doi: 10.1007/s11010-011-1219-1. Epub 2012 Jan 26.  
PMID: 22278385 [PubMed - indexed for MEDLINE]  
[Related citations](#)
119. [Involvement of activation of PI3K/Akt pathway in the protective effects of puerarin against MPP<sup>+</sup>-induced human neuroblastoma SH-SY5Y cell death.](#)  
Zhu G, Wang X, Wu S, Li Q.  
Neurochem Int. 2012 Mar;60(4):400-8. doi: 10.1016/j.neuint.2012.01.003. Epub 2012 Jan 12.  
PMID: 22265823 [PubMed - indexed for MEDLINE]  
[Related citations](#)
120. [CHO cells expressing the human P<sub>5</sub>-ATPase ATP13A2 are more sensitive to the toxic effects of herbicide paraquat.](#)  
Pinto Fde T, Corradi GR, Hera DP, Adamo HP.  
Neurochem Int. 2012 Feb;60(3):243-8. doi: 10.1016/j.neuint.2012.01.002. Epub 2012 Jan 12.  
PMID: 22265822 [PubMed - indexed for MEDLINE]  
[Related citations](#)

121. [Matrix metalloproteinase-3 is activated by HtrA2/Omi in dopaminergic cells: relevance to Parkinson's disease.](#)  
Shin EJ, Kim EM, Lee JA, Rhim H, Hwang O.  
Neurochem Int. 2012 Feb;60(3):249-56. doi: 10.1016/j.neuint.2012.01.001. Epub 2012 Jan 11.  
PMID: 22265821 [PubMed - indexed for MEDLINE]  
[Related citations](#)
122. [Reduction of mitoferrin results in abnormal development and extended lifespan in Caenorhabditis elegans.](#)  
Ren Y, Yang S, Tan G, Ye W, Liu D, Qian X, Ding Z, Zhong Y, Zhang J, Jiang D, Zhao Y, Lu J.  
PLoS One. 2012;7(1):e29666. doi: 10.1371/journal.pone.0029666. Epub 2012 Jan 11.  
PMID: 22253756 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
123. [Animal models of Parkinson's disease.](#)  
Blandini F, Armentero MT.  
FEBS J. 2012 Apr;279(7):1156-66. doi: 10.1111/j.1742-4658.2012.08491.x. Epub 2012 Feb 28. Review.  
PMID: 22251459 [PubMed - indexed for MEDLINE]  
[Related citations](#)
124. [Minocycline prevents paraquat-induced cell death through attenuating endoplasmic reticulum stress and mitochondrial dysfunction.](#)  
Huang CL, Lee YC, Yang YC, Kuo TY, Huang NK.  
Toxicol Lett. 2012 Mar 25;209(3):203-10. doi: 10.1016/j.toxlet.2011.12.021. Epub 2012 Jan 10.  
PMID: 22245251 [PubMed - indexed for MEDLINE]  
[Related citations](#)
125. [Involvement of NADPH oxidase and glutathione in zinc-induced dopaminergic neurodegeneration in rats: similarity with paraquat neurotoxicity.](#)  
Kumar A, Singh BK, Ahmad I, Shukla S, Patel DK, Srivastava G, Kumar V, Pandey HP, Singh C.  
Brain Res. 2012 Feb 15;1438:48-64. doi: 10.1016/j.brainres.2011.12.028. Epub 2011 Dec 20.  
PMID: 22244881 [PubMed - indexed for MEDLINE]  
[Related citations](#)
126. [Animal models of the non-motor features of Parkinson's disease.](#)  
McDowell K, Chesselet MF.  
Neurobiol Dis. 2012 Jun;46(3):597-606. doi: 10.1016/j.nbd.2011.12.040. Epub 2012 Jan 3. Review.

PMID: 22236386 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

127.  [\$\Delta^9\$ -tetrahydrocannabinol \( \$\Delta^9\$ -THC\) exerts a direct neuroprotective effect in a human cell culture model of Parkinson's disease.](#)

Carroll CB, Zeissler ML, Hanemann CO, Zajicek JP.

Neuropathol Appl Neurobiol. 2012 Oct;38(6):535-47. doi: 10.1111/j.1365-2990.2011.01248.x.

PMID: 22236282 [PubMed - indexed for MEDLINE]

[Related citations](#)

128. [A guide to neurotoxic animal models of Parkinson's disease.](#)

Tieu K.

Cold Spring Harb Perspect Med. 2011 Sep;1(1):a009316. doi: 10.1101/cshperspect.a009316. Review.

PMID: 22229125 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

129. [Glutathione s-transferase omega 1 activity is sufficient to suppress neurodegeneration in a Drosophila model of Parkinson disease.](#)

Kim K, Kim SH, Kim J, Kim H, Yim J.

J Biol Chem. 2012 Feb 24;287(9):6628-41. doi: 10.1074/jbc.M111.291179. Epub 2012 Jan 4.

PMID: 22219196 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

130. [Biomonitoring and biomarkers of organophosphate pesticides exposure - state of the art.](#)

Kapka-Skrzypczak L, Cyranka M, Skrzypczak M, Kruszewski M.

Ann Agric Environ Med. 2011 Dec;18(2):294-303. Review.

PMID: 22216802 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

131. [Differential effects of dopaminergic neurotoxins on DNA cleavage.](#)

Tharakan B, Dhanasekaran M, Manyam BV.

Life Sci. 2012 Jul 26;91(1-2):1-4. doi: 10.1016/j.lfs.2011.12.003. Epub 2011 Dec 22.

PMID: 22213117 [PubMed - indexed for MEDLINE]

[Related citations](#)

132. [Alteration of GSK-3 \$\beta\$  in the hippocampus and other brain structures after chronic paraquat administration in rats.](#)

Songin M, Ossowska K, Kuter K, Strosznajder JB.

Folia Neuropathol. 2011;49(4):319-27.

PMID: 22212922 [PubMed - indexed for MEDLINE]

[Related citations](#)

133. [Role of secondary mediators in caffeine-mediated neuroprotection in maneb- and paraquat-induced Parkinson's disease phenotype in the mouse.](#)  
Yadav S, Gupta SP, Srivastava G, Srivastava PK, Singh MP.  
Neurochem Res. 2012 Apr;37(4):875-84. doi: 10.1007/s11064-011-0682-0. Epub 2011 Dec 27.  
PMID: 22201039 [PubMed - indexed for MEDLINE]  
[Related citations](#)
134. [Redox modification of Akt mediated by the dopaminergic neurotoxin MPTP, in mouse midbrain, leads to down-regulation of pAkt.](#)  
Durgadoss L, Nidadavolu P, Valli RK, Saeed U, Mishra M, Seth P, Ravindranath V.  
FASEB J. 2012 Apr;26(4):1473-83. doi: 10.1096/fj.11-194100. Epub 2011 Dec 23.  
PMID: 22198382 [PubMed - indexed for MEDLINE] **Free Article**  
[Related citations](#)
135. [Development and characterisation of a novel rat model of Parkinson's disease induced by sequential intranigral administration of AAV- \$\alpha\$ -synuclein and the pesticide, rotenone.](#)  
Mulcahy P, O'Doherty A, Paucard A, O'Brien T, Kirik D, Dowd E.  
Neuroscience. 2012 Feb 17;203:170-9. doi: 10.1016/j.neuroscience.2011.12.011. Epub 2011 Dec 13.  
PMID: 22198020 [PubMed - indexed for MEDLINE]  
[Related citations](#)
136. [Organochlorine insecticides lindane and dieldrin and their binary mixture disturb calcium homeostasis in dopaminergic PC12 cells.](#)  
Heusinkveld HJ, Westerink RH.  
Environ Sci Technol. 2012 Feb 7;46(3):1842-8. doi: 10.1021/es203303r. Epub 2012 Jan 11.  
PMID: 22191981 [PubMed - indexed for MEDLINE]  
[Related citations](#)
137. [Animal models of Parkinson's disease.](#)  
Jackson-Lewis V, Blesa J, Przedborski S.  
Parkinsonism Relat Disord. 2012 Jan;18 Suppl 1:S183-5. doi: 10.1016/S1353-8020(11)70057-8. Review.  
PMID: 22166429 [PubMed - indexed for MEDLINE]  
[Related citations](#)
138. [Oxicam structure in non-steroidal anti-inflammatory drugs is essential to exhibit Akt-mediated neuroprotection against 1-methyl-4-phenyl pyridinium-induced cytotoxicity.](#)  
Tasaki Y, Yamamoto J, Omura T, Noda T, Kamiyama N, Yoshida K, Satomi M, Sakaguchi T, Asari M, Ohkubo T, Shimizu K, Matsubara K.  
Eur J Pharmacol. 2012 Feb 15;676(1-3):57-63. doi: 10.1016/j.ejphar.2011.11.046. Epub 2011 Dec 7.  
PMID: 22182582 [PubMed - indexed for MEDLINE]

[Related citations](#)

139. [Paraquat neurotoxicity is mediated by the dopamine transporter and organic cation transporter-3.](#)  
Rappold PM, Cui M, Chesser AS, Tibbett J, Grima JC, Duan L, Sen N, Javitch JA, Tieu K. Proc Natl Acad Sci U S A. 2011 Dec 20;108(51):20766-71. doi: 10.1073/pnas.1115141108. Epub 2011 Dec 5.  
PMID: 22143804 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
140. [A national registry to determine the distribution and prevalence of Parkinson's disease in Thailand: implications of urbanization and pesticides as risk factors for Parkinson's disease.](#)  
Bhidayasiri R, Wannachai N, Limpabandhu S, Choeytim S, Suchonwanich Y, Tananyakul S, Tharathep C, Panjapiyakul P, Srismith R, Chimabutra K, Phanthumchinda K, Asawavichienjinda T. Neuroepidemiology. 2011;37(3-4):222-30. doi: 10.1159/000334440. Epub 2011 Dec 1.  
PMID: 22133707 [PubMed - indexed for MEDLINE]  
[Related citations](#)
141. [Role of epigenetics in Alzheimer's and Parkinson's disease.](#)  
Kwok JB. Epigenomics. 2010 Oct;2(5):671-82. doi: 10.2217/epi.10.43. Review.  
PMID: 22122050 [PubMed - indexed for MEDLINE]  
[Related citations](#)
142. [Differential regional expression patterns of  \$\alpha\$ -synuclein, TNF- \$\alpha\$ , and IL-1 \$\beta\$ ; and variable status of dopaminergic neurotoxicity in mouse brain after Paraquat treatment.](#)  
Mitra S, Chakrabarti N, Bhattacharyya A. J Neuroinflammation. 2011 Nov 24;8:163. doi: 10.1186/1742-2094-8-163.  
PMID: 22112368 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
143. [Neurotoxin-based models of Parkinson's disease.](#)  
Bové J, Perier C. Neuroscience. 2012 Jun 1;211:51-76. doi: 10.1016/j.neuroscience.2011.10.057. Epub 2011 Nov 10. Review.  
PMID: 22108613 [PubMed - indexed for MEDLINE]  
[Related citations](#)
144. [Subchronic polychlorinated biphenyl \(Aroclor 1254\) exposure produces oxidative damage and neuronal death of ventral midbrain dopaminergic systems.](#)  
Lee DW, Notter SA, Thiruchelvam M, Dever DP, Fitzpatrick R, Kostyniak PJ, Cory-Slechta DA, Opanashuk LA. Toxicol Sci. 2012 Feb;125(2):496-508. doi: 10.1093/toxsci/kfr313. Epub 2011 Nov 17.  
PMID: 22094459 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

145. [Rotenone activates phagocyte NADPH oxidase by binding to its membrane subunit gp91phox.](#)  
Zhou H, Zhang F, Chen SH, Zhang D, Wilson B, Hong JS, Gao HM.  
Free Radic Biol Med. 2012 Jan 15;52(2):303-13. doi: 10.1016/j.freeradbiomed.2011.10.488. Epub 2011 Nov 3.  
PMID: 22094225 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
146. [Mortality from Parkinson's disease and other causes among a workforce manufacturing paraquat: a retrospective cohort study.](#)  
Tomenson JA, Campbell C.  
BMJ Open. 2011 Jan 1;1(2):e000283. doi: 10.1136/bmjopen-2011-000283.  
PMID: 22080539 [PubMed] **Free PMC Article**  
[Related citations](#)
147. [Bee venom protects SH-SY5Y human neuroblastoma cells from 1-methyl-4-phenylpyridinium-induced apoptotic cell death.](#)  
Doo AR, Kim SN, Kim ST, Park JY, Chung SH, Choe BY, Chae Y, Lee H, Yin CS, Park HJ.  
Brain Res. 2012 Jan 6;1429:106-15. doi: 10.1016/j.brainres.2011.10.003. Epub 2011 Oct 6.  
PMID: 22078207 [PubMed - indexed for MEDLINE]  
[Related citations](#)
148. [Brassinosteroids and analogs as neuroprotectors: synthesis and structure-activity relationships.](#)  
Ismaili J, Boisvert M, Longpré F, Carange J, Le Gall C, Martinoli MG, Daoust B.  
Steroids. 2012 Jan;77(1-2):91-9. doi: 10.1016/j.steroids.2011.10.009. Epub 2011 Oct 28.  
PMID: 22064216 [PubMed - indexed for MEDLINE]  
[Related citations](#)
149. [Potential autophagy enhancers attenuate rotenone-induced toxicity in SH-SY5Y.](#)  
Xiong N, Jia M, Chen C, Xiong J, Zhang Z, Huang J, Hou L, Yang H, Cao X, Liang Z, Sun S, Lin Z, Wang T.  
Neuroscience. 2011 Dec 29;199:292-302. doi: 10.1016/j.neuroscience.2011.10.031. Epub 2011 Oct 25.  
PMID: 22056603 [PubMed - indexed for MEDLINE]  
[Related citations](#)
150. [A new role for laminins as modulators of protein toxicity in Caenorhabditis elegans.](#)  
Jensen LT, Møller TH, Larsen SA, Jakobsen H, Olsen A.  
Aging Cell. 2012 Feb;11(1):82-92. doi: 10.1111/j.1474-9726.2011.00767.x. Epub 2011 Dec 11.  
PMID: 22051349 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

151. [Prevention of paraquat-induced apoptosis in human neuronal SH-SY5Y cells by lipocalin-type prostaglandin D synthase.](#)  
Fujimori K, Fukuhara A, Inui T, Allhorn M.  
J Neurochem. 2012 Jan;120(2):279-91. doi: 10.1111/j.1471-4159.2011.07570.x. Epub 2011 Nov 24.  
PMID: 22043816 [PubMed - indexed for MEDLINE]

[Related citations](#)

152. [Early exposure to paraquat sensitizes dopaminergic neurons to subsequent silencing of PINK1 gene expression in mice.](#)  
Zhou H, Huang C, Tong J, Xia XG.  
Int J Biol Sci. 2011;7(8):1180-7. Epub 2011 Oct 26.  
PMID: 22043175 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

153. [Protection against dopaminergic neurodegeneration in Parkinson's disease-model animals by a modulator of the oxidized form of DJ-1, a wild-type of familial Parkinson's disease-linked PARK7.](#)  
Inden M, Kitamura Y, Takahashi K, Takata K, Ito N, Niwa R, Funayama R, Nishimura K, Taniguchi T, Honda T, Taira T, Ariga H.  
J Pharmacol Sci. 2011;117(3):189-203. Epub 2011 Oct 29.  
PMID: 22041943 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

154. [Paraquat and Parkinson's disease: an overview of the epidemiology and a review of two recent studies.](#)  
Mandel JS, Adami HO, Cole P.  
Regul Toxicol Pharmacol. 2012 Mar;62(2):385-92. doi: 10.1016/j.yrtph.2011.10.004. Epub 2011 Oct 15. Review.  
PMID: 22024235 [PubMed - indexed for MEDLINE]

[Related citations](#)

155. [Deprenyl prevents MPP\(+\)-induced oxidative damage in PC12 cells by the upregulation of Nrf2-mediated NQO1 expression through the activation of PI3K/Akt and Erk.](#)  
Xiao H, Lv F, Xu W, Zhang L, Jing P, Cao X.  
Toxicology. 2011 Dec 18;290(2-3):286-94. doi: 10.1016/j.tox.2011.10.007. Epub 2011 Oct 15.  
PMID: 22019741 [PubMed - indexed for MEDLINE]

[Related citations](#)

156. [Identification of bilateral changes in TID1 expression in the 6-OHDA rat model of Parkinson's disease.](#)  
Proft J, Faraji J, Robbins JC, Zucchi FC, Zhao X, Metz GA, Braun JE.

PLoS One. 2011;6(10):e26045. doi: 10.1371/journal.pone.0026045. Epub 2011 Oct 7.  
PMID: 22016808 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

157. [Leads from xenobiotic metabolism genes for Parkinson's disease among north Indians.](#)  
Punia S, Das M, Behari M, Dihana M, Govindappa ST, Muthane UB, Thelma BK, Juyal RC.  
Pharmacogenet Genomics. 2011 Dec;21(12):790-7. doi: 10.1097/FPC.0b013e32834bcd74.  
PMID: 22016051 [PubMed - indexed for MEDLINE]  
[Related citations](#)
158. [Intranasal administration of neurotoxicants in animals: support for the olfactory vector hypothesis of Parkinson's disease.](#)  
Prediger RD, Aguiar AS Jr, Matheus FC, Walz R, Antoury L, Raisman-Vozari R, Doty RL.  
Neurotox Res. 2012 Jan;21(1):90-116. doi: 10.1007/s12640-011-9281-8. Epub 2011 Oct 15.  
Review.  
PMID: 22002807 [PubMed - indexed for MEDLINE]  
[Related citations](#)
159. [Protective effects of baicalein against rotenone-induced neurotoxicity in PC12 cells and isolated rat brain mitochondria.](#)  
Li XX, He GR, Mu X, Xu B, Tian S, Yu X, Meng FR, Xuan ZH, Du GH.  
Eur J Pharmacol. 2012 Jan 15;674(2-3):227-33. doi: 10.1016/j.ejphar.2011.09.181. Epub 2011 Oct 6.  
PMID: 21996316 [PubMed - indexed for MEDLINE]  
[Related citations](#)
160. [Generation of reactive oxygen species in 1-methyl-4-phenylpyridinium \(MPP+\) treated dopaminergic neurons occurs as an NADPH oxidase-dependent two-wave cascade.](#)  
Zawada WM, Banninger GP, Thornton J, Marriott B, Cantu D, Rachubinski AL, Das M, Griffin WS, Jones SM.  
J Neuroinflammation. 2011 Oct 5;8:129. doi: 10.1186/1742-2094-8-129.  
PMID: 21975039 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
161. [Standardized extracts of Bacopa monniera protect against MPP+- and paraquat-induced toxicity by modulating mitochondrial activities, proteasomal functions, and redox pathways.](#)  
Singh M, Murthy V, Ramassamy C.  
Toxicol Sci. 2012 Jan;125(1):219-32. doi: 10.1093/toxsci/kfr255. Epub 2011 Oct 4.  
PMID: 21972102 [PubMed - indexed for MEDLINE] **Free Article**  
[Related citations](#)
162. [Developmental exposure to organophosphates triggers transcriptional changes in genes associated with Parkinson's disease in vitro and in vivo.](#)  
Slotkin TA, Seidler FJ.



Brain Res Bull. 2011 Nov 25;86(5-6):340-7. doi: 10.1016/j.brainresbull.2011.09.017. Epub 2011 Sep 28.

PMID: 21968025 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

163. [Chronic dichlorvos exposure: microglial activation, proinflammatory cytokines and damage to nigrostriatal dopaminergic system.](#)

Binukumar BK, Bal A, Gill KD.

Neuromolecular Med. 2011 Dec;13(4):251-65. doi: 10.1007/s12017-011-8156-8. Epub 2011 Oct 4.

PMID: 21964614 [PubMed - indexed for MEDLINE]

[Related citations](#)

164. [Protective effect of Bu-7, a flavonoid extracted from Clausena lansium, against rotenone injury in PC12 cells.](#)

Li BY, Yuan YH, Hu JF, Zhao Q, Zhang DM, Chen NH.

Acta Pharmacol Sin. 2011 Nov;32(11):1321-6. doi: 10.1038/aps.2011.119. Epub 2011 Oct 3.

PMID: 21963892 [PubMed - indexed for MEDLINE]

[Related citations](#)

165. [The neuroprotective enzyme CYP2D6 increases in the brain with age and is lower in Parkinson's disease patients.](#)

Mann A, Miksys SL, Gaedigk A, Kish SJ, Mash DC, Tyndale RF.

Neurobiol Aging. 2012 Sep;33(9):2160-71. doi: 10.1016/j.neurobiolaging.2011.08.014. Epub 2011 Sep 29.

PMID: 21958961 [PubMed - indexed for MEDLINE]

[Related citations](#)

166. [Acetyl-L-carnitine and  \$\alpha\$ -lipoic acid affect rotenone-induced damage in nigral dopaminergic neurons of rat brain, implication for Parkinson's disease therapy.](#)

Zaitone SA, Abo-Elmatty DM, Shaalan AA.

Pharmacol Biochem Behav. 2012 Jan;100(3):347-60. doi: 10.1016/j.pbb.2011.09.002. Epub 2011 Sep 21.

PMID: 21958946 [PubMed - indexed for MEDLINE]

[Related citations](#)

167. [Behavioral, neurochemical and histological alterations promoted by bilateral intranigral rotenone administration: a new approach for an old neurotoxin.](#)

Moreira CG, Barbiero JK, Ariza D, Dombrowski PA, Sabioni P, Bortolanza M, Da Cunha C, Vital MA, Lima MM.

Neurotox Res. 2012 Apr;21(3):291-301. doi: 10.1007/s12640-011-9278-3. Epub 2011 Sep 28.

PMID: 21953489 [PubMed - indexed for MEDLINE]

[Related citations](#)

168. [Rotenone-mediated changes in intracellular coenzyme A thioester levels: implications for mitochondrial dysfunction.](#)

Basu SS, Blair IA.

Chem Res Toxicol. 2011 Oct 17;24(10):1630-2. doi: 10.1021/tx200366j. Epub 2011 Oct 3.

PMID: 21950265 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

169. [Exposure to glyphosate- and/or Mn/Zn-ethylene-bis-dithiocarbamate-containing pesticides leads to degeneration of  \$\gamma\$ -aminobutyric acid and dopamine neurons in \*Caenorhabditis elegans\*.](#)

Negga R, Stuart JA, Machen ML, Salva J, Lizek AJ, Richardson SJ, Osborne AS, Mirallas O, McVey KA, Fitsanakis VA.

Neurotox Res. 2012 Apr;21(3):281-90. doi: 10.1007/s12640-011-9274-7. Epub 2011 Sep 16.

PMID: 21922334 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

170. [Gender segregation in gene expression and vulnerability to oxidative stress induced injury in ventral mesencephalic cultures of dopamine neurons.](#)

Tao Q, Fan X, Li T, Tang Y, Yang D, Le W.

J Neurosci Res. 2012 Jan;90(1):167-78. doi: 10.1002/jnr.22729. Epub 2011 Sep 14.

PMID: 21919034 [PubMed - indexed for MEDLINE]

[Related citations](#)

171. [Residential pesticide usage in older adults residing in Central California.](#)

Armes MN, Liew Z, Wang A, Wu X, Bennett DH, Hertz-Picciotto I, Ritz B.

Int J Environ Res Public Health. 2011 Aug;8(8):3114-33. doi: 10.3390/ijerph8083114. Epub 2011 Jul 25.

PMID: 21909294 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

172. [DJ-1 knock-down impairs astrocyte mitochondrial function.](#)

Larsen NJ, Ambrosi G, Mullett SJ, Berman SB, Hinkle DA.

Neuroscience. 2011 Nov 24;196:251-64. doi: 10.1016/j.neuroscience.2011.08.016. Epub 2011 Aug 16.

PMID: 21907265 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

173. [Differential effects of activating D1 and D2 receptors on electrophysiology of neostriatal neurons in a rat model of Parkinson's disease induced by paraquat and maneb.](#)

Xu H, Chen R, Cai X, He D.

Neurosci Res. 2011 Dec;71(4):411-20. doi: 10.1016/j.neures.2011.08.011. Epub 2011 Aug 31.

PMID: 21903142 [PubMed - indexed for MEDLINE]

[Related citations](#)

174. [Leaf extract of \*Rhus verniciflua\* Stokes protects dopaminergic neuronal cells in a rotenone model of Parkinson's disease.](#)

Kim S, Park SE, Sapkota K, Kim MK, Kim SJ.

J Pharm Pharmacol. 2011 Oct;63(10):1358-67. doi: 10.1111/j.2042-7158.2011.01342.x.

Epub 2011 Aug 30.

PMID: 21899552 [PubMed - indexed for MEDLINE]

[Related citations](#)

175. [Engrailed protects mouse midbrain dopaminergic neurons against mitochondrial complex I insults.](#)

Alvarez-Fischer D, Fuchs J, Castagner F, Stettler O, Massiani-Beaudoin O, Moya KL, Bouillot C, Oertel WH, Lombès A, Faigle W, Joshi RL, Hartmann A, Prochiantz A.

Nat Neurosci. 2011 Sep 4;14(10):1260-6. doi: 10.1038/nn.2916.

PMID: 21892157 [PubMed - indexed for MEDLINE]

[Related citations](#)

176. [Intervention of mitochondrial dysfunction-oxidative stress-dependent apoptosis as a possible neuroprotective mechanism of  \$\alpha\$ -lipoic acid against rotenone-induced parkinsonism and L-dopa toxicity.](#)

Abdin AA, Sarhan NI.

Neurosci Res. 2011 Dec;71(4):387-95. doi: 10.1016/j.neures.2011.08.008. Epub 2011 Aug 26.

PMID: 21889550 [PubMed - indexed for MEDLINE]

[Related citations](#)

177. [Dopamine oxidation facilitates rotenone-dependent potentiation of N-methyl-D-aspartate currents in rat substantia nigra dopamine neurons.](#)

Wu YN, Johnson SW.

Neuroscience. 2011 Nov 10;195:138-44. doi: 10.1016/j.neuroscience.2011.08.041. Epub 2011 Aug 23.

PMID: 21884756 [PubMed - indexed for MEDLINE]

[Related citations](#)

178. [Melatonin protects against rotenone-induced cell injury via inhibition of Omi and Bax-mediated autophagy in Hela cells.](#)

Zhou H, Chen J, Lu X, Shen C, Zeng J, Chen L, Pei Z.

J Pineal Res. 2012 Jan;52(1):120-7. doi: 10.1111/j.1600-079X.2011.00926.x. Epub 2011 Aug 25.

PMID: 21883444 [PubMed - indexed for MEDLINE]

[Related citations](#)

179. [Role of paraoxonase 1 \(PON1\) in organophosphate metabolism: implications in](#)

[neurodegenerative diseases.](#)

Androutsopoulos VP, Kanavouras K, Tsatsakis AM.

Toxicol Appl Pharmacol. 2011 Nov 1;256(3):418-24. doi: 10.1016/j.taap.2011.08.009.

Epub 2011 Aug 12. Review.

PMID: 21864557 [PubMed - indexed for MEDLINE]

[Related citations](#)

180. [Newly developed Mg<sup>2+</sup>-selective fluorescent probe enables visualization of Mg<sup>2+</sup> dynamics in mitochondria.](#)

Shindo Y, Fujii T, Komatsu H, Citterio D, Hotta K, Suzuki K, Oka K.

PLoS One. 2011;6(8):e23684. doi: 10.1371/journal.pone.0023684. Epub 2011 Aug 16.

PMID: 21858208 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

181. [Overexpression of TFAM, NRF-1 and myr-AKT protects the MPP\(+\)-induced mitochondrial dysfunctions in neuronal cells.](#)

Piao Y, Kim HG, Oh MS, Pak YK.

Biochim Biophys Acta. 2012 May;1820(5):577-85. doi: 10.1016/j.bbagen.2011.08.007.

Epub 2011 Aug 11.

PMID: 21856379 [PubMed - indexed for MEDLINE]

[Related citations](#)

182. [Protection of dichlorvos induced oxidative stress and nigrostriatal neuronal death by chronic coenzyme Q10 pretreatment.](#)

Binukumar BK, Gupta N, Bal A, Gill KD.

Toxicol Appl Pharmacol. 2011 Oct 1;256(1):73-82. doi: 10.1016/j.taap.2011.07.015. Epub

2011 Aug 5.

PMID: 21843543 [PubMed - indexed for MEDLINE]

[Related citations](#)

183. [Alterations in glutathione S-transferase pi expression following exposure to MPP+ -induced oxidative stress in the blood of Parkinson's disease patients.](#)

Korff A, Pfeiffer B, Smeyne M, Kocak M, Pfeiffer RF, Smeyne RJ.

Parkinsonism Relat Disord. 2011 Dec;17(10):765-8. doi: 10.1016/j.parkreldis.2011.06.026.

Epub 2011 Aug 12.

PMID: 21840241 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

184. [The effects of paraquat on regional brain neurotransmitter activity, hippocampal BDNF and behavioural function in female mice.](#)

Litteljohn D, Nelson E, Bethune C, Hayley S.

Neurosci Lett. 2011 Sep 20;502(3):186-91. doi: 10.1016/j.neulet.2011.07.041. Epub 2011

Aug 4.

PMID: 21835224 [PubMed - indexed for MEDLINE]

[Related citations](#)

185. [Similar potency of catechin and its enantiomers in alleviating 1-methyl-4-phenylpyridinium ion cytotoxicity in SH-SY5Y cells.](#)

Ruan HL, Yang Y, Zhu XN, Wang XL, Chen RZ.

J Pharm Pharmacol. 2011 Sep;63(9):1169-74. doi: 10.1111/j.2042-7158.2011.01293.x.

Epub 2011 Jun 21.

PMID: 21827489 [PubMed - indexed for MEDLINE]

[Related citations](#)

186. [JNK3-mediated apoptotic cell death in primary dopaminergic neurons.](#)

Choi WS, Klintworth HM, Xia Z.

Methods Mol Biol. 2011;758:279-92. doi: 10.1007/978-1-61779-170-3\_19.

PMID: 21815073 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

187. [An effective novel delivery strategy of rasagiline for Parkinson's disease.](#)

Fernández M, Negro S, Slowing K, Fernández-Carballido A, Barcia E.

Int J Pharm. 2011 Oct 31;419(1-2):271-80. doi: 10.1016/j.ijpharm.2011.07.029. Epub 2011 Jul 22.

PMID: 21807080 [PubMed - indexed for MEDLINE]

[Related citations](#)

188. [Protective effects of agmatine in rotenone-induced damage of human SH-SY5Y neuroblastoma cells: fourier transform infrared spectroscopy analysis in a model of Parkinson's disease.](#)

Condello S, Calabrò E, Caccamo D, Currò M, Ferlazzo N, Satriano J, Magazù S, Ientile R.

Amino Acids. 2012 Feb;42(2-3):775-81. doi: 10.1007/s00726-011-0994-z. Epub 2011 Jul 31.

PMID: 21805293 [PubMed - indexed for MEDLINE]

[Related citations](#)

189. [Environmental neurotoxic pesticide dieldrin activates a non receptor tyrosine kinase to promote PKC \$\delta\$ -mediated dopaminergic apoptosis in a dopaminergic neuronal cell model.](#)

Saminathan H, Asaithambi A, Anantharam V, Kanthasamy AG, Kanthasamy A.

Neurotoxicology. 2011 Oct;32(5):567-77. doi: 10.1016/j.neuro.2011.06.009. Epub 2011 Jul 23.

PMID: 21801747 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

190. [14-3-3theta protects against neurotoxicity in a cellular Parkinson's disease model through inhibition of the apoptotic factor Bax.](#)

Slone SR, Lesort M, Yacoubian TA.

PLoS One. 2011;6(7):e21720. doi: 10.1371/journal.pone.0021720. Epub 2011 Jul 20.

PMID: 21799745 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

191. [Acute toxicity of MPTP and MPP\(+\) in the brain of embryo and newborn mice.](#)  
Sai T, Uchida K, Nakayama H.  
Exp Toxicol Pathol. 2013 Jan;65(1-2):113-9. doi: 10.1016/j.etp.2011.06.008. Epub 2011 Jul 27.  
PMID: 21798732 [PubMed - indexed for MEDLINE]

[Related citations](#)

192. [Neonatal exposure to lipopolysaccharide enhances vulnerability of nigrostriatal dopaminergic neurons to rotenone neurotoxicity in later life.](#)  
Fan LW, Tien LT, Lin RC, Simpson KL, Rhodes PG, Cai Z.  
Neurobiol Dis. 2011 Dec;44(3):304-16. doi: 10.1016/j.nbd.2011.07.011. Epub 2011 Jul 28.  
PMID: 21798348 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

193. [Epidemiologic studies of glyphosate and non-cancer health outcomes: a review.](#)  
Mink PJ, Mandel JS, Lundin JI, Scurman BK.  
Regul Toxicol Pharmacol. 2011 Nov;61(2):172-84. doi: 10.1016/j.yrtph.2011.07.006. Epub 2011 Jul 21. Review.  
PMID: 21798302 [PubMed - indexed for MEDLINE]

[Related citations](#)

194. [Resistance of the golden hamster to 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine \(MPTP\)-neurotoxicity is not only related with low levels of cerebral monoamine oxidase-B.](#)  
Rodríguez S, Ito T, He XJ, Uchida K, Nakayama H.  
Exp Toxicol Pathol. 2013 Jan;65(1-2):127-33. doi: 10.1016/j.etp.2011.06.010. Epub 2011 Jul 26.  
PMID: 21795029 [PubMed - indexed for MEDLINE]

[Related citations](#)

195. [PI3-K/Akt and ERK pathways activated by VEGF play opposite roles in MPP+-induced neuronal apoptosis.](#)  
Cui W, Li W, Han R, Mak S, Zhang H, Hu S, Rong J, Han Y.  
Neurochem Int. 2011 Nov;59(6):945-53. doi: 10.1016/j.neuint.2011.07.005. Epub 2011 Jul 12.  
PMID: 21781996 [PubMed - indexed for MEDLINE]

[Related citations](#)

196. [Genetic polymorphisms involved in dopaminergic neurotransmission and risk for Parkinson's disease in a Japanese population.](#)  
Kiyohara C, Miyake Y, Koyanagi M, Fujimoto T, Shirasawa S, Tanaka K, Fukushima W, Sasaki S, Tsuboi Y, Yamada T, Oeda T, Shimada H, Kawamura N, Sakae N, Fukuyama H, Hirota Y, Nagai M; Fukuoka Kinki Parkinson's Disease Study Group.  
BMC Neurol. 2011 Jul 25;11:89. doi: 10.1186/1471-2377-11-89.

PMID: 21781348 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

197. [Resveratrol-activated AMPK/SIRT1/autophagy in cellular models of Parkinson's disease.](#)  
Wu Y, Li X, Zhu JX, Xie W, Le W, Fan Z, Jankovic J, Pan T.  
Neurosignals. 2011;19(3):163-74. doi: 10.1159/000328516. Epub 2011 Jul 22.  
PMID: 21778691 [PubMed - indexed for MEDLINE]  
[Related citations](#)
198. [Paraquat induces epigenetic changes by promoting histone acetylation in cell culture models of dopaminergic degeneration.](#)  
Song C, Kanthasamy A, Jin H, Anantharam V, Kanthasamy AG.  
Neurotoxicology. 2011 Oct;32(5):586-95. doi: 10.1016/j.neuro.2011.05.018. Epub 2011 Jul 12.  
PMID: 21777615 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
199. [Mitochondrial dysfunction precedes other sub-cellular abnormalities in an in vitro model linked with cell death in Parkinson's disease.](#)  
Yong-Kee CJ, Sidorova E, Hanif A, Perera G, Nash JE.  
Neurotox Res. 2012 Feb;21(2):185-94. doi: 10.1007/s12640-011-9259-6. Epub 2011 Jul 20.  
PMID: 21773851 [PubMed - indexed for MEDLINE]  
[Related citations](#)
200. [Endogenous hydrogen sulfide is involved in asymmetric dimethylarginine-induced protection against neurotoxicity of 1-methyl-4-phenyl-pyridinium ion.](#)  
Tang XQ, Fang HR, Li YJ, Zhou CF, Ren YK, Chen RQ, Wang CY, Hu B.  
Neurochem Res. 2011 Nov;36(11):2176-85. doi: 10.1007/s11064-011-0542-y. Epub 2011 Jul 7.  
PMID: 21748658 [PubMed - indexed for MEDLINE]  
[Related citations](#)
201. [Neuroprotective cytokines repress PUMA induction in the 1-methyl-4-phenylpyridinium \(MPP\(+\)\) model of Parkinson's disease.](#)  
Kook YH, Ka M, Um M.  
Biochem Biophys Res Commun. 2011 Jul 29;411(2):370-4. doi: 10.1016/j.bbrc.2011.06.151. Epub 2011 Jun 29.  
PMID: 21741364 [PubMed - indexed for MEDLINE]  
[Related citations](#)
202. [Glyceraldehyde-3-phosphate dehydrogenase: activity inhibition and protein overexpression in rotenone models for Parkinson's disease.](#)  
Huang J, Xiong N, Chen C, Xiong J, Jia M, Zhang Z, Cao X, Liang Z, Sun S, Lin Z, Wang T.

Neuroscience. 2011 Sep 29;192:598-608. doi: 10.1016/j.neuroscience.2011.06.050. Epub 2011 Jun 23.

PMID: 21736921 [PubMed - indexed for MEDLINE]

[Related citations](#)

203. [Dopamine and paraquat enhance  \$\alpha\$ -synuclein-induced alterations in membrane conductance.](#)

Feng LR, Maguire-Zeiss KA.

Neurotox Res. 2011 Nov;20(4):387-401. doi: 10.1007/s12640-011-9255-x. Epub 2011 Jul 7.

PMID: 21735318 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

204. [\[Biological consequences of oxidative stress induced by pesticides\].](#)

Grosicka-Maciąg E.

Postepy Hig Med Dosw (Online). 2011 Jun 17;65:357-66. Review. Polish.

PMID: 21734320 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

205. [Occupational exposure in parkinsonian disorders: a 43-year prospective cohort study in men.](#)

Feldman AL, Johansson AL, Nise G, Gatz M, Pedersen NL, Wirdefeldt K.

Parkinsonism Relat Disord. 2011 Nov;17(9):677-82. doi: 10.1016/j.parkreldis.2011.06.009. Epub 2011 Jul 5.

PMID: 21733735 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

206. [Suberoylanilide hydroxamic acid, a histone deacetylase inhibitor, protects dopaminergic neurons from neurotoxin-induced damage.](#)

Chen SH, Wu HM, Ossola B, Schendzielorz N, Wilson BC, Chu CH, Chen SL, Wang Q, Zhang D, Qian L, Li X, Hong JS, Lu RB.

Br J Pharmacol. 2012 Jan;165(2):494-505. doi: 10.1111/j.1476-5381.2011.01575.x.

PMID: 21726209 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

207. [Calpain inhibition protected spinal cord motoneurons against 1-methyl-4-phenylpyridinium ion and rotenone.](#)

Samantaray S, Knaryan VH, Le Gal C, Ray SK, Banik NL.

Neuroscience. 2011 Sep 29;192:263-74. doi: 10.1016/j.neuroscience.2011.06.007. Epub 2011 Jun 22.

PMID: 21723922 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

208. [Neuroprotective effects of vanillyl alcohol in \*Gastrodia elata\* Blume through suppression of oxidative stress and anti-apoptotic activity in toxin-induced dopaminergic MN9D cells.](#)

Kim IS, Choi DK, Jung HJ.



Molecules. 2011 Jun 24;16(7):5349-61. doi: 10.3390/molecules16075349.

PMID: 21705974 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

209. [Parkinson's disease among gardeners exposed to pesticides--a Danish cohort study.](#)

Kenborg L, Lassen CF, Lander F, Olsen JH.

Scand J Work Environ Health. 2012 Jan;38(1):65-9. doi: 10.5271/sjweh.3176. Epub 2011 Jun 17.

PMID: 21687921 [PubMed - indexed for MEDLINE]

[Related citations](#)

210. [Edaravone guards dopamine neurons in a rotenone model for Parkinson's disease.](#)

Xiong N, Xiong J, Khare G, Chen C, Huang J, Zhao Y, Zhang Z, Qiao X, Feng Y, Reesaul H, Zhang Y, Sun S, Lin Z, Wang T.

PLoS One. 2011;6(6):e20677. doi: 10.1371/journal.pone.0020677. Epub 2011 Jun 3.

PMID: 21677777 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

211. [Vascular damage mediates neuronal and non-neuronal pathology following short and long-term rotenone administration in Sprague-Dawley rats.](#)

Radad K, Hassanein K, Moldzio R, Rausch WD.

Exp Toxicol Pathol. 2013 Jan;65(1-2):41-7. doi: 10.1016/j.etp.2011.05.008. Epub 2011 Jun 14.

PMID: 21676605 [PubMed - indexed for MEDLINE]

[Related citations](#)

212. [MPP\(+\)-induced toxicity in the presence of dopamine is mediated by COX-2 through oxidative stress.](#)

Hsieh YC, Mounsey RB, Teismann P.

Naunyn Schmiedebergs Arch Pharmacol. 2011 Aug;384(2):157-67. doi: 10.1007/s00210-011-0660-8. Epub 2011 Jun 12.

PMID: 21667279 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

213. [Neuroprotection of  \$\alpha\$ -synuclein under acute and chronic rotenone and maneb treatment is abolished by its familial Parkinson's disease mutations A30P, A53T and E46K.](#)

Choong CJ, Say YH.

Neurotoxicology. 2011 Dec;32(6):857-63. doi: 10.1016/j.neuro.2011.05.012. Epub 2011 May 30.

PMID: 21658409 [PubMed - indexed for MEDLINE]

[Related citations](#)

214. [Paraquat- and rotenone-induced models of Parkinson's disease.](#)

Nisticò R, Mehdawy B, Piccirilli S, Mercuri N.

Int J Immunopathol Pharmacol. 2011 Apr-Jun;24(2):313-22. Review.  
PMID: 21658306 [PubMed - indexed for MEDLINE]

[Related citations](#)

215. [Traumatic brain injury in adult rats causes progressive nigrostriatal dopaminergic cell loss and enhanced vulnerability to the pesticide paraquat.](#)

Hutson CB, Lazo CR, Mortazavi F, Giza CC, Hovda D, Chesselet MF.  
J Neurotrauma. 2011 Sep;28(9):1783-801. doi: 10.1089/neu.2010.1723.  
PMID: 21644813 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

216. [Epidemiology and etiology of Parkinson's disease: a review of the evidence.](#)

Wirdefeldt K, Adami HO, Cole P, Trichopoulos D, Mandel J.  
Eur J Epidemiol. 2011 Jun;26 Suppl 1:S1-58. doi: 10.1007/s10654-011-9581-6. Epub 2011 May 28. Review.  
PMID: 21626386 [PubMed - indexed for MEDLINE]

[Related citations](#)

217. [Rotenone and paraquat linked to Parkinson's disease: human exposure study supports years of animal studies.](#)

Spivey A.  
Environ Health Perspect. 2011 Jun;119(6):A259. doi: 10.1289/ehp.119-a259a. No abstract available.  
PMID: 21628118 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

218. [In search of the causes of Parkinson's disease, seasons 1 to 4.](#)

Elbaz A.  
Eur J Epidemiol. 2011 Jul;26(7):505-9. doi: 10.1007/s10654-011-9587-0. Epub 2011 May 31. No abstract available.  
PMID: 21626392 [PubMed - indexed for MEDLINE]

[Related citations](#)

219. [The antioxidative effect of electro-acupuncture in a mouse model of Parkinson's disease.](#)

Wang H, Pan Y, Xue B, Wang X, Zhao F, Jia J, Liang X, Wang X.  
PLoS One. 2011;6(5):e19790. doi: 10.1371/journal.pone.0019790. Epub 2011 May 23.  
PMID: 21625423 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

220. [β-Hexachlorocyclohexane levels in serum and risk of Parkinson's disease.](#)

Richardson JR, Roy A, Shalat SL, Buckley B, Winnik B, Gearing M, Levey AI, Factor SA, O'Suilleabhain P, German DC.  
Neurotoxicology. 2011 Oct;32(5):640-5. doi: 10.1016/j.neuro.2011.04.002. Epub 2011 May 17.

PMID: 21620887 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

221. [\[Effects of co-exposure to paraquat and maneb on system of substantial nigra and striatum in rats\].](#)

Xu HY, Chen RR, Cai XY, He DF.

Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi. 2011 Jan;29(1):33-8. Chinese.

PMID: 21619794 [PubMed - indexed for MEDLINE]

[Related citations](#)

222. [DLP1-dependent mitochondrial fragmentation mediates 1-methyl-4-phenylpyridinium toxicity in neurons: implications for Parkinson's disease.](#)

Wang X, Su B, Liu W, He X, Gao Y, Castellani RJ, Perry G, Smith MA, Zhu X.

Aging Cell. 2011 Oct;10(5):807-23. doi: 10.1111/j.1474-9726.2011.00721.x. Epub 2011 Jun 14.

PMID: 21615675 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

223. [Parkinsonism complicating acute organophosphate insecticide poisoning.](#)

Hashim HZ, Wan Musa WR, Ngiu CS, Wan Yahya WN, Tan HJ, Ibrahim N.

Ann Acad Med Singapore. 2011 Mar;40(3):150-1. No abstract available.

PMID: 21603737 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

224. [Association between environmental exposure to pesticides and neurodegenerative diseases.](#)

Parrón T, Requena M, Hernández AF, Alarcón R.

Toxicol Appl Pharmacol. 2011 Nov 1;256(3):379-85. doi: 10.1016/j.taap.2011.05.006. Epub 2011 May 13.

PMID: 21601587 [PubMed - indexed for MEDLINE]

[Related citations](#)

225. [Effects of pioglitazone and retinoic acid in a rotenone model of Parkinson's disease.](#)

Ulusoy GK, Celik T, Kayir H, Gürsoy M, Isik AT, Uzbay TI.

Brain Res Bull. 2011 Jul 15;85(6):380-4. doi: 10.1016/j.brainresbull.2011.05.001. Epub 2011 May 11.

PMID: 21600965 [PubMed - indexed for MEDLINE]

[Related citations](#)

226. [Sex- and brain region-specific role of cytochrome c oxidase in 1-methyl-4-phenylpyridinium-mediated astrocyte vulnerability.](#)

Sundar Boyalla S, Barbara Victor M, Roemgens A, Beyer C, Arnold S.

J Neurosci Res. 2011 Dec;89(12):2068-82. doi: 10.1002/jnr.22669. Epub 2011 May 19.

PMID: 21598289 [PubMed - indexed for MEDLINE]

[Related citations](#)

227. [Effect of mitochondrial complex I inhibition on Fe-S cluster protein activity.](#)  
Mena NP, Bulteau AL, Salazar J, Hirsch EC, Núñez MT.  
Biochem Biophys Res Commun. 2011 Jun 3;409(2):241-6. doi: 10.1016/j.bbrc.2011.04.137.  
Epub 2011 May 6.  
PMID: 21570952 [PubMed - indexed for MEDLINE]  
[Related citations](#)
228. [Effect of malate on the development of rotenone-induced brain changes in Wistar and OXYS rats: An MRI study.](#)  
Kolossova NG, Akulov AE, Stefanova NA, Moshkin MP, Savelov AA, Koptuyug IV, Panov AV, Vavilin VA.  
Dokl Biol Sci. 2011 Mar-Apr;437:72-5. doi: 10.1134/S0012496611020049. Epub 2011 May 12. No abstract available.  
PMID: 21562948 [PubMed - indexed for MEDLINE]  
[Related citations](#)
229. [The parkinsonian mimetic, MPP+, specifically impairs mitochondrial transport in dopamine axons.](#)  
Kim-Han JS, Antenor-Dorsey JA, O'Malley KL.  
J Neurosci. 2011 May 11;31(19):7212-21. doi: 10.1523/JNEUROSCI.0711-11.2011.  
PMID: 21562285 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
230. [Mitochondrial uncoupling agents antagonize rotenone actions in rat substantia nigra dopamine neurons.](#)  
Wu YN, Munhall AC, Johnson SW.  
Brain Res. 2011 Jun 13;1395:86-93. doi: 10.1016/j.brainres.2011.04.032. Epub 2011 Apr 22.  
PMID: 21550595 [PubMed - indexed for MEDLINE]  
[Related citations](#)
231. [Myricetin attenuated MPP\(+\)-induced cytotoxicity by anti-oxidation and inhibition of MKK4 and JNK activation in MES23.5 cells.](#)  
Zhang K, Ma Z, Wang J, Xie A, Xie J.  
Neuropharmacology. 2011 Jul-Aug;61(1-2):329-35. doi: 10.1016/j.neuropharm.2011.04.021. Epub 2011 Apr 23.  
PMID: 21549720 [PubMed - indexed for MEDLINE]  
[Related citations](#)
232. [Assessment of fetal brain uptake of paraquat in utero using in vivo PET/CT imaging.](#)  
Bartlett RM, Murali D, Nickles RJ, Barnhart TE, Holden JE, DeJesus OT.  
Toxicol Sci. 2011 Aug;122(2):551-6. doi: 10.1093/toxsci/kfr104. Epub 2011 May 4.  
PMID: 21546347 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)

233. [ASICs mediate the modulatory effect by paeoniflorin on  \$\alpha\$ -synuclein autophagic degradation.](#)  
Sun X, Cao YB, Hu LF, Yang YP, Li J, Wang F, Liu CF.  
Brain Res. 2011 Jun 17;1396:77-87. doi: 10.1016/j.brainres.2011.04.011. Epub 2011 Apr 13.  
PMID: 21529788 [PubMed - indexed for MEDLINE]  
[Related citations](#)
234. [Mitochondrial permeability transition pore component cyclophilin D distinguishes nigrostriatal dopaminergic death paradigms in the MPTP mouse model of Parkinson's disease.](#)  
Thomas B, Banerjee R, Starkova NN, Zhang SF, Calingasan NY, Yang L, Wille E, Lorenzo BJ, Ho DJ, Beal MF, Starkov A.  
Antioxid Redox Signal. 2012 May 1;16(9):855-68. doi: 10.1089/ars.2010.3849. Epub 2011 Jun 16.  
PMID: 21529244 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
235. [NewsCAP: Two pesticides raise the risk of Parkinson's disease.](#)  
[No authors listed]  
Am J Nurs. 2011 May;111(5):15. doi: 10.1097/01.NAJ.0000398036.17538.53. No abstract available.  
PMID: 23722368 [PubMed - in process]  
[Related citations](#)
236. [DL-3-n-butylphthalide, a natural antioxidant, protects dopamine neurons in rotenone models for Parkinson's disease.](#)  
Xiong N, Huang J, Chen C, Zhao Y, Zhang Z, Jia M, Zhang Z, Hou L, Yang H, Cao X, Liang Z, Zhang Y, Sun S, Lin Z, Wang T.  
Neurobiol Aging. 2012 Aug;33(8):1777-91. doi: 10.1016/j.neurobiolaging.2011.03.007. Epub 2011 Apr 23.  
PMID: 21524431 [PubMed - indexed for MEDLINE]  
[Related citations](#)
237. [The role of calcium channel blockers and resveratrol in the prevention of paraquat-induced parkinsonism in Drosophila melanogaster: a locomotor analysis.](#)  
Bagatini PB, Saur L, Rodrigues MF, Bernardino GC, Paim MF, Coelho GP, Silva DV, de Oliveira RM, Schirmer H, Souto AA, Vianna MR, Xavier LL.  
Invert Neurosci. 2011 Jun;11(1):43-51. doi: 10.1007/s10158-011-0116-3. Epub 2011 Apr 27.  
PMID: 21523449 [PubMed - indexed for MEDLINE]  
[Related citations](#)
238. [Parkinson's disease risk from ambient exposure to pesticides.](#)

- Wang A, Costello S, Cockburn M, Zhang X, Bronstein J, Ritz B.  
Eur J Epidemiol. 2011 Jul;26(7):547-55. doi: 10.1007/s10654-011-9574-5. Epub 2011 Apr 20.  
PMID: 21505849 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
239. [Tetrahydroxystilbene glucoside protects human neuroblastoma SH-SY5Y cells against MPP+-induced cytotoxicity.](#)  
Sun FL, Zhang L, Zhang RY, Li L.  
Eur J Pharmacol. 2011 Jun 25;660(2-3):283-90. doi: 10.1016/j.ejphar.2011.03.046. Epub 2011 Apr 9.  
PMID: 21497157 [PubMed - indexed for MEDLINE]  
[Related citations](#)
240. [\[5-lipoxygenase is involved in rotenone-induced injury in PC12 cells\].](#)  
Zhang XY, Zhang LH, Li CT, Chen WJ, Zhao JB, Wei EQ.  
Zhejiang Da Xue Xue Bao Yi Xue Ban. 2011 Mar;40(2):150-5. Chinese.  
PMID: 21488210 [PubMed - indexed for MEDLINE]  
[Related citations](#)
241. [Animal models of Parkinson's disease: a source of novel treatments and clues to the cause of the disease.](#)  
Duty S, Jenner P.  
Br J Pharmacol. 2011 Oct;164(4):1357-91. doi: 10.1111/j.1476-5381.2011.01426.x.  
Review.  
PMID: 21486284 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
242. [Protective effect of lycopene on oxidative stress and cognitive decline in rotenone induced model of Parkinson's disease.](#)  
Kaur H, Chauhan S, Sandhir R.  
Neurochem Res. 2011 Aug;36(8):1435-43. doi: 10.1007/s11064-011-0469-3. Epub 2011 Apr 12.  
PMID: 21484267 [PubMed - indexed for MEDLINE]  
[Related citations](#)
243. [Interferon- \$\gamma\$  plays a role in paraquat-induced neurodegeneration involving oxidative and proinflammatory pathways.](#)  
Mangano EN, Litteljohn D, So R, Nelson E, Peters S, Bethune C, Boby J, Hayley S.  
Neurobiol Aging. 2012 Jul;33(7):1411-26. doi: 10.1016/j.neurobiolaging.2011.02.016.  
Epub 2011 Apr 11.  
PMID: 21482445 [PubMed - indexed for MEDLINE]  
[Related citations](#)
244. [Alternative mitochondrial electron transfer as a novel strategy for neuroprotection.](#)

Wen Y, Li W, Poteet EC, Xie L, Tan C, Yan LJ, Ju X, Liu R, Qian H, Marvin MA, Goldberg MS, She H, Mao Z, Simpkins JW, Yang SH.  
J Biol Chem. 2011 May 6;286(18):16504-15. doi: 10.1074/jbc.M110.208447. Epub 2011 Mar 18.

PMID: 21454572 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

245. [Knowing me, knowing you: can a knowledge of risk factors for Alzheimer's disease prove useful in understanding the pathogenesis of Parkinson's disease?](#)

Sutherland GT, Siebert GA, Kril JJ, Mellick GD.

J Alzheimers Dis. 2011;25(3):395-415. doi: 10.3233/JAD-2011-110026. Review.

PMID: 21441655 [PubMed - indexed for MEDLINE]

[Related citations](#)

246. [Interaction between heme oxygenase-1 genotypes and exposure to pesticides in Parkinson's disease.](#)

Infante J, Sierra M, Sánchez-Juan P, García-Gorostiaga I, González-Aramburu I, Fernández-Viadero C, Berciano J, Combarros O.

Mov Disord. 2011 Apr;26(5):916-7. doi: 10.1002/mds.23527. Epub 2011 Mar 21. No abstract available.

PMID: 21425334 [PubMed - indexed for MEDLINE]

[Related citations](#)

247. [PARK6 PINK1 mutants are defective in maintaining mitochondrial membrane potential and inhibiting ROS formation of substantia nigra dopaminergic neurons.](#)

Wang HL, Chou AH, Wu AS, Chen SY, Weng YH, Kao YC, Yeh TH, Chu PJ, Lu CS.

Biochim Biophys Acta. 2011 Jun;1812(6):674-84. doi: 10.1016/j.bbadis.2011.03.007. Epub 2011 Mar 21.

PMID: 21421046 [PubMed - indexed for MEDLINE]

[Related citations](#)

248. [Dose-dependent loss of motor function after unilateral medial forebrain bundle rotenone lesion in rats: a cautionary note.](#)

Klein A, Gidyk DC, Shriner AM, Colwell KL, Tatton NA, Tatton WG, Metz GA.

Behav Brain Res. 2011 Sep 12;222(1):33-42. doi: 10.1016/j.bbr.2011.03.018. Epub 2011 Mar 17.

PMID: 21419806 [PubMed - indexed for MEDLINE]

[Related citations](#)

249. [Neoechinulin a impedes the progression of rotenone-induced cytotoxicity in PC12 cells.](#)

Akashi S, Kimura T, Takeuchi T, Kuramochi K, Kobayashi S, Sugawara F, Watanabe N, Arai T.

Biol Pharm Bull. 2011;34(2):243-8.

PMID: 21415535 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

250. [The relation between type of farming and prevalence of Parkinson's disease among agricultural workers in five French districts.](#)

Moisan F, Spinosi J, Dupupet JL, Delabre L, Mazurie JL, Goldberg M, Imbernon E, Tzourio C, Elbaz A.

Mov Disord. 2011 Feb 1;26(2):271-9. doi: 10.1002/mds.23370. Epub 2010 Dec 13.

PMID: 21412834 [PubMed - indexed for MEDLINE]

[Related citations](#)

251. [Molecular chaperones and associated cellular clearance mechanisms against toxic protein conformers in Parkinson's disease.](#)

Hinault MP, Farina-Henriquez-Cuendet A, Goloubinoff P.

Neurodegener Dis. 2011;8(6):397-412. doi: 10.1159/000324514. Epub 2011 Mar 16. Review.

PMID: 21411979 [PubMed - indexed for MEDLINE]

[Related citations](#)

252. [Maneb and paraquat-mediated neurotoxicity: involvement of peroxiredoxin/thioredoxin system.](#)

Roede JR, Hansen JM, Go YM, Jones DP.

Toxicol Sci. 2011 Jun;121(2):368-75. doi: 10.1093/toxsci/kfr058. Epub 2011 Mar 14.

PMID: 21402726 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

253. [Biochemical and toxicological evidence of neurological effects of pesticides: the example of Parkinson's disease.](#)

Moretto A, Colosio C.

Neurotoxicology. 2011 Aug;32(4):383-91. doi: 10.1016/j.neuro.2011.03.004. Epub 2011 Mar 23. Review.

PMID: 21402100 [PubMed - indexed for MEDLINE]

[Related citations](#)

254. [Loss of mitochondrial complex I activity potentiates dopamine neuron death induced by microtubule dysfunction in a Parkinson's disease model.](#)

Choi WS, Palmiter RD, Xia Z.

J Cell Biol. 2011 Mar 7;192(5):873-82. doi: 10.1083/jcb.201009132.

PMID: 21383081 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

255. [Granulocyte macrophage-colony stimulating factor protects against substantia nigra dopaminergic cell loss in an environmental toxin model of Parkinson's disease.](#)

Mangano EN, Peters S, Littljohn D, So R, Bethune C, Bobyn J, Clarke M, Hayley S.

Neurobiol Dis. 2011 Jul;43(1):99-112. doi: 10.1016/j.nbd.2011.02.011. Epub 2011 Mar 4.

PMID: 21377529 [PubMed - indexed for MEDLINE]



[Related citations](#)

256. [Exposure to Mn/Zn ethylene-bis-dithiocarbamate and glyphosate pesticides leads to neurodegeneration in \*Caenorhabditis elegans\*.](#)  
Negga R, Rudd DA, Davis NS, Justice AN, Hatfield HE, Valente AL, Fields AS, Fitsanakis VA.  
Neurotoxicology. 2011 Jun;32(3):331-41. doi: 10.1016/j.neuro.2011.02.002. Epub 2011 Mar 3.  
PMID: 21376751 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
257. [Genetic-based, differential susceptibility to paraquat neurotoxicity in mice.](#)  
Yin L, Lu L, Prasad K, Richfield EK, Unger EL, Xu J, Jones BC.  
Neurotoxicol Teratol. 2011 May-Jun;33(3):415-21. doi: 10.1016/j.ntt.2011.02.012. Epub 2011 Feb 28.  
PMID: 21371552 [PubMed - indexed for MEDLINE]  
[Related citations](#)
258. [Impairment of oxidative stress-induced heme oxygenase-1 expression by the defect of Parkinson-related gene of PINK1.](#)  
Chien WL, Lee TR, Hung SY, Kang KH, Lee MJ, Fu WM.  
J Neurochem. 2011 May;117(4):643-53. doi: 10.1111/j.1471-4159.2011.07229.x. Epub 2011 Apr 1.  
PMID: 21366594 [PubMed - indexed for MEDLINE]  
[Related citations](#)
259. [The expression of nicotinamide N-methyltransferase increases ATP synthesis and protects SH-SY5Y neuroblastoma cells against the toxicity of Complex I inhibitors.](#)  
Parsons RB, Aravindan S, Kadampeswaran A, Evans EA, Sandhu KK, Levy ER, Thomas MG, Austen BM, Ramsden DB.  
Biochem J. 2011 May 15;436(1):145-55. doi: 10.1042/BJ20101685.  
PMID: 21352099 [PubMed - indexed for MEDLINE] **Free Article**  
[Related citations](#)
260. [Protection against 1-methyl-4-phenylpyridinium ion \(MPP+\)-induced apoptosis by water extract of ginseng \(\*Panax ginseng\* C.A. Meyer\) in SH-SY5Y cells.](#)  
Hu S, Han R, Mak S, Han Y.  
J Ethnopharmacol. 2011 Apr 26;135(1):34-42. doi: 10.1016/j.jep.2011.02.017. Epub 2011 Feb 22.  
PMID: 21349320 [PubMed - indexed for MEDLINE]  
[Related citations](#)
261. [Role of familial, environmental and occupational factors in the development of Parkinson's disease.](#)  
Das K, Ghosh M, Nag C, Nandy SP, Banerjee M, Datta M, Devi G, Chatterjee G.

Neurodegener Dis. 2011;8(5):345-51. doi: 10.1159/000323797. Epub 2011 Feb 23.  
PMID: 21346317 [PubMed - indexed for MEDLINE]

[Related citations](#)

262. [\(-\)-Schisandrin B ameliorates paraquat-induced oxidative stress by suppressing glutathione depletion and enhancing glutathione recovery in differentiated PC12 cells.](#)

Lam PY, Ko KM.

Biofactors. 2011 Jan-Feb;37(1):51-7. doi: 10.1002/biof.136. Epub 2011 Jan 13.

PMID: 21328628 [PubMed - indexed for MEDLINE]

[Related citations](#)

263. [Dopamine D<sub>1</sub> and D<sub>2</sub> receptor subtypes functional regulation in cerebral cortex of unilateral rotenone lesioned Parkinson's rat model: Effect of serotonin, dopamine and norepinephrine.](#)

Paul J, Kuruvilla KP, Mathew J, Kumar P, Paulose CS.

Parkinsonism Relat Disord. 2011 May;17(4):255-9. doi: 10.1016/j.parkreldis.2010.12.018.  
Epub 2011 Feb 9.

PMID: 21306935 [PubMed - indexed for MEDLINE]

[Related citations](#)

264. [DJ-1 mediates paraquat-induced dopaminergic neuronal cell death.](#)

Kwon HJ, Heo JY, Shim JH, Park JH, Seo KS, Ryu MJ, Han JS, Shong M, Son JH, Kweon GR.

Toxicol Lett. 2011 Apr 25;202(2):85-92. doi: 10.1016/j.toxlet.2011.01.018. Epub 2011 Feb 21.

PMID: 21300143 [PubMed - indexed for MEDLINE]

[Related citations](#)

265. [Impaired CD200-CD200R-mediated microglia silencing enhances midbrain dopaminergic neurodegeneration: roles of aging, superoxide, NADPH oxidase, and p38 MAPK.](#)

Wang XJ, Zhang S, Yan ZQ, Zhao YX, Zhou HY, Wang Y, Lu GQ, Zhang JD.

Free Radic Biol Med. 2011 May 1;50(9):1094-106. doi:  
10.1016/j.freeradbiomed.2011.01.032. Epub 2011 Feb 2.

PMID: 21295135 [PubMed - indexed for MEDLINE]

[Related citations](#)

266. [FLZ, a novel HSP27 and HSP70 inducer, protects SH-SY5Y cells from apoptosis caused by MPP\(+\).](#)

Kong XC, Zhang D, Qian C, Liu GT, Bao XQ.

Brain Res. 2011 Apr 6;1383:99-107. doi: 10.1016/j.brainres.2011.01.093. Epub 2011 Feb 2.

PMID: 21295016 [PubMed - indexed for MEDLINE]

[Related citations](#)

267. [Fluoxetine prevents MPTP-induced loss of dopaminergic neurons by inhibiting microglial activation.](#)

Chung YC, Kim SR, Park JY, Chung ES, Park KW, Won SY, Bok E, Jin M, Park ES, Yoon

SH, Ko HW, Kim YS, Jin BK.  
Neuropharmacology. 2011 May;60(6):963-74. doi: 10.1016/j.neuropharm.2011.01.043.  
Epub 2011 Feb 1.

PMID: 21288472 [PubMed - indexed for MEDLINE]

[Related citations](#)

268. [Characterisation of a novel model of Parkinson's disease by intra-striatal infusion of the pesticide rotenone.](#)

Mulcahy P, Walsh S, Paucard A, Rea K, Dowd E.

Neuroscience. 2011 May 5;181:234-42. doi: 10.1016/j.neuroscience.2011.01.038. Epub 2011 Jan 26.

PMID: 21277943 [PubMed - indexed for MEDLINE]

[Related citations](#)

269. [Rotenone, paraquat, and Parkinson's disease.](#)

Tanner CM, Kamel F, Ross GW, Hoppin JA, Goldman SM, Korell M, Marras C, Bhudhikanok GS, Kasten M, Chade AR, Comyns K, Richards MB, Meng C, Priestley B, Fernandez HH, Cambi F, Umbach DM, Blair A, Sandler DP, Langston JW.

Environ Health Perspect. 2011 Jun;119(6):866-72. doi: 10.1289/ehp.1002839. Epub 2011 Jan 26.

PMID: 21269927 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

270. [Salidroside protects against MPP\(+\)-induced apoptosis in PC12 cells by inhibiting the NO pathway.](#)

Li X, Ye X, Li X, Sun X, Liang Q, Tao L, Kang X, Chen J.

Brain Res. 2011 Mar 25;1382:9-18. doi: 10.1016/j.brainres.2011.01.015. Epub 2011 Jan 15.

PMID: 21241673 [PubMed - indexed for MEDLINE]

[Related citations](#)

271. [Pesticide exposure and risk of Parkinson's disease--a population-based case-control study evaluating the potential for recall bias.](#)

Rugbjerg K, Harris MA, Shen H, Marion SA, Tsui JK, Teschke K.

Scand J Work Environ Health. 2011 Sep;37(5):427-36. doi: 10.5271/sjweh.3142. Epub 2011 Jan 17.

PMID: 21240453 [PubMed - indexed for MEDLINE]

[Related citations](#)

272. [Over-expression of  \$\alpha\$ -synuclein 98 triggers intracellular oxidative stress and enhances susceptibility to rotenone.](#)

Ma KL, Yuan YH, Song LK, Han N, Chen NH.

Neurosci Lett. 2011 Mar 17;491(2):148-52. doi: 10.1016/j.neulet.2011.01.026. Epub 2011 Jan 14.

PMID: 21238542 [PubMed - indexed for MEDLINE]

[Related citations](#)

273. [Protection by tetrahydroxystilbene glucoside against neurotoxicity induced by MPP+: the involvement of PI3K/Akt pathway activation.](#)  
Qin R, Li X, Li G, Tao L, Li Y, Sun J, Kang X, Chen J.  
Toxicol Lett. 2011 Apr 10;202(1):1-7. doi: 10.1016/j.toxlet.2011.01.001. Epub 2011 Jan 13.  
PMID: 21237255 [PubMed - indexed for MEDLINE]

[Related citations](#)

274. [HDAC6 regulates aggresome-autophagy degradation pathway of  \$\alpha\$ -synuclein in response to MPP+-induced stress.](#)  
Su M, Shi JJ, Yang YP, Li J, Zhang YL, Chen J, Hu LF, Liu CF.  
J Neurochem. 2011 Apr;117(1):112-20. doi: 10.1111/j.1471-4159.2011.07180.x. Epub 2011 Feb 9.  
PMID: 21235576 [PubMed - indexed for MEDLINE]

[Related citations](#)

275. [Toxin-induced and genetic animal models of Parkinson's disease.](#)  
Hisahara S, Shimohama S.  
Parkinsons Dis. 2010 Dec 22;2011:951709. doi: 10.4061/2011/951709.  
PMID: 21234368 [PubMed] **Free PMC Article**

[Related citations](#)

276. [Inflammatory mechanisms of neurodegeneration in toxin-based models of Parkinson's disease.](#)  
Litteljohn D, Mangano E, Clarke M, Bobyn J, Moloney K, Hayley S.  
Parkinsons Dis. 2010 Dec 30;2011:713517. doi: 10.4061/2011/713517.  
PMID: 21234362 [PubMed] **Free PMC Article**

[Related citations](#)

277. [Protective effect of Chrysanthemum indicum Linne against 1-methyl-4-phenylpyridinium ion and lipopolysaccharide-induced cytotoxicity in cellular model of Parkinson's disease.](#)  
Kim IS, Ko HM, Koppula S, Kim BW, Choi DK.  
Food Chem Toxicol. 2011 Apr;49(4):963-73. doi: 10.1016/j.fct.2011.01.002. Epub 2011 Jan 8.  
PMID: 21219959 [PubMed - indexed for MEDLINE]

[Related citations](#)

278. [DJ-1 deficiency in astrocytes selectively enhances mitochondrial Complex I inhibitor-induced neurotoxicity.](#)  
Mullett SJ, Hinkle DA.  
J Neurochem. 2011 May;117(3):375-87. doi: 10.1111/j.1471-4159.2011.07175.x. Epub 2011 Jan 28.  
PMID: 21219333 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

279. [\[Regulation of dopaminergic neuronal death by endogenous dopamine and proteasome activity\]](#).  
Izumi Y, Kume T, Akaike A.  
Yakugaku Zasshi. 2011 Jan;131(1):21-7. Review. Japanese.  
PMID: 21212609 [PubMed - indexed for MEDLINE] **Free Article**  
[Related citations](#)
280. [Parkinsonian rotenone mouse model: reevaluation of long-term administration of rotenone in C57BL/6 mice.](#)  
Inden M, Kitamura Y, Abe M, Tamaki A, Takata K, Taniguchi T.  
Biol Pharm Bull. 2011;34(1):92-6.  
PMID: 21212524 [PubMed - indexed for MEDLINE] **Free Article**  
[Related citations](#)
281. [S-Allylcysteine, a garlic compound, protects against oxidative stress in 1-methyl-4-phenylpyridinium-induced parkinsonism in mice.](#)  
Rojas P, Serrano-García N, Medina-Campos ON, Pedraza-Chaverri J, Maldonado PD, Ruiz-Sánchez E.  
J Nutr Biochem. 2011 Oct;22(10):937-44. doi: 10.1016/j.jnutbio.2010.08.005. Epub 2010 Dec 28.  
PMID: 21190833 [PubMed - indexed for MEDLINE]  
[Related citations](#)
282. [The neuroprotective effect of modified Yeoldahanso-tang via autophagy enhancement in models of Parkinson's disease.](#)  
Bae N, Ahn T, Chung S, Oh MS, Ko H, Oh H, Park G, Yang HO.  
J Ethnopharmacol. 2011 Mar 24;134(2):313-22. doi: 10.1016/j.jep.2010.12.016. Epub 2010 Dec 21.  
PMID: 21172413 [PubMed - indexed for MEDLINE]  
[Related citations](#)
283. [Lrrk2 S1647T and BDNF V66M interact with environmental factors to increase risk of Parkinson's disease.](#)  
Lin CH, Wu RM, Tai CH, Chen ML, Hu FC.  
Parkinsonism Relat Disord. 2011 Feb;17(2):84-8. doi: 10.1016/j.parkreldis.2010.11.011. Epub 2010 Dec 16.  
PMID: 21167764 [PubMed - indexed for MEDLINE]  
[Related citations](#)
284. [Differential neuroprotective effects of 14-3-3 proteins in models of Parkinson's disease.](#)  
Yacoubian TA, Slone SR, Harrington AJ, Hamamichi S, Schieltz JM, Caldwell KA, Caldwell GA, Standaert DG.  
Cell Death Dis. 2010;1:e2. doi: 10.1038/cddis.2009.4.

PMID: 21152247 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

285. [Liquid chromatographic-electrospray mass spectrometric determination of 1-methyl-4-phenylpyridine \(MPP+\) in discrete regions of murine brain.](#)

Lehner A, Johnson M, Simkins T, Janis K, Lookingland K, Goudreau J, Rumbeiha W. Toxicol Mech Methods. 2011 Mar;21(3):171-82. doi: 10.3109/15376516.2010.538753. Epub 2010 Dec 13.

PMID: 21142843 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

286. [Oral administration of rotenone using a gavage and image analysis of alpha-synuclein inclusions in the enteric nervous system.](#)

Pan-Montojo FJ, Funk RH.

J Vis Exp. 2010 Oct 26;(44). doi:pii: 2123. 10.3791/2123.

PMID: 21085094 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

287. [Paullinia cupana Mart. var. Sorbilis protects human dopaminergic neuroblastoma SH-SY5Y cell line against rotenone-induced cytotoxicity.](#)

de Oliveira DM, Barreto G, Galeano P, Romero JI, Holubiec MI, Badorrey MS, Capani F, Alvarez LD.

Hum Exp Toxicol. 2011 Sep;30(9):1382-91. doi: 10.1177/0960327110389837. Epub 2010 Nov 16.

PMID: 21081703 [PubMed - indexed for MEDLINE]

[Related citations](#)

288. [Nigrostriatal neuronal death following chronic dichlorvos exposure: crosstalk between mitochondrial impairments,  \$\alpha\$  synuclein aggregation, oxidative damage and behavioral changes.](#)

Binukumar BK, Bal A, Kandimalla RJ, Gill KD.

Mol Brain. 2010 Nov 13;3:35. doi: 10.1186/1756-6606-3-35.

PMID: 21073741 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

289. [Detoxified extract of Rhus verniciflua stokes inhibits rotenone-induced apoptosis in human dopaminergic cells, SH-SY5Y.](#)

Sapkota K, Kim S, Park SE, Kim SJ.

Cell Mol Neurobiol. 2011 Mar;31(2):213-23. doi: 10.1007/s10571-010-9609-6.

PMID: 21061154 [PubMed - indexed for MEDLINE]

[Related citations](#)

290. [Environmental and familial risk factors of Parkinsons disease: case-control study.](#)

Sanyal J, Chakraborty DP, Sarkar B, Banerjee TK, Mukherjee SC, Ray BC, Rao VR.

Can J Neurol Sci. 2010 Sep;37(5):637-42.

PMID: 21059511 [PubMed - indexed for MEDLINE]

[Related citations](#)

291. [Proteomic insights into the protective mechanisms of an in vitro oxidative stress model of early stage Parkinson's disease.](#)

Bauereis B, Haskins WE, Lebaron RG, Renthal R.

Neurosci Lett. 2011 Jan 13;488(1):11-6. doi: 10.1016/j.neulet.2010.10.071. Epub 2010 Nov 5.

PMID: 21056633 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

292. [Astaxanthin protects against MPTP/MPP+-induced mitochondrial dysfunction and ROS production in vivo and in vitro.](#)

Lee DH, Kim CS, Lee YJ.

Food Chem Toxicol. 2011 Jan;49(1):271-80. doi: 10.1016/j.fct.2010.10.029. Epub 2010 Nov 5.

PMID: 21056612 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

293. [Synergistic effects of environmental risk factors and gene mutations in Parkinson's disease accelerate age-related neurodegeneration.](#)

Peng J, Oo ML, Andersen JK.

J Neurochem. 2010 Dec;115(6):1363-73. doi: 10.1111/j.1471-4159.2010.07036.x. Epub 2010 Nov 4.

PMID: 21039522 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

294. [Glutamoyl diester of the dietary polyphenol curcumin offers improved protection against peroxynitrite-mediated nitrosative stress and damage of brain mitochondria in vitro: implications for Parkinson's disease.](#)

Mythri RB, Harish G, Dubey SK, Misra K, Bharath MM.

Mol Cell Biochem. 2011 Jan;347(1-2):135-43. doi: 10.1007/s11010-010-0621-4. Epub 2010 Oct 23.

PMID: 20972609 [PubMed - indexed for MEDLINE]

[Related citations](#)

295. [DJ-1 cleavage by matrix metalloproteinase 3 mediates oxidative stress-induced dopaminergic cell death.](#)

Choi DH, Hwang O, Lee KH, Lee J, Beal MF, Kim YS.

Antioxid Redox Signal. 2011 Jun;14(11):2137-50. doi: 10.1089/ars.2009.3059. Epub 2011 Mar 10.

PMID: 20969476 [PubMed - indexed for MEDLINE]

[Related citations](#)

296. [Rosmarinic acid antagonized 1-methyl-4-phenylpyridinium \(MPP+\)-induced neurotoxicity](#)

[in MES23.5 dopaminergic cells.](#)

Du T, Li L, Song N, Xie J, Jiang H.

Int J Toxicol. 2010 Dec;29(6):625-33. doi: 10.1177/1091581810383705. Epub 2010 Oct 21.

PMID: 20966113 [PubMed - indexed for MEDLINE]

[Related citations](#)

297. [Melatonin or silymarin reduces maneb- and paraquat-induced Parkinson's disease phenotype in the mouse.](#)

Singhal NK, Srivastava G, Patel DK, Jain SK, Singh MP.

J Pineal Res. 2011 Mar;50(2):97-109. doi: 10.1111/j.1600-079X.2010.00819.x. Epub 2010 Oct 22.

PMID: 20964710 [PubMed - indexed for MEDLINE]

[Related citations](#)

298. [Insulin-like growth factor 1 protects human neuroblastoma cells SH-EP1 against MPP+-induced apoptosis by AKT/GSK-3 \$\beta\$ /JNK signaling.](#)

Wang L, Yang HJ, Xia YY, Feng ZW.

Apoptosis. 2010 Dec;15(12):1470-9. doi: 10.1007/s10495-010-0547-z.

PMID: 20963499 [PubMed - indexed for MEDLINE]

[Related citations](#)

299. [Paraoxonase-1 polymorphisms in Alzheimer's disease, Parkinson's disease, and AD-PD spectrum diseases.](#)

Wingo TS, Rosen A, Cutler DJ, Lah JJ, Levey AI.

Neurobiol Aging. 2012 Jan;33(1):204.e13-5. doi: 10.1016/j.neurobiolaging.2010.08.010. Epub 2010 Oct 13.

PMID: 20947215 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

300. [A novel synthetic compound PHID \(8-Phenyl-6a, 7, 8, 9, 9a, 10-hexahydro-6H-isoindolo \[5, 6-g\] quinoxaline-7, 9-dione\) protects SH-SY5Y cells against MPP\(+\)-induced cytotoxicity through inhibition of reactive oxygen species generation and JNK signaling.](#)

Kim IS, Koppula S, Kim BW, Song MD, Jung JY, Lee G, Lee HS, Choi DK.

Eur J Pharmacol. 2011 Jan 10;650(1):48-57. doi: 10.1016/j.ejphar.2010.09.063. Epub 2010 Oct 12.

PMID: 20946892 [PubMed - indexed for MEDLINE]

[Related citations](#)

301. [DJ-1 acts in parallel to the PINK1/parkin pathway to control mitochondrial function and autophagy.](#)

Thomas KJ, McCoy MK, Blackinton J, Beilina A, van der Brug M, Sandebring A, Miller D, Maric D, Cedazo-Minguez A, Cookson MR.

Hum Mol Genet. 2011 Jan 1;20(1):40-50. doi: 10.1093/hmg/ddq430. Epub 2010 Oct 11.

PMID: 20940149 [PubMed - indexed for MEDLINE] **Free PMC Article**



[Related citations](#)

302. [Protective effect of effective part of \*Acanthopanax senticosus\* on damage of PC12 cells induced by MPP+.](#)

An L, Liu S, Dong Y, Tang B, Dong W.

Zhongguo Zhong Yao Za Zhi. 2010 Aug;35(15):2021-6.

PMID: 20931860 [PubMed - indexed for MEDLINE]

[Related citations](#)

303. [ASK1 overexpression accelerates paraquat-induced autophagy via endoplasmic reticulum stress.](#)

Niso-Santano M, Bravo-San Pedro JM, Gómez-Sánchez R, Climent V, Soler G, Fuentes JM, González-Polo RA.

Toxicol Sci. 2011 Jan;119(1):156-68. doi: 10.1093/toxsci/kfq313. Epub 2010 Oct 7.

PMID: 20929985 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

304. [PGC-1 \$\alpha\$ , a potential therapeutic target for early intervention in Parkinson's disease.](#)

Zheng B, Liao Z, Locascio JJ, Lesniak KA, Roderick SS, Watt ML, Eklund AC, Zhang-James Y, Kim PD, Hauser MA, Grünblatt E, Moran LB, Mandel SA, Riederer P, Miller RM, Federoff HJ, Wüllner U, Papapetropoulos S, Youdim MB, Cantuti-Castelvetri I, Young AB, Vance JM, Davis RL, Hedreen JC, Adler CH, Beach TG, Graeber MB, Middleton FA, Rochet JC, Scherzer CR; Global PD Gene Expression (GPEX) Consortium. Sci Transl Med. 2010 Oct 6;2(52):52ra73. doi: 10.1126/scitranslmed.3001059.

PMID: 20926834 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

305. [Iron mediates neuritic tree collapse in mesencephalic neurons treated with 1-methyl-4-phenylpyridinium \(MPP+\).](#)

Gómez FJ, Aguirre P, Gonzalez-Billault C, Núñez MT.

J Neural Transm. 2011 Mar;118(3):421-31. doi: 10.1007/s00702-010-0489-1. Epub 2010 Oct 2.

PMID: 20890618 [PubMed - indexed for MEDLINE]

[Related citations](#)

306. [Modeling neuroinflammatory pathogenesis of Parkinson's disease.](#)

Barnum CJ, Tansey MG.

Prog Brain Res. 2010;184:113-32. doi: 10.1016/S0079-6123(10)84006-3. Review.

PMID: 20887872 [PubMed - indexed for MEDLINE]

[Related citations](#)

307. [Neurotoxic in vivo models of Parkinson's disease recent advances.](#)

Cannon JR, Greenamyre JT.

Prog Brain Res. 2010;184:17-33. doi: 10.1016/S0079-6123(10)84002-6. Review.

PMID: 20887868 [PubMed - indexed for MEDLINE]

[Related citations](#)

308. [Dopamine D<sub>1</sub> and D<sub>2</sub> receptor subtypes functional regulation in corpus striatum of unilateral rotenone lesioned Parkinson's rat model: effect of serotonin, dopamine and norepinephrine.](#)

Paul J, Nandhu MS, Kuruvilla KP, Paulose CS.

Neurol Res. 2010 Nov;32(9):918-24. doi: 10.1179/016164110X12700393823417.

PMID: 20887679 [PubMed - indexed for MEDLINE]

[Related citations](#)

309. [Protective effects of TRH and its analogues against various cytotoxic agents in retinoic acid \(RA\)-differentiated human neuroblastoma SH-SY5Y cells.](#)

Jaworska-Feil L, Jantas D, Leskiewicz M, Budziszewska B, Kubera M, Basta-Kaim A, Lipkowski AW, Lason W.

Neuropeptides. 2010 Dec;44(6):495-508. doi: 10.1016/j.npep.2010.08.004.

PMID: 20869113 [PubMed - indexed for MEDLINE]

[Related citations](#)

310. [Ethyl-eicosapentaenoate modulates changes in neurochemistry and brain lipids induced by parkinsonian neurotoxin 1-methyl-4-phenylpyridinium in mouse brain slices.](#)

Meng Q, Luchtman DW, El Bahh B, Zidichouski JA, Yang J, Song C.

Eur J Pharmacol. 2010 Dec 15;649(1-3):127-34. doi: 10.1016/j.ejphar.2010.09.046. Epub 2010 Sep 22.

PMID: 20868657 [PubMed - indexed for MEDLINE]

[Related citations](#)

311. [Extracellular dopamine potentiates mn-induced oxidative stress, lifespan reduction, and dopaminergic neurodegeneration in a BLI-3-dependent manner in Caenorhabditis elegans.](#)

Benedetto A, Au C, Avila DS, Milatovic D, Aschner M.

PLoS Genet. 2010 Aug 26;6(8). doi:pii: e1001084. 10.1371/journal.pgen.1001084.

PMID: 20865164 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

312. [Human dental pulp stem cells protect mouse dopaminergic neurons against MPP+ or rotenone.](#)

Nesti C, Pardini C, Barachini S, D'Alessandro D, Siciliano G, Murri L, Petrini M, Vaglini F.

Brain Res. 2011 Jan 7;1367:94-102. doi: 10.1016/j.brainres.2010.09.042. Epub 2010 Sep 18.

PMID: 20854799 [PubMed - indexed for MEDLINE]

[Related citations](#)

313. [Paraquat induces cyclooxygenase-2 \(COX-2\) implicated toxicity in human neuroblastoma SH-SY5Y cells.](#)

Yang W, Tiffany-Castiglioni E, Lee MY, Son IH.

Toxicol Lett. 2010 Dec 15;199(3):239-46. doi: 10.1016/j.toxlet.2010.09.005. Epub 2010

Sep 21.

PMID: 20851755 [PubMed - indexed for MEDLINE]

[Related citations](#)

314. [Integrating multiple aspects of mitochondrial dynamics in neurons: age-related differences and dynamic changes in a chronic rotenone model.](#)

Arnold B, Cassady SJ, VanLaar VS, Berman SB.

Neurobiol Dis. 2011 Jan;41(1):189-200. doi: 10.1016/j.nbd.2010.09.006. Epub 2010 Sep 17.

PMID: 20850532 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

315. [Reversal of rotenone-induced dysfunction of astrocytic connexin43 by opening mitochondrial ATP-sensitive potassium channels.](#)

Zhang S, Liang R, Zhou F, Huang X, Ding JH, Hu G.

Cell Mol Neurobiol. 2011 Jan;31(1):111-7. doi: 10.1007/s10571-010-9560-6. Epub 2010 Sep 8.

PMID: 20824494 [PubMed - indexed for MEDLINE]

[Related citations](#)

316. [Protective effect of urocortin on 1-methyl-4-phenylpyridinium-induced dopaminergic neuronal death.](#)

Kim Y, Park MK, Chung S.

Mol Cells. 2010 Nov;30(5):427-33. doi: 10.1007/s10059-010-0132-x. Epub 2010 Sep 2.

PMID: 20821057 [PubMed - indexed for MEDLINE]

[Related citations](#)

317. [\[Parkinson's disease: Role of genetic and environment factors. Involvement in everyday clinical practice\].](#)

Defebvre L.

Rev Neurol (Paris). 2010 Oct;166(10):764-9. doi: 10.1016/j.neurol.2010.07.014. Review. French.

PMID: 20817232 [PubMed - indexed for MEDLINE]

[Related citations](#)

318. [Progressive loss of dopaminergic neurons induced by unilateral rotenone infusion into the medial forebrain bundle.](#)

Norazit A, Meedeniya AC, Nguyen MN, Mackay-Sim A.

Brain Res. 2010 Nov 11;1360:119-29. doi: 10.1016/j.brainres.2010.08.070. Epub 2010 Aug 31.

PMID: 20807515 [PubMed - indexed for MEDLINE]

[Related citations](#)

319. [\[Parkinson's disease: Is there a strong environmental contribution?\].](#)

Elbaz A, Moisan F.

Rev Neurol (Paris). 2010 Oct;166(10):757-63. doi: 10.1016/j.neurol.2010.07.008. Epub 2010 Aug 23. Review. French.

PMID: 20739042 [PubMed - indexed for MEDLINE]

[Related citations](#)

320. [DJ-1 as a modulator of autophagy: an hypothesis.](#)

González-Polo RA, Niso-Santano M, Gómez-Sánchez R, Bravo-San Pedro JM, Fuentes JM. ScientificWorldJournal. 2010 Aug 17;10:1574-9. doi: 10.1100/tsw.2010.165.

PMID: 20730377 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

321. [Development of a high-throughput screening assay for cytoprotective agents in rotenone-induced cell death.](#)

Yoon IS, Au Q, Barber JR, Ng SC, Zhang B.

Anal Biochem. 2010 Dec 15;407(2):205-10. doi: 10.1016/j.ab.2010.08.011. Epub 2010 Aug 10.

PMID: 20705047 [PubMed - indexed for MEDLINE]

[Related citations](#)

322. [Smoking duration, intensity, and risk of Parkinson disease.](#)

Brenner SR.

Neurology. 2010 Aug 10;75(6):574-5; author reply 574. doi: 10.1212/WNL.0b013e3181ec67f1. No abstract available.

PMID: 20697113 [PubMed - indexed for MEDLINE]

[Related citations](#)

323. [Salvianolic acid B protects SH-SY5Y neuroblastoma cells from 1-methyl-4-phenylpyridinium-induced apoptosis.](#)

Zeng G, Tang T, Wu HJ, You WH, Luo JK, Lin Y, Liang QH, Li XQ, Huang X, Yang QD. Biol Pharm Bull. 2010;33(8):1337-42.

PMID: 20686228 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

324. [The neuroprotective effect of talipexole from paraquat-induced cell death in dopaminergic neuronal cells.](#)

Gómez-Sánchez R, Bravo-San Pedro JM, Niso-Santano M, Soler G, Fuentes JM, González-Polo RA.

Neurotoxicology. 2010 Dec;31(6):701-8. doi: 10.1016/j.neuro.2010.07.005. Epub 2010 Jul 29.

PMID: 20673835 [PubMed - indexed for MEDLINE]

[Related citations](#)

325. [Differential effect of environmental risk factors on postural instability gait difficulties and tremor dominant Parkinson's disease.](#)

Skeie GO, Muller B, Haugarvoll K, Larsen JP, Tysnes OB.

Mov Disord. 2010 Sep 15;25(12):1847-52. doi: 10.1002/mds.23178.

PMID: 20669310 [PubMed - indexed for MEDLINE]

[Related citations](#)

326. [α-Synuclein gene may interact with environmental factors in increasing risk of Parkinson's disease.](#)

Gatto NM, Rhodes SL, Manthripragada AD, Bronstein J, Cockburn M, Farrer M, Ritz B. Neuroepidemiology. 2010;35(3):191-5. doi: 10.1159/000315157. Epub 2010 Jul 24.

PMID: 20664293 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

327. [The MAP kinase Pmk1 and protein kinase A are required for rotenone resistance in the fission yeast, Schizosaccharomyces pombe.](#)

Wang Y, Gulis G, Buckner S, Johnson PC, Sullivan D, Busenlehner L, Marcus S.

Biochem Biophys Res Commun. 2010 Aug 20;399(2):123-8. doi: 10.1016/j.bbrc.2010.07.014. Epub 2010 Jul 23.

PMID: 20655879 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

328. [Protection of dopaminergic cells from MPP+-mediated toxicity by histone deacetylase inhibition.](#)

Kidd SK, Schneider JS.

Brain Res. 2010 Oct 1;1354:172-8. doi: 10.1016/j.brainres.2010.07.041. Epub 2010 Jul 21.

PMID: 20654591 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

329. [Morin exerts neuroprotective actions in Parkinson disease models in vitro and in vivo.](#)

Zhang ZT, Cao XB, Xiong N, Wang HC, Huang JS, Sun SG, Wang T.

Acta Pharmacol Sin. 2010 Aug;31(8):900-6. doi: 10.1038/aps.2010.77. Epub 2010 Jul 19.

PMID: 20644549 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

330. [Tetrahydroxystilbene glucoside attenuates MPP+-induced apoptosis in PC12 cells by inhibiting ROS generation and modulating JNK activation.](#)

Li X, Li Y, Chen J, Sun J, Li X, Sun X, Kang X.

Neurosci Lett. 2010 Oct 8;483(1):1-5. doi: 10.1016/j.neulet.2010.07.027. Epub 2010 Jul 17.

PMID: 20643188 [PubMed - indexed for MEDLINE]

[Related citations](#)

331. [Neuroprotective effects of an herbal medicine, Yi-Gan San on MPP+/MPTP-induced cytotoxicity in vitro and in vivo.](#)

Doo AR, Kim SN, Park JY, Cho KH, Hong J, Eun-Kyung K, Moon SK, Jung WS, Lee H, Jung JH, Park HJ.

J Ethnopharmacol. 2010 Sep 15;131(2):433-42. doi: 10.1016/j.jep.2010.07.008. Epub 2010

Jul 13.

PMID: 20633628 [PubMed - indexed for MEDLINE]

[Related citations](#)

332. [The RGD-containing peptide fragment of osteopontin protects tyrosine hydroxylase positive cells against toxic insult in primary ventral mesencephalic cultures and in the rat substantia nigra.](#)

Iczkiewicz J, Broom L, Cooper JD, Wong AM, Rose S, Jenner P.

J Neurochem. 2010 Sep;114(6):1792-804. doi: 10.1111/j.1471-4159.2010.06896.x. Epub 2010 Aug 3.

PMID: 20626561 [PubMed - indexed for MEDLINE]

[Related citations](#)

333. [Rasagiline protects against alpha-synuclein induced sensitivity to oxidative stress in dopaminergic cells.](#)

Chau KY, Cooper JM, Schapira AH.

Neurochem Int. 2010 Nov;57(5):525-9. doi: 10.1016/j.neuint.2010.06.017. Epub 2010 Jul 17.

PMID: 20624440 [PubMed - indexed for MEDLINE]

[Related citations](#)

334. [Fibroblast growth factor 9 upregulates heme oxygenase-1 and gamma-glutamylcysteine synthetase expression to protect neurons from 1-methyl-4-phenylpyridinium toxicity.](#)

Huang JY, Chuang JI.

Free Radic Biol Med. 2010 Sep 15;49(6):1099-108. doi: 10.1016/j.freeradbiomed.2010.06.026. Epub 2010 Jul 13.

PMID: 20615462 [PubMed - indexed for MEDLINE]

[Related citations](#)

335. [Gypenosides protects dopaminergic neurons in primary culture against MPP\(+\)-induced oxidative injury.](#)

Wang P, Niu L, Guo XD, Gao L, Li WX, Jia D, Wang XL, Ma LT, Gao GD.

Brain Res Bull. 2010 Oct 30;83(5):266-71. doi: 10.1016/j.brainresbull.2010.06.014. Epub 2010 Jul 6.

PMID: 20615455 [PubMed - indexed for MEDLINE]

[Related citations](#)

336. [The roles of the thioredoxin system and peroxiredoxins in 1-methyl-4-phenyl-pyridinium ion-induced cytotoxicity in rat pheochromocytoma cells.](#)

Chen VT, Huang CL, Lee YC, Liao WC, Huang NK.

Toxicol In Vitro. 2010 Sep;24(6):1577-83. doi: 10.1016/j.tiv.2010.06.010. Epub 2010 Jun 22.

PMID: 20600802 [PubMed - indexed for MEDLINE]

[Related citations](#)

337. [Neuroprotection of kaempferol by autophagy in models of rotenone-mediated acute toxicity: possible implications for Parkinson's disease.](#)  
Filomeni G, Graziani I, De Zio D, Dini L, Centonze D, Rotilio G, Ciriolo MR.  
Neurobiol Aging. 2012 Apr;33(4):767-85. doi: 10.1016/j.neurobiolaging.2010.05.021. Epub 2010 Jul 1.  
PMID: 20594614 [PubMed - indexed for MEDLINE]  
[Related citations](#)
338. [The transcription factor orthodenticle homeobox 2 influences axonal projections and vulnerability of midbrain dopaminergic neurons.](#)  
Chung CY, Licznarski P, Alavian KN, Simeone A, Lin Z, Martin E, Vance J, Isacson O.  
Brain. 2010 Jul;133(Pt 7):2022-31. doi: 10.1093/brain/awq142. Epub 2010 Jun 23.  
PMID: 20573704 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
339. [Proteomics analysis of MPP+-induced apoptosis in SH-SY5Y cells.](#)  
Xie H, Chang M, Hu X, Wang D, Tian M, Li G, Jiang H, Wang Y, Dong Z, Zhang Y, Hu L.  
Neurol Sci. 2011 Apr;32(2):221-8. doi: 10.1007/s10072-010-0340-3. Epub 2010 Jun 19.  
PMID: 20563739 [PubMed - indexed for MEDLINE]  
[Related citations](#)
340. [Interaction between ABCB1 and professional exposure to organochlorine insecticides in Parkinson disease.](#)  
Dutheil F, Beaune P, Tzourio C, Lorient MA, Elbaz A.  
Arch Neurol. 2010 Jun;67(6):739-45. doi: 10.1001/archneurol.2010.101.  
PMID: 20558393 [PubMed - indexed for MEDLINE]  
[Related citations](#)
341. [Paeoniflorin, a potent natural compound, protects PC12 cells from MPP+ and acidic damage via autophagic pathway.](#)  
Cao BY, Yang YP, Luo WF, Mao CJ, Han R, Sun X, Cheng J, Liu CF.  
J Ethnopharmacol. 2010 Aug 19;131(1):122-9. doi: 10.1016/j.jep.2010.06.009. Epub 2010 Jun 15.  
PMID: 20558269 [PubMed - indexed for MEDLINE]  
[Related citations](#)
342. [Effect of zinc and paraquat co-exposure on neurodegeneration: Modulation of oxidative stress and expression of metallothioneins, toxicant responsive and transporter genes in rats.](#)  
Kumar A, Ahmad I, Shukla S, Singh BK, Patel DK, Pandey HP, Singh C.  
Free Radic Res. 2010 Aug;44(8):950-65. doi: 10.3109/10715762.2010.492832.  
PMID: 20553223 [PubMed - indexed for MEDLINE]  
[Related citations](#)
343. [Depressive-like behaviors alterations induced by intranigral MPTP, 6-OHDA, LPS and](#)

[rotenone models of Parkinson's disease are predominantly associated with serotonin and dopamine.](#)

Santiago RM, Barbieiro J, Lima MM, Dombrowski PA, Andreatini R, Vital MA.

Prog Neuropsychopharmacol Biol Psychiatry. 2010 Aug 16;34(6):1104-14. doi: 10.1016/j.pnpbp.2010.06.004. Epub 2010 Jun 12.

PMID: 20547199 [PubMed - indexed for MEDLINE]

[Related citations](#)

344. [R492X mutation in PTEN-induced putative kinase 1 induced cellular mitochondrial dysfunction and oxidative stress.](#)

Yuan XL, Guo JF, Shi ZH, Xiao ZQ, Yan XX, Zhao BL, Tang BS.

Brain Res. 2010 Sep 10;1351:229-37. doi: 10.1016/j.brainres.2010.06.005. Epub 2010 Jun 12.

PMID: 20547144 [PubMed - indexed for MEDLINE]

[Related citations](#)

345. [Neuroprotection of deferoxamine on rotenone-induced injury via accumulation of HIF-1 alpha and induction of autophagy in SH-SY5Y cells.](#)

Wu Y, Li X, Xie W, Jankovic J, Le W, Pan T.

Neurochem Int. 2010 Oct;57(3):198-205. doi: 10.1016/j.neuint.2010.05.008. Epub 2010 May 28.

PMID: 20546814 [PubMed - indexed for MEDLINE]

[Related citations](#)

346. [Long-term efficacy and safety of human umbilical cord mesenchymal stromal cells in rotenone-induced hemiparkinsonian rats.](#)

Xiong N, Cao X, Zhang Z, Huang J, Chen C, Zhang Z, Jia M, Xiong J, Liang Z, Sun S, Lin Z, Wang T.

Biol Blood Marrow Transplant. 2010 Nov;16(11):1519-29. doi: 10.1016/j.bbmt.2010.06.004. Epub 2010 Jun 10.

PMID: 20542126 [PubMed - indexed for MEDLINE]

[Related citations](#)

347. [\(-\)-Epigallocatechin-3-gallate \(EGCG\), a green tea polyphenol, reduces dichlorodiphenyl-trichloroethane \(DDT\)-induced cell death in dopaminergic SHSY-5Y cells.](#)

Tai KK, Truong DD.

Neurosci Lett. 2010 Oct 4;482(3):183-7. doi: 10.1016/j.neulet.2010.06.018. Epub 2010 Jun 11.

PMID: 20542083 [PubMed - indexed for MEDLINE]

[Related citations](#)

348. [Molecular mechanisms of pesticide-induced neurotoxicity: Relevance to Parkinson's disease.](#)

Franco R, Li S, Rodriguez-Rocha H, Burns M, Panayiotidis MI.



Chem Biol Interact. 2010 Nov 5;188(2):289-300. doi: 10.1016/j.cbi.2010.06.003. Epub 2010 Jun 11. Review.

PMID: 20542017 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

349. [Liposomal-glutathione provides maintenance of intracellular glutathione and neuroprotection in mesencephalic neuronal cells.](#)

Zeevalk GD, Bernard LP, Guilford FT.

Neurochem Res. 2010 Oct;35(10):1575-87. doi: 10.1007/s11064-010-0217-0. Epub 2010 Jun 10.

PMID: 20535554 [PubMed - indexed for MEDLINE]

[Related citations](#)

350. [Prophylactic treatment with Bacopa monnieri leaf powder mitigates paraquat-induced oxidative perturbations and lethality in Drosophila melanogaster.](#)

Hosamani R, Muralidhara.

Indian J Biochem Biophys. 2010 Apr;47(2):75-82.

PMID: 20521619 [PubMed - indexed for MEDLINE]

[Related citations](#)

351. [The protective role of D-glucose against 1-methyl-4-phenylpyridinium ion \(MPP+\): induced mitochondrial dysfunction in C6 astroglial cells.](#)

Badisa RB, Darling-Reed SF, Soliman KF.

Neurochem Res. 2010 Sep;35(9):1413-21. doi: 10.1007/s11064-010-0200-9. Epub 2010 May 28.

PMID: 20508987 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

352. [Extended lifespan of Drosophila parkin mutants through sequestration of redox-active metals and enhancement of anti-oxidative pathways.](#)

Saini N, Oelhafen S, Hua H, Georgiev O, Schaffner W, Büeler H.

Neurobiol Dis. 2010 Oct;40(1):82-92. doi: 10.1016/j.nbd.2010.05.011. Epub 2010 May 17.

PMID: 20483372 [PubMed - indexed for MEDLINE]

[Related citations](#)

353. [GST polymorphisms, interaction with smoking and pesticide use, and risk for Parkinson's disease in a Japanese population.](#)

Kiyohara C, Miyake Y, Koyanagi M, Fujimoto T, Shirasawa S, Tanaka K, Fukushima W, Sasaki S, Tsuboi Y, Yamada T, Oeda T, Miki T, Kawamura N, Sakae N, Fukuyama H, Hirota Y, Nagai M; Fukuoka Kinki Parkinson's Disease Study Group.

Parkinsonism Relat Disord. 2010 Aug;16(7):447-52. doi: 10.1016/j.parkreldis.2010.04.009. Epub 2010 May 15.

PMID: 20472488 [PubMed - indexed for MEDLINE]

[Related citations](#)

354. [The Drosophila vesicular monoamine transporter reduces pesticide-induced loss of dopaminergic neurons.](#)  
Lawal HO, Chang HY, Terrell AN, Brooks ES, Pulido D, Simon AF, Krantz DE.  
Neurobiol Dis. 2010 Oct;40(1):102-12. doi: 10.1016/j.nbd.2010.05.008. Epub 2010 May 26.  
PMID: 20472063 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
355. [Protective effects of Gastrodia elata Blume on MPP+-induced cytotoxicity in human dopaminergic SH-SY5Y cells.](#)  
An H, Kim IS, Koppula S, Kim BW, Park PJ, Lim BO, Choi WS, Lee KH, Choi DK.  
J Ethnopharmacol. 2010 Jul 20;130(2):290-8. doi: 10.1016/j.jep.2010.05.006. Epub 2010 May 12.  
PMID: 20470875 [PubMed - indexed for MEDLINE]  
[Related citations](#)
356. [α-Synuclein transgenic mice reveal compensatory increases in Parkinson's disease-associated proteins DJ-1 and parkin and have enhanced α-synuclein and PINK1 levels after rotenone treatment.](#)  
George S, Mok SS, Nurjono M, Ayton S, Finkelstein DI, Masters CL, Li QX, Culvenor JG.  
J Mol Neurosci. 2010 Oct;42(2):243-54. doi: 10.1007/s12031-010-9378-1. Epub 2010 May 13.  
PMID: 20464527 [PubMed - indexed for MEDLINE]  
[Related citations](#)
357. [Involvement of nitric oxide in maneb- and paraquat-induced Parkinson's disease phenotype in mouse: is there any link with lipid peroxidation?](#)  
Gupta SP, Patel S, Yadav S, Singh AK, Singh S, Singh MP.  
Neurochem Res. 2010 Aug;35(8):1206-13. doi: 10.1007/s11064-010-0176-5. Epub 2010 May 9.  
PMID: 20455021 [PubMed - indexed for MEDLINE]  
[Related citations](#)
358. [Effects of pharmacological agents on the lifespan phenotype of Drosophila DJ-1 beta mutants.](#)  
Lavara-Culebras E, Muñoz-Soriano V, Gómez-Pastor R, Matallana E, Paricio N.  
Gene. 2010 Aug 15;462(1-2):26-33. doi: 10.1016/j.gene.2010.04.009. Epub 2010 Apr 24.  
PMID: 20423725 [PubMed - indexed for MEDLINE]  
[Related citations](#)
359. [JNK3 mediates paraquat- and rotenone-induced dopaminergic neuron death.](#)  
Choi WS, Abel G, Klintworth H, Flavell RA, Xia Z.  
J Neuropathol Exp Neurol. 2010 May;69(5):511-20. doi: 10.1097/NEN.0b013e3181db8100.  
PMID: 20418776 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)

360. [Mechanisms of rotenone-induced proteasome inhibition.](#)  
Chou AP, Li S, Fitzmaurice AG, Bronstein JM.  
Neurotoxicology. 2010 Aug;31(4):367-72. doi: 10.1016/j.neuro.2010.04.006. Epub 2010 Apr 22.  
PMID: 20417232 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
361. [Combined R-alpha-lipoic acid and acetyl-L-carnitine exerts efficient preventative effects in a cellular model of Parkinson's disease.](#)  
Zhang H, Jia H, Liu J, Ao N, Yan B, Shen W, Wang X, Li X, Luo C, Liu J.  
J Cell Mol Med. 2010 Jan;14(1-2):215-25. doi: 10.1111/j.1582-4934.2008.00390.x.  
PMID: 20414966 [PubMed - indexed for MEDLINE]  
[Related citations](#)
362. [Phenothiazines interfere with dopaminergic neurodegeneration in Caenorhabditis elegans models of Parkinson's disease.](#)  
Mocko JB, Kern A, Moosmann B, Behl C, Hajieva P.  
Neurobiol Dis. 2010 Oct;40(1):120-9. doi: 10.1016/j.nbd.2010.03.019. Epub 2010 Apr 18.  
PMID: 20403440 [PubMed - indexed for MEDLINE]  
[Related citations](#)
363. [Environmental factors and Parkinson's disease: a case-control study in Belgrade, Serbia.](#)  
Vlajinac HD, Sipetic SB, Maksimovic JM, Marinkovic JM, Dzoljic ED, Ratkov IS, Kostic VS.  
Int J Neurosci. 2010 May;120(5):361-7. doi: 10.3109/00207451003668374. Erratum in: Int J Neurosci. 2010 Jul;120(7):521. Hristina, Vlajinac D [corrected to Vlajinac, Hristina D].  
PMID: 20402575 [PubMed - indexed for MEDLINE]  
[Related citations](#)
364. [A trojan horse for Parkinson's disease.](#)  
Hu Y, Tong Y.  
Sci Signal. 2010 Apr 6;3(116):pe13. doi: 10.1126/scisignal.3116pe13. Review.  
PMID: 20371768 [PubMed - indexed for MEDLINE]  
[Related citations](#)
365. [Increased reactive oxygen species production in the brain after repeated low-dose pesticide paraquat exposure in rats. A comparison with peripheral tissues.](#)  
Kuter K, Nowak P, Gołmbiowska K, Ossowska K.  
Neurochem Res. 2010 Aug;35(8):1121-30. doi: 10.1007/s11064-010-0163-x. Epub 2010 Apr 6.  
PMID: 20369291 [PubMed - indexed for MEDLINE]  
[Related citations](#)
366. [Inhibition of hydrogen sulfide generation contributes to 1-methy-4-phenylpyridinium ion-](#)

[induced neurotoxicity.](#)

Tang XQ, Fan LL, Li YJ, Shen XT, Zhuan YY, He JQ, Xu JH, Hu B, Li YJ.  
Neurotox Res. 2011 Apr;19(3):403-11. doi: 10.1007/s12640-010-9180-4. Epub 2010 Apr 2.  
PMID: 20361290 [PubMed - indexed for MEDLINE]

[Related citations](#)

367. [\[Risk factors for Parkinson disease: an epidemiologic study\].](#)

Pereira D, Garrett C.

Acta Med Port. 2010 Jan-Feb;23(1):15-24. Epub 2010 Feb 10. Portuguese.

PMID: 20353703 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

368. [Persistent organochlorine pesticides in serum and risk of Parkinson disease.](#)

Weisskopf MG, Knekt P, O'Reilly EJ, Lyytinen J, Reunanen A, Laden F, Altschul L, Ascherio A.

Neurology. 2010 Mar 30;74(13):1055-61. doi: 10.1212/WNL.0b013e3181d76a93.

PMID: 20350979 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

369. [dl-3-n-Butylphthalide prevents oxidative damage and reduces mitochondrial dysfunction in an MPP\(+\)-induced cellular model of Parkinson's disease.](#)

Huang JZ, Chen YZ, Su M, Zheng HF, Yang YP, Chen J, Liu CF.

Neurosci Lett. 2010 May 14;475(2):89-94. doi: 10.1016/j.neulet.2010.03.053. Epub 2010 Mar 27.

PMID: 20347933 [PubMed - indexed for MEDLINE]

[Related citations](#)

370. [Protective effects of xyloketal B against MPP+-induced neurotoxicity in Caenorhabditis elegans and PC12 cells.](#)

Lu XL, Yao XL, Liu Z, Zhang H, Li W, Li Z, Wang GL, Pang J, Lin Y, Xu Z, Chen L, Pei Z, Zeng J.

Brain Res. 2010 May 21;1332:110-9. doi: 10.1016/j.brainres.2010.03.071. Epub 2010 Mar 27.

PMID: 20347725 [PubMed - indexed for MEDLINE]

[Related citations](#)

371. [Cytochrome P450 2D6 enzyme neuroprotects against 1-methyl-4-phenylpyridinium toxicity in SH-SY5Y neuronal cells.](#)

Mann A, Tyndale RF.

Eur J Neurosci. 2010 Apr;31(7):1185-93. doi: 10.1111/j.1460-9568.2010.07142.x. Epub 2010 Mar 22.

PMID: 20345925 [PubMed - indexed for MEDLINE]

[Related citations](#)

372. [Development of a Task-Exposure Matrix \(TEM\) for Pesticide Use \(TEMPEST\).](#)  
Dick FD, Semple SE, van Tongeren M, Miller BG, Ritchie P, Sherriff D, Cherrie JW.  
Ann Occup Hyg. 2010 Jun;54(4):443-52. doi: 10.1093/annhyg/meq014. Epub 2010 Mar 25.  
PMID: 20338967 [PubMed - indexed for MEDLINE] **Free Article**  
[Related citations](#)
373. [Human PON1, a biomarker of risk of disease and exposure.](#)  
Furlong CE, Suzuki SM, Stevens RC, Marsillach J, Richter RJ, Jarvik GP, Checkoway H, Samii A, Costa LG, Griffith A, Roberts JW, Yearout D, Zabetian CP.  
Chem Biol Interact. 2010 Sep 6;187(1-3):355-61. doi: 10.1016/j.cbi.2010.03.033. Epub 2010 Mar 23. Review.  
PMID: 20338154 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
374. [Insights into the mechanisms of toxicity and tolerance to the agricultural fungicide mancozeb in yeast, as suggested by a chemogenomic approach.](#)  
Dias PJ, Teixeira MC, Telo JP, Sá-Correia I.  
OMICS. 2010 Apr;14(2):211-27. doi: 10.1089/omi.2009.0134.  
PMID: 20337531 [PubMed - indexed for MEDLINE]  
[Related citations](#)
375. [Binding of anti-Parkinson's disease drugs to human serum albumin is allosterically modulated.](#)  
Fanali G, Rampoldi V, di Masi A, Bolli A, Lopiano L, Ascenzi P, Fasano M.  
IUBMB Life. 2010 May;62(5):371-6. doi: 10.1002/iub.317.  
PMID: 20225277 [PubMed - indexed for MEDLINE]  
[Related citations](#)
376. [The toxic influence of paraquat on hippocampus of mice: involvement of oxidative stress.](#)  
Chen Q, Niu Y, Zhang R, Guo H, Gao Y, Li Y, Liu R.  
Neurotoxicology. 2010 Jun;31(3):310-6. doi: 10.1016/j.neuro.2010.02.006. Epub 2010 Mar 6.  
PMID: 20211647 [PubMed - indexed for MEDLINE]  
[Related citations](#)
377. [Dopamine-dependent neurodegeneration in Drosophila models of familial and sporadic Parkinson's disease.](#)  
Bayersdorfer F, Voigt A, Schneuwly S, Botella JA.  
Neurobiol Dis. 2010 Oct;40(1):113-9. doi: 10.1016/j.nbd.2010.02.012. Epub 2010 Mar 6.  
PMID: 20211259 [PubMed - indexed for MEDLINE]  
[Related citations](#)
378. [Activation of apoptosis signal-regulating kinase 1 is a key factor in paraquat-induced cell death: modulation by the Nrf2/Trx axis.](#)

Niso-Santano M, González-Polo RA, Bravo-San Pedro JM, Gómez-Sánchez R, Lastres-Becker I, Ortiz-Ortiz MA, Soler G, Morán JM, Cuadrado A, Fuentes JM; Centro de Investigación Biomédica en Red sobre Enfermedades Neurodegenerativas (CIBERNED).

Free Radic Biol Med. 2010 May 15;48(10):1370-81. doi: 10.1016/j.freeradbiomed.2010.02.024. Epub 2010 Mar 2.

PMID: 20202476 [PubMed - indexed for MEDLINE]

[Related citations](#)

379. [Lysosomal degradation of alpha-synuclein in vivo.](#)

Mak SK, McCormack AL, Manning-Bog AB, Cuervo AM, Di Monte DA.

J Biol Chem. 2010 Apr 30;285(18):13621-9. doi: 10.1074/jbc.M109.074617. Epub 2010 Mar 3.

PMID: 20200163 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

380. [Caffeine protects against combined paraquat and maneb-induced dopaminergic neuron degeneration.](#)

Kachroo A, Irizarry MC, Schwarzschild MA.

Exp Neurol. 2010 Jun;223(2):657-61. doi: 10.1016/j.expneurol.2010.02.007. Epub 2010 Feb 24.

PMID: 20188092 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

381. [Advances in environmental epidemiology.](#)

Tanner CM.

Mov Disord. 2010;25 Suppl 1:S58-62. doi: 10.1002/mds.22721. Review.

PMID: 20187243 [PubMed - indexed for MEDLINE]

[Related citations](#)

382. [Formation of parkin aggregates and enhanced PINK1 accumulation during the pathogenesis of Parkinson's disease.](#)

Um JW, Park HJ, Song J, Jeon I, Lee G, Lee PH, Chung KC.

Biochem Biophys Res Commun. 2010 Mar 19;393(4):824-8. doi: 10.1016/j.bbrc.2010.02.090. Epub 2010 Feb 18.

PMID: 20171192 [PubMed - indexed for MEDLINE]

[Related citations](#)

383. [Minocycline protects dopaminergic neurons against long-term rotenone toxicity.](#)

Radad K, Moldzio R, Rausch WD.

Can J Neurol Sci. 2010 Jan;37(1):81-5.

PMID: 20169778 [PubMed - indexed for MEDLINE]

[Related citations](#)

384. [Hexokinase II gene transfer protects against neurodegeneration in the rotenone and MPTP mouse models of Parkinson's disease.](#)

Corona JC, Gimenez-Cassina A, Lim F, Díaz-Nido J.  
J Neurosci Res. 2010 Jul;88(9):1943-50. doi: 10.1002/jnr.22357.  
PMID: 20143419 [PubMed - indexed for MEDLINE]

[Related citations](#)

385. [Glycogen synthase kinase 3 \$\beta\$  and its phosphorylated form \(Y216\) in the paraquat-induced model of parkinsonism.](#)  
Songin M, Strosznajder JB, Fitał M, Kuter K, Kolasiewicz W, Nowak P, Ossowska K.  
Neurotox Res. 2011 Jan;19(1):162-71. doi: 10.1007/s12640-010-9153-7. Epub 2010 Feb 9.  
PMID: 20143200 [PubMed - indexed for MEDLINE]  
[Related citations](#)
386. [Autophagy protects the rotenone-induced cell death in alpha-synuclein overexpressing SH-SY5Y cells.](#)  
Dadakhuaev S, Noh HS, Jung EJ, Cha JY, Baek SM, Ha JH, Kim DR.  
Neurosci Lett. 2010 Mar 12;472(1):47-52. doi: 10.1016/j.neulet.2010.01.053. Epub 2010 Feb 1.  
PMID: 20117172 [PubMed - indexed for MEDLINE]  
[Related citations](#)
387. [1-Methyl-4-phenyl-pyridinium time-dependently alters expressions of oxoguanine glycosylase 1 and xeroderma pigmentosum group F protein in PC12 cells.](#)  
Liu HM, Yang SZ, Sun FY.  
Neurosci Bull. 2010 Feb;26(1):1-7. doi: 10.1007/s12264-010-0922-3.  
PMID: 20101267 [PubMed - indexed for MEDLINE]  
[Related citations](#)
388. [Progression of Parkinson's disease pathology is reproduced by intragastric administration of rotenone in mice.](#)  
Pan-Montojo F, Anichtchik O, Dening Y, Knels L, Pursche S, Jung R, Jackson S, Gille G, Spillantini MG, Reichmann H, Funk RH.  
PLoS One. 2010 Jan 19;5(1):e8762. doi: 10.1371/journal.pone.0008762.  
PMID: 20098733 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
389. [Environmental neurotoxic pesticide increases histone acetylation to promote apoptosis in dopaminergic neuronal cells: relevance to epigenetic mechanisms of neurodegeneration.](#)  
Song C, Kanthasamy A, Anantharam V, Sun F, Kanthasamy AG.  
Mol Pharmacol. 2010 Apr;77(4):621-32. doi: 10.1124/mol.109.062174. Epub 2010 Jan 22.  
PMID: 20097775 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
390. [Lessons from the rotenone model of Parkinson's disease.](#)  
Greenamyre JT, Cannon JR, Drolet R, Mastroberardino PG.

Trends Pharmacol Sci. 2010 Apr;31(4):141-2; author reply 142-3. doi: 10.1016/j.tips.2009.12.006. Epub 2010 Jan 22. Review. No abstract available.  
PMID: 20096940 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

391. [Paraquat and Parkinson's disease.](#)

Berry C, La Vecchia C, Nicotera P.

Cell Death Differ. 2010 Jul;17(7):1115-25. doi: 10.1038/cdd.2009.217. Epub 2010 Jan 22. Review.

PMID: 20094060 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

392. [Effects of MPP+ on the molecular pathways involved in cell cycle control in B65 neuroblastoma cells.](#)

Pizarro JG, Junyent F, Verdaguer E, Jordan J, Beas-Zarate C, Pallàs M, Camins A, Folch J. Pharmacol Res. 2010 May;61(5):391-9. doi: 10.1016/j.phrs.2010.01.003. Epub 2010 Jan 18.

PMID: 20080185 [PubMed - indexed for MEDLINE]

[Related citations](#)

393. [Vulnerability of peripheral catecholaminergic neurons to MPTP is not regulated by alpha-synuclein.](#)

Cano-Jaimez M, Pérez-Sánchez F, Milán M, Buendía P, Ambrosio S, Fariñas I.

Neurobiol Dis. 2010 Apr;38(1):92-103. doi: 10.1016/j.nbd.2010.01.003. Epub 2010 Jan 15.

PMID: 20079841 [PubMed - indexed for MEDLINE]

[Related citations](#)

394. [Toxic influence of chronic oral administration of paraquat on nigrostriatal dopaminergic neurons in C57BL/6 mice.](#)

Ren JP, Zhao YW, Sun XJ.

Chin Med J (Engl). 2009 Oct 5;122(19):2366-71.

PMID: 20079141 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

395. [MKK6 binds and regulates expression of Parkinson's disease-related protein LRRK2.](#)

Hsu CH, Chan D, Greggio E, Saha S, Guillily MD, Ferree A, Raghavan K, Shen GC, Segal L, Ryu H, Cookson MR, Wolozin B.

J Neurochem. 2010 Mar;112(6):1593-604. doi: 10.1111/j.1471-4159.2010.06568.x. Epub 2010 Jan 7.

PMID: 20067578 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

396. [Well-water consumption and Parkinson's disease in rural California.](#)

Gatto NM, Cockburn M, Bronstein J, Manthripragada AD, Ritz B.

Environ Health Perspect. 2009 Dec;117(12):1912-8. doi: 10.1289/ehp.0900852. Epub 2009



Jul 31.

PMID: 20049211 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

397. [Pesticides and Parkinson's disease: the legacy of contaminated well water.](#)

Adler T.

Environ Health Perspect. 2009 Dec;117(12):A553. No abstract available.

PMID: 20049194 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

398. [Neuroprotective effects of hydrogen sulfide on Parkinson's disease rat models.](#)

Hu LF, Lu M, Tiong CX, Dawe GS, Hu G, Bian JS.

Aging Cell. 2010 Apr;9(2):135-46. doi: 10.1111/j.1474-9726.2009.00543.x. Epub 2009 Dec 23.

PMID: 20041858 [PubMed - indexed for MEDLINE]

[Related citations](#)

399. [Compounds from an unbiased chemical screen reverse both ER-to-Golgi trafficking defects and mitochondrial dysfunction in Parkinson's disease models.](#)

Su LJ, Auluck PK, Outeiro TF, Yeger-Lotem E, Kritzer JA, Tardiff DF, Strathearn KE, Liu F, Cao S, Hamamichi S, Hill KJ, Caldwell KA, Bell GW, Fraenkel E, Cooper AA, Caldwell GA, McCaffery JM, Rochet JC, Lindquist S.

Dis Model Mech. 2010 Mar-Apr;3(3-4):194-208. doi: 10.1242/dmm.004267. Epub 2009 Dec 28.

PMID: 20038714 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

400. [Apolipoprotein E genotypes in Mexican patients with Parkinson's disease.](#)

Gallegos-Arreola MP, Figuera LE, Ortiz GG, Jiménez-Gil FJ, Ramírez-Vega J, Ruíz-Sandoval JL, Puebla-Pérez AM, Troyo-Sanroman R, García-Ortiz JE, Sanchez-Corona J, Zúñiga-González GM.

Dis Markers. 2009;27(5):225-30. doi: 10.3233/DMA-2009-0667.

PMID: 20037210 [PubMed - indexed for MEDLINE]

401. [Organochlorine pesticides dieldrin and lindane induce cooperative toxicity in dopaminergic neurons: role of oxidative stress.](#)

Sharma H, Zhang P, Barber DS, Liu B.

Neurotoxicology. 2010 Mar;31(2):215-22. doi: 10.1016/j.neuro.2009.12.007. Epub 2009 Dec 29.

PMID: 20036686 [PubMed - indexed for MEDLINE]

[Related citations](#)

402. [\[Pathogenesis of sporadic Parkinson's disease: contribution of genetic and environmental risk factors\].](#)

Takahashi R, Kawamata J, Takeuchi H.

Rinsho Shinkeigaku. 2009 Nov;49(11):885-7. Review. Japanese.

PMID: 20030238 [PubMed - indexed for MEDLINE]

[Related citations](#)

403. [Occupational factors and risk of Parkinson's disease: A population-based case-control study.](#)

Firestone JA, Lundin JI, Powers KM, Smith-Weller T, Franklin GM, Swanson PD, Longstreth WT Jr, Checkoway H.

Am J Ind Med. 2010 Mar;53(3):217-23. doi: 10.1002/ajim.20788.

PMID: 20025075 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

404. [Vascular endothelial growth factor B \(VEGF-B\) is up-regulated and exogenous VEGF-B is neuroprotective in a culture model of Parkinson's disease.](#)

Falk T, Zhang S, Sherman SJ.

Mol Neurodegener. 2009 Dec 10;4:49. doi: 10.1186/1750-1326-4-49.

PMID: 20003314 [PubMed] **Free PMC Article**

[Related citations](#)

405. [The effect of antiparkinsonian drugs on oxidative stress induced pathological \[3H\]dopamine efflux after in vitro rotenone exposure in rat striatal slices.](#)

Milusheva E, Baranyi M, Kormos E, Hracskó Z, Sylvester Vizi E, Sperlágh B.

Neuropharmacology. 2010 Mar-Apr;58(4-5):816-25. doi:

10.1016/j.neuropharm.2009.11.017. Epub 2009 Dec 6.

PMID: 19995567 [PubMed - indexed for MEDLINE]

[Related citations](#)

406. [Regulation of matrix metalloproteinase-9 gene expression in MPP+- or 6-OHDA-treated human neuroblastoma SK-N-BE\(2\)C cells.](#)

Kim SY, Woo MS, Park JS, Kim HS.

Neurochem Int. 2010 Feb;56(3):437-42. doi: 10.1016/j.neuint.2009.11.019. Epub 2009 Dec 3.

PMID: 19962414 [PubMed - indexed for MEDLINE]

[Related citations](#)

407. [PINK1 polymorphism IVS1-7 A--&gt;G, exposure to environmental risk factors and anticipation of disease onset in Brazilian patients with early-onset Parkinson's Disease.](#)

Godeiro C Jr, Aguiar PM, Felício AC, Barsottini OG, Silva SM, Borges V, Andrade LA, Ferraz HB.

Neurosci Lett. 2010 Jan 18;469(1):155-8. doi: 10.1016/j.neulet.2009.11.064. Epub 2009 Nov 26.

PMID: 19944740 [PubMed - indexed for MEDLINE]

[Related citations](#)

408. [DNA polymerase-beta is required for 1-methyl-4-phenylpyridinium-induced apoptotic death in neurons.](#)

Zhang Z, Cao X, Xiong N, Wang H, Huang J, Sun S, Liang Z, Wang T.  
Apoptosis. 2010 Jan;15(1):105-15. doi: 10.1007/s10495-009-0425-8.  
PMID: 19937276 [PubMed - indexed for MEDLINE]

[Related citations](#)

409. [Ghrelin prevents 1-methyl-4-phenylpyridinium ion-induced cytotoxicity through antioxidation and NF-kappaB modulation in MES23.5 cells.](#)

Liu L, Xu H, Jiang H, Wang J, Song N, Xie J.

Exp Neurol. 2010 Mar;222(1):25-9. doi: 10.1016/j.expneurol.2009.11.009. Epub 2009 Nov 18.

PMID: 19931250 [PubMed - indexed for MEDLINE]

[Related citations](#)

410. [The pattern of neuronal loss and survival may reflect differential expression of proteasome activators in Parkinson's disease.](#)

McNaught KS, Jnobaptiste R, Jackson T, Jengelley TA.

Synapse. 2010 Mar;64(3):241-50. doi: 10.1002/syn.20719.

PMID: 19924695 [PubMed - indexed for MEDLINE]

[Related citations](#)

411. [Stereotaxical infusion of rotenone: a reliable rodent model for Parkinson's disease.](#)

Xiong N, Huang J, Zhang Z, Zhang Z, Xiong J, Liu X, Jia M, Wang F, Chen C, Cao X, Liang Z, Sun S, Lin Z, Wang T.

PLoS One. 2009 Nov 18;4(11):e7878. doi: 10.1371/journal.pone.0007878.

PMID: 19924288 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

412. [Electrophysiological actions of zonisamide on striatal neurons: Selective neuroprotection against complex I mitochondrial dysfunction.](#)

Costa C, Tozzi A, Luchetti E, Siliquini S, Belcastro V, Tantucci M, Picconi B, Ientile R, Calabresi P, Pisani F.

Exp Neurol. 2010 Jan;221(1):217-24. doi: 10.1016/j.expneurol.2009.11.002. Epub 2009 Nov 11.

PMID: 19913015 [PubMed - indexed for MEDLINE]

[Related citations](#)

413. [Acute action of rotenone on nigral dopaminergic neurons--involvement of reactive oxygen species and disruption of Ca<sup>2+</sup> homeostasis.](#)

Freestone PS, Chung KK, Guatteo E, Mercuri NB, Nicholson LF, Lipski J.

Eur J Neurosci. 2009 Nov;30(10):1849-59. doi: 10.1111/j.1460-9568.2009.06990.x. Epub 2009 Nov 11.

PMID: 19912331 [PubMed - indexed for MEDLINE]

[Related citations](#)

414. [Gene therapy using lactoferrin-modified nanoparticles in a rotenone-induced chronic](#)

[Parkinson model.](#)

Huang R, Ke W, Liu Y, Wu D, Feng L, Jiang C, Pei Y.

J Neurol Sci. 2010 Mar 15;290(1-2):123-30. doi: 10.1016/j.jns.2009.09.032. Epub 2009 Nov 11.

PMID: 19909981 [PubMed - indexed for MEDLINE]

[Related citations](#)

415. [Paraoxonase 1, agricultural organophosphate exposure, and Parkinson disease.](#)

Manthripragada AD, Costello S, Cockburn MG, Bronstein JM, Ritz B.

Epidemiology. 2010 Jan;21(1):87-94. doi: 10.1097/EDE.0b013e3181c15ec6.

PMID: 19907334 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

416. [Inhibition by rotenone of mesencephalic neural stem-cell migration in a neurosphere assay in vitro.](#)

Ishido M, Suzuki J.

Toxicol In Vitro. 2010 Mar;24(2):552-7. doi: 10.1016/j.tiv.2009.11.005. Epub 2009 Nov 10.

PMID: 19900533 [PubMed - indexed for MEDLINE]

[Related citations](#)

417. [The neuroprotective role of tissue inhibitor of metalloproteinase-2 in MPP+- or 6-OHDA-treated SK-N-BE\(2\)C and SH-SY5Y human neuroblastoma cells.](#)

Kim SY, Woo MS, Park JS, Hyun JW, Kim YS, Kim HS.

Neurosci Lett. 2010 Jan 4;468(2):136-40. doi: 10.1016/j.neulet.2009.10.084. Epub 2009 Nov 4.

PMID: 19883732 [PubMed - indexed for MEDLINE]

[Related citations](#)

418. [Effects of insulin-like growth factor-1 on rotenone-induced apoptosis in human lymphocyte cells.](#)

Avila-Gomez IC, Velez-Pardo C, Jimenez-Del-Rio M.

Basic Clin Pharmacol Toxicol. 2010 Jan;106(1):53-61. doi: 10.1111/j.1742-7843.2009.00472.x. Epub 2009 Oct 28.

PMID: 19874289 [PubMed - indexed for MEDLINE]

[Related citations](#)

419. [Anemia or low hemoglobin levels preceding Parkinson disease: a case-control study.](#)

Savica R, Grossardt BR, Carlin JM, Icen M, Bower JH, Ahlskog JE, Maraganore DM, Steensma DP, Rocca WA.

Neurology. 2009 Oct 27;73(17):1381-7. doi: 10.1212/WNL.0b013e3181bd80c1.

PMID: 19858460 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

420. [Oxidants induce alternative splicing of alpha-synuclein: Implications for Parkinson's disease.](#)  
Kalivendi SV, Yedlapudi D, Hillard CJ, Kalyanaraman B.  
Free Radic Biol Med. 2010 Feb 1;48(3):377-83. doi: 10.1016/j.freeradbiomed.2009.10.045. Epub 2009 Oct 23.  
PMID: 19857570 [PubMed - indexed for MEDLINE]  
[Related citations](#)
421. [Panaxatriol saponins extracted from Panax notoginseng induces thioredoxin-1 and prevents 1-methyl-4-phenylpyridinium ion-induced neurotoxicity.](#)  
Luo FC, Wang SD, Li K, Nakamura H, Yodoi J, Bai J.  
J Ethnopharmacol. 2010 Feb 3;127(2):419-23. doi: 10.1016/j.jep.2009.10.023. Epub 2009 Oct 24.  
PMID: 19857566 [PubMed - indexed for MEDLINE]  
[Related citations](#)
422. [Synphilin-1 exhibits trophic and protective effects against Rotenone toxicity.](#)  
Li X, Liu Z, Tamashiro K, Shi B, Rudnicki DD, Ross CA, Moran TH, Smith WW.  
Neuroscience. 2010 Jan 20;165(2):455-62. doi: 10.1016/j.neuroscience.2009.10.042. Epub .  
PMID: 19857556 [PubMed - indexed for MEDLINE]  
[Related citations](#)
423. [Professional exposure to pesticides and Parkinson disease.](#)  
Elbaz A, Clavel J, Rathouz PJ, Moisan F, Galanaud JP, Delemotte B, Alperovitch A, Tzourio C.  
Ann Neurol. 2009 Oct;66(4):494-504. doi: 10.1002/ana.21717.  
PMID: 19847896 [PubMed - indexed for MEDLINE]  
[Related citations](#)
424. [HDAC inhibitor trichostatin A-inhibited survival of dopaminergic neuronal cells.](#)  
Wang Y, Wang X, Liu L, Wang X.  
Neurosci Lett. 2009 Dec 31;467(3):212-6. doi: 10.1016/j.neulet.2009.10.037. Epub 2009 Oct 14.  
PMID: 19835929 [PubMed - indexed for MEDLINE]  
[Related citations](#)
425. [Enhanced metallothionein gene expression induced by mitochondrial oxidative stress is reduced in phospholipid hydroperoxide glutathione peroxidase-overexpressed cells.](#)  
Kadota Y, Suzuki S, Ideta S, Fukinbara Y, Kawakami T, Imai H, Nakagawa Y, Sato M.  
Eur J Pharmacol. 2010 Jan 25;626(2-3):166-70. doi: 10.1016/j.ejphar.2009.09.060. Epub 2009 Oct 8.  
PMID: 19818760 [PubMed - indexed for MEDLINE]  
[Related citations](#)

426. [Conjugal Parkinsonism and Parkinson disease: a case series with environmental risk factor analysis.](#)  
Willis AW, Sterling C, Racette BA.  
Parkinsonism Relat Disord. 2010 Mar;16(3):163-6. doi: 10.1016/j.parkreldis.2009.09.002. Epub 2009 Oct 8.  
PMID: 19818671 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
427. [Sesamin modulates tyrosine hydroxylase, superoxide dismutase, catalase, inducible NO synthase and interleukin-6 expression in dopaminergic cells under MPP+-induced oxidative stress.](#)  
Lahaie-Collins V, Bournival J, Plouffe M, Carange J, Martinoli MG.  
Oxid Med Cell Longev. 2008 Oct-Dec;1(1):54-62.  
PMID: 19794909 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
428. [Pyrimido\[5,4-e\]\[1,2,4\]triazine-5,7\(1H,6H\)-dione derivatives: their cytoprotection effect from rotenone toxicity and preliminary DMPK properties.](#)  
Zhou Y, Liu G, Chen J, Reddy PS, Yoon IS, Zhang M, Zhang B, Barber JR, Ng SC.  
Bioorg Med Chem Lett. 2009 Nov 1;19(21):6114-8. doi: 10.1016/j.bmcl.2009.09.021. Epub 2009 Sep 10.  
PMID: 19786349 [PubMed - indexed for MEDLINE]  
[Related citations](#)
429. [Interferon-gamma deficiency modifies the motor and co-morbid behavioral pathology and neurochemical changes provoked by the pesticide paraquat.](#)  
Litteljohn D, Mangano E, Shukla N, Hayley S.  
Neuroscience. 2009 Dec 29;164(4):1894-906. doi: 10.1016/j.neuroscience.2009.09.025. Epub 2009 Sep 24.  
PMID: 19782123 [PubMed - indexed for MEDLINE]  
[Related citations](#)
430. [NF-kappaB mediates MPP+-induced apoptotic cell death in neuroblastoma cells SH-EP1 through JNK and c-Jun/AP-1.](#)  
Yang HJ, Wang L, Xia YY, Chang PN, Feng ZW.  
Neurochem Int. 2010 Jan;56(1):128-34. doi: 10.1016/j.neuint.2009.09.010. Epub 2009 Sep 22.  
PMID: 19778565 [PubMed - indexed for MEDLINE]  
[Related citations](#)
431. [Chrysanthemum morifolium Ramat \(CM\) extract protects human neuroblastoma SH-SY5Y cells against MPP+-induced cytotoxicity.](#)  
Kim IS, Koppula S, Park PJ, Kim EH, Kim CG, Choi WS, Lee KH, Choi DK.  
J Ethnopharmacol. 2009 Dec 10;126(3):447-54. doi: 10.1016/j.jep.2009.09.017. Epub 2009

Sep 19.

PMID: 19770030 [PubMed - indexed for MEDLINE]

[Related citations](#)

432. [Differential contribution of the mitochondrial respiratory chain complexes to reactive oxygen species production by redox cycling agents implicated in parkinsonism.](#)  
Drechsel DA, Patel M.  
Toxicol Sci. 2009 Dec;112(2):427-34. doi: 10.1093/toxsci/kfp223. Epub 2009 Sep 18.  
PMID: 19767442 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
433. [Mitochondrial uncoupling protein-2 \(UCP2\) mediates leptin protection against MPP+ toxicity in neuronal cells.](#)  
Ho PW, Liu HF, Ho JW, Zhang WY, Chu AC, Kwok KH, Ge X, Chan KH, Ramsden DB, Ho SL.  
Neurotox Res. 2010 May;17(4):332-43. doi: 10.1007/s12640-009-9109-y. Epub 2009 Sep 10.  
PMID: 19763737 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
434. [Novel mitochondrial substrates of omi indicate a new regulatory role in neurodegenerative disorders.](#)  
Johnson F, Kaplitt MG.  
PLoS One. 2009 Sep 18;4(9):e7100. doi: 10.1371/journal.pone.0007100.  
PMID: 19763263 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
435. [Occupation and risk of parkinsonism: a multicenter case-control study.](#)  
Tanner CM, Ross GW, Jewell SA, Hauser RA, Jankovic J, Factor SA, Bressman S, Deligtisch A, Marras C, Lyons KE, Bhudhikanok GS, Roucoux DF, Meng C, Abbott RD, Langston JW.  
Arch Neurol. 2009 Sep;66(9):1106-13. doi: 10.1001/archneurol.2009.195.  
PMID: 19752299 [PubMed - indexed for MEDLINE]  
[Related citations](#)
436. [Influence of dermal exposure to the pyrethroid insecticide deltamethrin on rat brain microanatomy and cholinergic/dopaminergic neurochemistry.](#)  
Tayebati SK, Di Tullio MA, Ricci A, Amenta F.  
Brain Res. 2009 Dec 8;1301:180-8. doi: 10.1016/j.brainres.2009.09.015. Epub 2009 Sep 11.  
PMID: 19748499 [PubMed - indexed for MEDLINE]  
[Related citations](#)
437. [K\(ATP\) channel openers protect mesencephalic neurons against MPP+-induced cytotoxicity via inhibition of ROS production.](#)  
Xie J, Duan L, Qian X, Huang X, Ding J, Hu G.

J Neurosci Res. 2010 Feb 1;88(2):428-37. doi: 10.1002/jnr.22213.

PMID: 19746425 [PubMed - indexed for MEDLINE]

[Related citations](#)

438. [Neuroprotective efficacy of Bacopa monnieri against rotenone induced oxidative stress and neurotoxicity in Drosophila melanogaster.](#)

Hosamani R, Muralidhara.

Neurotoxicology. 2009 Nov;30(6):977-85. doi: 10.1016/j.neuro.2009.08.012. Epub 2009 Sep 8.

PMID: 19744517 [PubMed - indexed for MEDLINE]

[Related citations](#)

439. [Rg1 protects the MPP+-treated MES23.5 cells via attenuating DMT1 up-regulation and cellular iron uptake.](#)

Xu H, Jiang H, Wang J, Xie J.

Neuropharmacology. 2010 Feb;58(2):488-94. doi: 10.1016/j.neuropharm.2009.09.002. Epub 2009 Sep 8.

PMID: 19744503 [PubMed - indexed for MEDLINE]

[Related citations](#)

440. [Paraquat activates the IRE1/ASK1/JNK cascade associated with apoptosis in human neuroblastoma SH-SY5Y cells.](#)

Yang W, Tiffany-Castiglioni E, Koh HC, Son IH.

Toxicol Lett. 2009 Dec 15;191(2-3):203-10. doi: 10.1016/j.toxlet.2009.08.024. Epub 2009 Sep 6.

PMID: 19735704 [PubMed - indexed for MEDLINE]

[Related citations](#)

441. [Cyclo\(His-Pro\) up-regulates heme oxygenase 1 via activation of Nrf2-ARE signalling.](#)

Minelli A, Conte C, Grottelli S, Bellezza I, Emiliani C, Bolaños JP.

J Neurochem. 2009 Nov;111(4):956-66. doi: 10.1111/j.1471-4159.2009.06376.x. Epub 2009 Sep 7.

PMID: 19735445 [PubMed - indexed for MEDLINE]

[Related citations](#)

442. [Environmental toxins and Parkinson's disease: what have we learned from pesticide-induced animal models?](#)

Cicchetti F, Drouin-Ouellet J, Gross RE.

Trends Pharmacol Sci. 2009 Sep;30(9):475-83. doi: 10.1016/j.tips.2009.06.005. Epub 2009 Sep 2. Review.

PMID: 19729209 [PubMed - indexed for MEDLINE]

[Related citations](#)

443. [Protective effect of histamine H2 receptor antagonist ranitidine against rotenone-induced apoptosis.](#)



- Park HJ, Kim HJ, Park HK, Chung JH.  
Neurotoxicology. 2009 Nov;30(6):1114-9. doi: 10.1016/j.neuro.2009.08.005. Epub 2009 Aug 31.  
PMID: 19723537 [PubMed - indexed for MEDLINE]  
[Related citations](#)
444. [Effects of epigallocatechin gallate on rotenone-injured murine brain cultures.](#)  
Moldzio R, Radad K, Krewenka C, Kranner B, Duvigneau JC, Wang Y, Rausch WD.  
J Neural Transm. 2010 Jan;117(1):5-12. doi: 10.1007/s00702-009-0284-z. Epub 2009 Aug 26.  
PMID: 19707849 [PubMed - indexed for MEDLINE]  
[Related citations](#)
445. [The effects of polyphenols on survival and locomotor activity in Drosophila melanogaster exposed to iron and paraquat.](#)  
Jimenez-Del-Rio M, Guzman-Martinez C, Velez-Pardo C.  
Neurochem Res. 2010 Feb;35(2):227-38. doi: 10.1007/s11064-009-0046-1. Epub 2009 Aug 23.  
PMID: 19701790 [PubMed - indexed for MEDLINE]  
[Related citations](#)
446. [Rapamycin protects against rotenone-induced apoptosis through autophagy induction.](#)  
Pan T, Rawal P, Wu Y, Xie W, Jankovic J, Le W.  
Neuroscience. 2009 Dec 1;164(2):541-51. doi: 10.1016/j.neuroscience.2009.08.014. Epub 2009 Aug 12.  
PMID: 19682553 [PubMed - indexed for MEDLINE]  
[Related citations](#)
447. [Melatonin treatment potentiates neurodegeneration in a rat rotenone Parkinson's disease model.](#)  
Tapias V, Cannon JR, Greenamyre JT.  
J Neurosci Res. 2010 Feb 1;88(2):420-7. doi: 10.1002/jnr.22201.  
PMID: 19681169 [PubMed - indexed for MEDLINE]  
[Related citations](#)
448. [Curcumin enhances paraquat-induced apoptosis of N27 mesencephalic cells via the generation of reactive oxygen species.](#)  
Ortiz-Ortiz MA, Morán JM, Bravosanpedro JM, González-Polo RA, Niso-Santano M, Anantharam V, Kanthasamy AG, Soler G, Fuentes JM.  
Neurotoxicology. 2009 Nov;30(6):1008-18. doi: 10.1016/j.neuro.2009.07.016. Epub 2009 Aug 4.  
PMID: 19660496 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
449. [Pesticides: double exposure heightens Parkinson disease risk.](#)

Washam C.

Environ Health Perspect. 2009 Jul;117(7):A295. No abstract available.

PMID: 19654900 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

450. [Neuroprotective effect of the antiparkinsonian drug pramipexole against nigrostriatal dopaminergic degeneration in rotenone-treated mice.](#)

Inden M, Kitamura Y, Tamaki A, Yanagida T, Shibaike T, Yamamoto A, Takata K, Yasui H, Taira T, Ariga H, Taniguchi T.

Neurochem Int. 2009 Dec;55(8):760-7. doi: 10.1016/j.neuint.2009.07.009. Epub 2009 Aug 6.

PMID: 19647776 [PubMed - indexed for MEDLINE]

[Related citations](#)

451. [Alpha-synuclein knockdown attenuates MPP+ induced mitochondrial dysfunction of SH-SY5Y cells.](#)

Wu F, Poon WS, Lu G, Wang A, Meng H, Feng L, Li Z, Liu S.

Brain Res. 2009 Oct 6;1292:173-9. doi: 10.1016/j.brainres.2009.07.067. Epub 2009 Jul 29.

PMID: 19646423 [PubMed - indexed for MEDLINE]

[Related citations](#)

452. [Paraquat induces oxidative stress, neuronal loss in substantia nigra region and parkinsonism in adult rats: neuroprotection and amelioration of symptoms by water-soluble formulation of coenzyme Q10.](#)

Somayajulu-Niṭu M, Sandhu JK, Cohen J, Sikorska M, Sridhar TS, Matei A, Borowy-Borowski H, Pandey S.

BMC Neurosci. 2009 Jul 27;10:88. doi: 10.1186/1471-2202-10-88.

PMID: 19635141 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

453. [\[Pesticides and parkinson's: a confirmed link\].](#)

Nau JY.

Rev Med Suisse. 2009 Jul 1;5(210):1496. French. No abstract available.

PMID: 19634540 [PubMed - indexed for MEDLINE]

[Related citations](#)

454. [Alteration of NRSF expression exacerbating 1-methyl-4-phenyl-pyridinium ion-induced cell death of SH-SY5Y cells.](#)

Yu M, Cai L, Liang M, Huang Y, Gao H, Lu S, Fei J, Huang F.

Neurosci Res. 2009 Nov;65(3):236-44. doi: 10.1016/j.neures.2009.07.006. Epub 2009 Jul 22.

PMID: 19631241 [PubMed - indexed for MEDLINE]

[Related citations](#)

455. [Valproic acid is neuroprotective in the rotenone rat model of Parkinson's disease:](#)

[involvement of alpha-synuclein.](#)

Monti B, Gatta V, Piretti F, Raffaelli SS, Virgili M, Contestabile A.

Neurotox Res. 2010 Feb;17(2):130-41. doi: 10.1007/s12640-009-9090-5. Epub 2009 Jul 21.

PMID: 19626387 [PubMed - indexed for MEDLINE]

[Related citations](#)

456. [LRRK2 modulates vulnerability to mitochondrial dysfunction in Caenorhabditis elegans.](#)

Saha S, Guillily MD, Ferree A, Lanceta J, Chan D, Ghosh J, Hsu CH, Segal L, Raghavan K, Matsumoto K, Hisamoto N, Kuwahara T, Iwatsubo T, Moore L, Goldstein L, Cookson M, Wolozin B.

J Neurosci. 2009 Jul 22;29(29):9210-8. doi: 10.1523/JNEUROSCI.2281-09.2009.

PMID: 19625511 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

457. [Quantification of Paraquat, MPTP, and MPP+ in brain tissue using microwave-assisted solvent extraction \(MASE\) and high-performance liquid chromatography-mass spectrometry.](#)

Winnik B, Barr DB, Thiruchelvam M, Montesano MA, Richfield EK, Buckley B.

Anal Bioanal Chem. 2009 Sep;395(1):195-201. doi: 10.1007/s00216-009-2929-z. Epub 2009 Jul 19.

PMID: 19618168 [PubMed - indexed for MEDLINE]

[Related citations](#)

458. [Effects of glutamate and alpha2-noradrenergic receptor antagonists on the development of neurotoxicity produced by chronic rotenone in rats.](#)

Alam M, Danysz W, Schmidt WJ, Dekundy A.

Toxicol Appl Pharmacol. 2009 Oct 15;240(2):198-207. doi: 10.1016/j.taap.2009.07.010. Epub 2009 Jul 17.

PMID: 19616571 [PubMed - indexed for MEDLINE]

[Related citations](#)

459. [Elevated serum pesticide levels and risk of Parkinson disease.](#)

Richardson JR, Shalat SL, Buckley B, Winnik B, O'Suilleabhain P, Diaz-Arrastia R, Reisch J, German DC.

Arch Neurol. 2009 Jul;66(7):870-5. doi: 10.1001/archneurol.2009.89.

PMID: 19597089 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

460. [Chronic rotenone exposure reproduces Parkinson's disease gastrointestinal neuropathology.](#)

Drolet RE, Cannon JR, Montero L, Greenamyre JT.

Neurobiol Dis. 2009 Oct;36(1):96-102. doi: 10.1016/j.nbd.2009.06.017. Epub 2009 Jul 10.

PMID: 19595768 [PubMed - indexed for MEDLINE]

[Related citations](#)

461. [The expression of CYP2D22, an ortholog of human CYP2D6, in mouse striatum and its modulation in 1-methyl 4-phenyl-1,2,3,6-tetrahydropyridine-induced Parkinson's disease phenotype and nicotine-mediated neuroprotection.](#)  
Singh S, Singh K, Patel DK, Singh C, Nath C, Singh VK, Singh RK, Singh MP.  
Rejuvenation Res. 2009 Jun;12(3):185-97. doi: 10.1089/rej.2009.0850.  
PMID: 19594327 [PubMed - indexed for MEDLINE]  
[Related citations](#)
462. [Dopamine transporter genetic variants and pesticides in Parkinson's disease.](#)  
Ritz BR, Manthripragada AD, Costello S, Lincoln SJ, Farrer MJ, Cockburn M, Bronstein J.  
Environ Health Perspect. 2009 Jun;117(6):964-9. doi: 10.1289/ehp.0800277. Epub 2009 Feb 22.  
PMID: 19590691 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
463. [Induction of heat shock protein 70 reduces the alteration of striatal electrical activity caused by mitochondrial impairment.](#)  
Tantucci M, Mariucci G, Taha E, Spaccatini C, Tozzi A, Luchetti E, Calabresi P, Ambrosini MV.  
Neuroscience. 2009 Oct 20;163(3):735-40. doi: 10.1016/j.neuroscience.2009.06.070. Epub 2009 Jul 4.  
PMID: 19580850 [PubMed - indexed for MEDLINE]  
[Related citations](#)
464. [Pegylated nanoliposomes remote-loaded with the antioxidant tempamine ameliorate experimental autoimmune encephalomyelitis.](#)  
Kizelsztein P, Ovadia H, Garbuzenko O, Sigal A, Barenholz Y.  
J Neuroimmunol. 2009 Aug 18;213(1-2):20-5. doi: 10.1016/j.jneuroim.2009.05.019. Epub 2009 Jun 28.  
PMID: 19564052 [PubMed - indexed for MEDLINE]  
[Related citations](#)
465. [Rotenone and paraquat do not directly activate microglia or induce inflammatory cytokine release.](#)  
Klintworth H, Garden G, Xia Z.  
Neurosci Lett. 2009 Oct 2;462(1):1-5. doi: 10.1016/j.neulet.2009.06.065. Epub 2009 Jun 25.  
PMID: 19559752 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
466. [Retinal pigment epithelial cells secrete neurotrophic factors and synthesize dopamine: possible contribution to therapeutic effects of RPE cell transplantation in Parkinson's disease.](#)  
Ming M, Li X, Fan X, Yang D, Li L, Chen S, Gu Q, Le W.

J Transl Med. 2009 Jun 28;7:53. doi: 10.1186/1479-5876-7-53.

PMID: 19558709 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

467. [Fucoidan protects against dopaminergic neuron death in vivo and in vitro.](#)

Luo D, Zhang Q, Wang H, Cui Y, Sun Z, Yang J, Zheng Y, Jia J, Yu F, Wang X, Wang X. Eur J Pharmacol. 2009 Sep 1;617(1-3):33-40. doi: 10.1016/j.ejphar.2009.06.015. Epub 2009 Jun 21.

PMID: 19545563 [PubMed - indexed for MEDLINE]

[Related citations](#)

468. [Tranexamic acid protects against rotenone-induced apoptosis in human neuroblastoma SH-SY5Y cells.](#)

Kim HJ, Park HJ, Park HK, Chung JH.

Toxicology. 2009 Aug 3;262(2):171-4. doi: 10.1016/j.tox.2009.06.004. Epub 2009 Jun 16.

PMID: 19539006 [PubMed - indexed for MEDLINE]

[Related citations](#)

469. [Metabolic control analysis in a cellular model of elevated MAO-B: relevance to Parkinson's disease.](#)

Mallajosyula JK, Chinta SJ, Rajagopalan S, Nicholls DG, Andersen JK.

Neurotox Res. 2009 Oct;16(3):186-93. doi: 10.1007/s12640-009-9032-2. Epub 2009 Mar 5.

PMID: 19526285 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

470. [The carboxyl-terminal domain of the heavy chain of tetanus toxin prevents dopaminergic degeneration and improves motor behavior in rats with striatal MPP\(+\)-lesions.](#)

Mendieta L, Venegas B, Moreno N, Patricio A, Martínez I, Aguilera J, Limón ID.

Neurosci Res. 2009 Sep;65(1):98-106. doi: 10.1016/j.neures.2009.06.001. Epub 2009 Jun 11.

PMID: 19523997 [PubMed - indexed for MEDLINE]

[Related citations](#)

471. [Rotenone induces cell death of cholinergic neurons in an organotypic co-culture brain slice model.](#)

Ullrich C, Humpel C.

Neurochem Res. 2009 Dec;34(12):2147-53. doi: 10.1007/s11064-009-0014-9.

PMID: 19495971 [PubMed - indexed for MEDLINE]

[Related citations](#)

472. [Effect of pesticides on cell survival in liver and brain rat tissues.](#)

Astiz M, de Alaniz MJ, Marra CA.

Ecotoxicol Environ Saf. 2009 Oct;72(7):2025-32. doi: 10.1016/j.ecoenv.2009.05.001. Epub 2009 Jun 2.

PMID: 19493570 [PubMed - indexed for MEDLINE]

[Related citations](#)

473. [Fibroblast growth factor 9 prevents MPP<sup>+</sup>-induced death of dopaminergic neurons and is involved in melatonin neuroprotection in vivo and in vitro.](#)

Huang JY, Hong YT, Chuang JI.

J Neurochem. 2009 Jun;109(5):1400-12. doi: 10.1111/j.1471-4159.2009.06061.x. Epub 2009 Mar 25.

PMID: 19476551 [PubMed - indexed for MEDLINE]

[Related citations](#)

474. [Protective effects of resveratrol and quercetin against MPP<sup>+</sup> -induced oxidative stress act by modulating markers of apoptotic death in dopaminergic neurons.](#)

Bournival J, Quessy P, Martinoli MG.

Cell Mol Neurobiol. 2009 Dec;29(8):1169-80. doi: 10.1007/s10571-009-9411-5. Epub .

PMID: 19466539 [PubMed - indexed for MEDLINE]

[Related citations](#)

475. [Effects of the organochlorine pesticide methoxychlor on dopamine metabolites and transporters in the mouse brain.](#)

Schuh RA, Richardson JR, Gupta RK, Flaws JA, Fiskum G.

Neurotoxicology. 2009 Mar;30(2):274-80.

PMID: 19459224 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

476. [The role of NADPH oxidase 1-derived reactive oxygen species in paraquat-mediated dopaminergic cell death.](#)

Cristóvão AC, Choi DH, Baltazar G, Beal MF, Kim YS.

Antioxid Redox Signal. 2009 Sep;11(9):2105-18. doi: 10.1089/ARS.2009.2459.

PMID: 19450058 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

477. [The homocysteine-inducible endoplasmic reticulum stress protein counteracts calcium store depletion and induction of CCAAT enhancer-binding protein homologous protein in a neurotoxin model of Parkinson disease.](#)

Chigurupati S, Wei Z, Belal C, Vandermeij M, Kyriazis GA, Arumugam TV, Chan SL.

J Biol Chem. 2009 Jul 3;284(27):18323-33. doi: 10.1074/jbc.M109.020891. Epub 2009 May 15.

PMID: 19447887 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

478. [Paraquat induces alternation of the dopamine catabolic pathways and glutathione levels in the substantia nigra of mice.](#)

Kang MJ, Gil SJ, Koh HC.

Toxicol Lett. 2009 Jul 24;188(2):148-52. doi: 10.1016/j.toxlet.2009.03.026. Epub 2009 Apr

5.

PMID: 19446248 [PubMed - indexed for MEDLINE]

[Related citations](#)

479. [Involvement of glyceraldehyde-3-phosphate dehydrogenase in rotenone-induced cell apoptosis: relevance to protein misfolding and aggregation.](#)

Huang J, Hao L, Xiong N, Cao X, Liang Z, Sun S, Wang T.

Brain Res. 2009 Jul 7;1279:1-8. doi: 10.1016/j.brainres.2009.05.011. Epub 2009 May 13.

PMID: 19445904 [PubMed - indexed for MEDLINE]

[Related citations](#)

480. [Pigment epithelium derived factor \(PEDF\) is neuroprotective in two in vitro models of Parkinson's disease.](#)

Falk T, Zhang S, Sherman SJ.

Neurosci Lett. 2009 Jul 17;458(2):49-52. doi: 10.1016/j.neulet.2009.04.018. Epub 2009 Apr 11.

PMID: 19442875 [PubMed - indexed for MEDLINE]

[Related citations](#)

481. [Inhibition of platelet aggregation by 1-methyl-4-phenyl pyridinium ion \(MPP+\) through ATP depletion: Evidence for the reduced platelet activities in Parkinson's disease.](#)

Lim KM, Kim HH, Bae ON, Noh JY, Kim KY, Kim SH, Chung SM, Shin S, Kim HY, Chung JH.

Platelets. 2009 May;20(3):163-70. doi: 10.1080/09537100902721746.

PMID: 19437333 [PubMed - indexed for MEDLINE]

[Related citations](#)

482. [Involvement of cytosolic and mitochondrial GSK-3beta in mitochondrial dysfunction and neuronal cell death of MPTP/MPP-treated neurons.](#)

Petit-Paitel A, Brau F, Cazareth J, Chabry J.

PLoS One. 2009;4(5):e5491. doi: 10.1371/journal.pone.0005491. Epub 2009 May 11.

PMID: 19430525 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

483. [Rotenone reduces Mg<sup>2+</sup>-dependent block of NMDA currents in substantia nigra dopamine neurons.](#)

Wu YN, Johnson SW.

Neurotoxicology. 2009 Mar;30(2):320-5. doi: 10.1016/j.neuro.2009.01.002. Epub 2009 Jan 21.

PMID: 19428506 [PubMed - indexed for MEDLINE]

[Related citations](#)

484. [Silencing DJ-1 reveals its contribution in paraquat-induced autophagy.](#)

González-Polo R, Niso-Santano M, Morán JM, Ortiz-Ortiz MA, Bravo-San Pedro JM, Soler G, Fuentes JM.

J Neurochem. 2009 May;109(3):889-98.  
PMID: 19425177 [PubMed - indexed for MEDLINE]

[Related citations](#)

485. [A2A adenosine receptor antagonists protect the striatum against rotenone-induced neurotoxicity.](#)

Belcastro V, Tozzi A, Tantucci M, Costa C, Di Filippo M, Autuori A, Picconi B, Siliquini S, Luchetti E, Borsini F, Calabresi P.

Exp Neurol. 2009 May;217(1):231-4. doi: 10.1016/j.expneurol.2009.01.010. Epub 2009 Jan 29.

PMID: 19416678 [PubMed - indexed for MEDLINE]

[Related citations](#)

486. [A role for a novel protein, nucleolin, in Parkinson's disease.](#)

Caudle WM, Kitsou E, Li J, Bradner J, Zhang J.

Neurosci Lett. 2009 Jul 31;459(1):11-5. doi: 10.1016/j.neulet.2009.04.060. Epub 2009 May 4.

PMID: 19409963 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

487. [Delayed gastric emptying and enteric nervous system dysfunction in the rotenone model of Parkinson's disease.](#)

Greene JG, Noorian AR, Srinivasan S.

Exp Neurol. 2009 Jul;218(1):154-61. doi: 10.1016/j.expneurol.2009.04.023. Epub 2009 May 3.

PMID: 19409896 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

488. [Tyrosine hydroxylase-positive amacrine interneurons in the mouse retina are resistant against the application of various parkinsonian toxins.](#)

Nagel F, Bähr M, Dietz GP.

Brain Res Bull. 2009 Jun 30;79(5):303-9. doi: 10.1016/j.brainresbull.2009.04.010. Epub 2009 May 3.

PMID: 19406215 [PubMed - indexed for MEDLINE]

[Related citations](#)

489. [A highly reproducible rotenone model of Parkinson's disease.](#)

Cannon JR, Tapias V, Na HM, Honick AS, Drolet RE, Greenamyre JT.

Neurobiol Dis. 2009 May;34(2):279-90.

PMID: 19385059 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

490. [Effect of centrophenoxine against rotenone-induced oxidative stress in an animal model of Parkinson's disease.](#)

Verma R, Nehru B.



Neurochem Int. 2009 Nov;55(6):369-75. doi: 10.1016/j.neuint.2009.04.001. Epub 2009 Apr 16.

PMID: 19375462 [PubMed - indexed for MEDLINE]

[Related citations](#)

491. [BDNF mediates the neuroprotective effects of positive AMPA receptor modulators against MPP+-induced toxicity in cultured hippocampal and mesencephalic slices.](#)

Jourdi H, Hamo L, Oka T, Seegan A, Baudry M.

Neuropharmacology. 2009 Apr;56(5):876-85. doi: 10.1016/j.neuropharm.2009.01.015. Epub 2009 Jan 21.

PMID: 19371576 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

492. [Chapter 22 The uptake and interactions of the redox cycler paraquat with mitochondria.](#)

Cochemé HM, Murphy MP.

Methods Enzymol. 2009;456:395-417. doi: 10.1016/S0076-6879(08)04422-4.

PMID: 19348901 [PubMed - indexed for MEDLINE]

[Related citations](#)

493. [Survival motor neuron deficiency enhances progression in an amyotrophic lateral sclerosis mouse model.](#)

Turner BJ, Parkinson NJ, Davies KE, Talbot K.

Neurobiol Dis. 2009 Jun;34(3):511-7. doi: 10.1016/j.nbd.2009.03.005. Epub 2009 Mar 28.

PMID: 19332122 [PubMed - indexed for MEDLINE]

[Related citations](#)

494. [In vitro dopaminergic neuroprotective and in vivo antiparkinsonian-like effects of Delta 3,2-hydroxybakuchiol isolated from Psoralea corylifolia \(L.\).](#)

Zhao G, Zheng XW, Qin GW, Gai Y, Jiang ZH, Guo LH.

Cell Mol Life Sci. 2009 May;66(9):1617-29. doi: 10.1007/s00018-009-9030-9.

PMID: 19322517 [PubMed - indexed for MEDLINE]

[Related citations](#)

495. [Pyrethroid and organophosphate insecticide exposure in the 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine mouse model of Parkinson's disease: an immunohistochemical analysis of tyrosine hydroxylase and glial fibrillary acidic protein in dorsolateral striatum.](#)

Dodd CA, Klein BG.

Toxicol Ind Health. 2009 Feb;25(1):25-39. doi: 10.1177/0748233709102752.

PMID: 19318502 [PubMed - indexed for MEDLINE]

[Related citations](#)

496. [MPTP-induced model of Parkinson's disease in cytochrome P450 2E1 knockout mice.](#)

Viaggi C, Vaglini F, Pardini C, Caramelli A, Corsini GU.

Neuropharmacology. 2009 Jun;56(8):1075-81. doi: 10.1016/j.neuropharm.2009.03.003.

Epub 2009 Mar 17.

PMID: 19298832 [PubMed - indexed for MEDLINE]

[Related citations](#)

497. [Zocor Forte \(simvastatin\) has a neuroprotective effect against LPS striatal dopaminergic terminals injury, whereas against MPP+ does not.](#)

Santiago M, Hernández-Romero MC, Machado A, Cano J.

Eur J Pharmacol. 2009 May 1;609(1-3):58-64. doi: 10.1016/j.ejphar.2009.03.026. Epub 2009 Mar 16.

PMID: 19292984 [PubMed - indexed for MEDLINE]

[Related citations](#)

498. [Vascular pathology in male Lewis rats following short-term, low-dose rotenone administration.](#)

Allen AL, Luo C, Montgomery DL, Rajput AH, Robinson CA, Rajput A.

Vet Pathol. 2009 Jul;46(4):776-82. doi: 10.1354/vp.08-VP-0114-A-AM. Epub 2009 Mar 9.

PMID: 19276049 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

499. [Parkinson's disease and residential exposure to maneb and paraquat from agricultural applications in the central valley of California.](#)

Costello S, Cockburn M, Bronstein J, Zhang X, Ritz B.

Am J Epidemiol. 2009 Apr 15;169(8):919-26. doi: 10.1093/aje/kwp006. Epub 2009 Mar 6.

PMID: 19270050 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

500. [Nicotinic receptor-mediated neuroprotection in neurodegenerative disease models.](#)

Shimohama S.

Biol Pharm Bull. 2009 Mar;32(3):332-6. Review.

PMID: 19252273 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

501. [A novel transferrin/TfR2-mediated mitochondrial iron transport system is disrupted in Parkinson's disease.](#)

Mastroberardino PG, Hoffman EK, Horowitz MP, Betarbet R, Taylor G, Cheng D, Na HM, Gutekunst CA, Gearing M, Trojanowski JQ, Anderson M, Chu CT, Peng J, Greenamyre JT. Neurobiol Dis. 2009 Jun;34(3):417-31. doi: 10.1016/j.nbd.2009.02.009. Epub 2009 Feb 26.

PMID: 19250966 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

502. [Modulation of connexin 43 in rotenone-induced model of Parkinson's disease.](#)

Kawasaki A, Hayashi T, Nakachi K, Trosko JE, Sugihara K, Kotake Y, Ohta S.

Neuroscience. 2009 Apr 21;160(1):61-8. doi: 10.1016/j.neuroscience.2009.01.080. Epub 2009 Feb 13.

PMID: 19232380 [PubMed - indexed for MEDLINE]

[Related citations](#)

503. [\[Cellular pathophysiology of Parkinson's disease\].](#)

Takeda A, Sugeno N, Hasegawa T, Kobayashi M, Kikuchi A.

Rinsho Shinkeigaku. 2008 Nov;48(11):984-5. Japanese.

PMID: 19198139 [PubMed - indexed for MEDLINE]

[Related citations](#)

504. [MDR1 variants and risk of Parkinson disease. Association with pesticide exposure?](#)

Zschiedrich K, König IR, Brüggemann N, Kock N, Kasten M, Leenders KL, Kostić V, Vieregge P, Ziegler A, Klein C, Lohmann K.

J Neurol. 2009 Jan;256(1):115-20. doi: 10.1007/s00415-009-0089-x. Epub 2009 Jan 29.

PMID: 19184162 [PubMed - indexed for MEDLINE]

[Related citations](#)

505. [Meeting report: consensus statement-Parkinson's disease and the environment: collaborative on health and the environment and Parkinson's Action Network \(CHE PAN\) conference 26-28 June 2007.](#)

Bronstein J, Carvey P, Chen H, Cory-Slechta D, DiMonte D, Duda J, English P, Goldman S, Grate S, Hansen J, Hoppin J, Jewell S, Kamel F, Koroshetz W, Langston JW, Logroscino G, Nelson L, Ravina B, Rocca W, Ross GW, Schettler T, Schwarzschild M, Scott B, Seegal R, Singleton A, Steenland K, Tanner CM, Van Den Eeden S, Weisskopf M.

Environ Health Perspect. 2009 Jan;117(1):117-21. doi: 10.1289/ehp.11702. Epub 2008 Aug 26.

PMID: 19165397 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

506. [Alterations of N/OFQ and NOP receptor gene expression in the substantia nigra and caudate putamen of MPP+ and 6-OHDA lesioned rats.](#)

Di Benedetto M, Cavina C, D'Addario C, Leoni G, Candeletti S, Cox BM, Romualdi P.

Neuropharmacology. 2009 Mar;56(4):761-7. doi: 10.1016/j.neuropharm.2008.12.009.

PMID: 19162046 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

507. [A novel derivative of the natural agent deguelin for cancer chemoprevention and therapy.](#)

Kim WY, Chang DJ, Hennessy B, Kang HJ, Yoo J, Han SH, Kim YS, Park HJ, Seo SY, Mills G, Kim KW, Hong WK, Suh YG, Lee HY.

Cancer Prev Res (Phila). 2008 Dec;1(7):577-87. doi: 10.1158/1940-6207.CAPR-08-0184.

Erratum in: Cancer Prev Res (Phila Pa). 2009 Feb;2(2):186. Geo, Seung-Yong [corrected to Seo, Seung-Yong].

PMID: 19139008 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

508. [Insights into yeast adaptive response to the agricultural fungicide mancozeb: a](#)

[toxicoproteomics approach.](#)

Santos PM, Simões T, Sá-Correia I.

Proteomics. 2009 Feb;9(3):657-70. doi: 10.1002/pmic.200800452.

PMID: 19137554 [PubMed - indexed for MEDLINE]

[Related citations](#)

509. [Paraquat is excluded by the blood brain barrier in rhesus macaque: An in vivo pet study.](#)

Bartlett RM, Holden JE, Nickles RJ, Murali D, Barbee DL, Barnhart TE, Christian BT, DeJesus OT.

Brain Res. 2009 Mar 9;1259:74-9. doi: 10.1016/j.brainres.2008.12.033. Epub 2008 Dec 24.

PMID: 19135428 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

510. [Antidepressants reveal differential effect against 1-methyl-4-phenylpyridinium toxicity in differentiated PC12 cells.](#)

Han YS, Lee CS.

Eur J Pharmacol. 2009 Feb 14;604(1-3):36-44. doi: 10.1016/j.ejphar.2008.12.025. Epub 2008 Dec 24.

PMID: 19135049 [PubMed - indexed for MEDLINE]

[Related citations](#)

511. [Protective effect against Parkinson's disease-related insults through the activation of XBP1.](#)

Sado M, Yamasaki Y, Iwanaga T, Onaka Y, Ibuki T, Nishihara S, Mizuguchi H, Momota H, Kishibuchi R, Hashimoto T, Wada D, Kitagawa H, Watanabe TK.

Brain Res. 2009 Feb 27;1257:16-24. doi: 10.1016/j.brainres.2008.11.104. Epub 2008 Dec 16.

PMID: 19135031 [PubMed - indexed for MEDLINE]

[Related citations](#)

512. [Rotenone damages striatal organotypic slice culture.](#)

Moldzio R, Piskernik C, Radad K, Rausch WD.

Ann N Y Acad Sci. 2008 Dec;1148:530-5. doi: 10.1196/annals.1410.009.

PMID: 19120153 [PubMed - indexed for MEDLINE]

[Related citations](#)

513. [Catalpol attenuates nitric oxide increase via ERK signaling pathways induced by rotenone in mesencephalic neurons.](#)

Bi J, Jiang B, Hao S, Zhang A, Dong Y, Jiang T, An L.

Neurochem Int. 2009 Mar-Apr;54(3-4):264-70. doi: 10.1016/j.neuint.2008.12.003. Epub 2008 Dec 7.

PMID: 19111870 [PubMed - indexed for MEDLINE]

[Related citations](#)

514. [Evaluation of a TiO<sub>2</sub> photocatalysis treatment on nitrophenols and nitramines contaminated](#)

[plant wastewaters by solid-phase extraction coupled with ESI HPLC-MS.](#)

Perchet G, Merlina G, Revel JC, Hafidi M, Richard C, Pinelli E.

J Hazard Mater. 2009 Jul 15;166(1):284-90. doi: 10.1016/j.jhazmat.2008.11.013. Epub 2008 Nov 17.

PMID: 19111394 [PubMed - indexed for MEDLINE]

[Related citations](#)

515. [Protection against paraquat and A53T alpha-synuclein toxicity by cabergoline is partially mediated by dopamine receptors.](#)

Chau KY, Korlipara LV, Cooper JM, Schapira AH.

J Neurol Sci. 2009 Mar 15;278(1-2):44-53. doi: 10.1016/j.jns.2008.11.012. Epub 2008 Dec 21.

PMID: 19101702 [PubMed - indexed for MEDLINE]

[Related citations](#)

516. [Effect of EGb761 supplementation on the content of copper in mouse brain in an animal model of Parkinson's disease.](#)

Rojas P, Montes S, Serrano-García N, Rojas-Castañeda J.

Nutrition. 2009 Apr;25(4):482-5. doi: 10.1016/j.nut.2008.10.013. Epub 2008 Dec 16.

PMID: 19091511 [PubMed - indexed for MEDLINE]

[Related citations](#)

517. [Thymoquinone protects dopaminergic neurons against MPP+ and rotenone.](#)

Radad K, Moldzio R, Taha M, Rausch WD.

Phytother Res. 2009 May;23(5):696-700. doi: 10.1002/ptr.2708.

PMID: 19089849 [PubMed - indexed for MEDLINE]

[Related citations](#)

518. [Impairing the mitochondrial fission and fusion balance: a new mechanism of neurodegeneration.](#)

Knott AB, Bossy-Wetzel E.

Ann N Y Acad Sci. 2008 Dec;1147:283-92. doi: 10.1196/annals.1427.030. Review.

PMID: 19076450 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

519. [Parkin protects dopaminergic neurons against microtubule-depolymerizing toxins by attenuating microtubule-associated protein kinase activation.](#)

Ren Y, Jiang H, Yang F, Nakaso K, Feng J.

J Biol Chem. 2009 Feb 6;284(6):4009-17. doi: 10.1074/jbc.M806245200. Epub 2008 Dec 11.

PMID: 19074146 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

520. [Unregulated mitochondrial GSK3beta activity results in NADH: ubiquinone oxidoreductase](#)

[deficiency.](#)

King TD, Clodfelder-Miller B, Barksdale KA, Bijur GN.

Neurotox Res. 2008 Dec;14(4):367-82. doi: 10.1007/BF03033861.

PMID: 19073440 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

521. [Mitochondrial function and morphology are impaired in parkin-mutant fibroblasts.](#)

Mortiboys H, Thomas KJ, Koopman WJ, Klaffke S, Abou-Sleiman P, Olpin S, Wood NW, Willems PH, Smeitink JA, Cookson MR, Bandmann O.

Ann Neurol. 2008 Nov;64(5):555-65. doi: 10.1002/ana.21492.

PMID: 19067348 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

522. [Analysis of targeted mutation in DJ-1 on cellular function in primary astrocytes.](#)

Ashley AK, Hanneman WH, Katoh T, Moreno JA, Pollack A, Tjalkens RB, Legare ME.

Toxicol Lett. 2009 Feb 10;184(3):186-91. doi: 10.1016/j.toxlet.2008.11.008. Epub 2008 Nov 21.

PMID: 19063952 [PubMed - indexed for MEDLINE]

[Related citations](#)

523. [Effects of all-trans-retinoic acid on human SH-SY5Y neuroblastoma as in vitro model in neurotoxicity research.](#)

Cheung YT, Lau WK, Yu MS, Lai CS, Yeung SC, So KF, Chang RC.

Neurotoxicology. 2009 Jan;30(1):127-35. doi: 10.1016/j.neuro.2008.11.001. Epub 2008 Nov 14.

PMID: 19056420 [PubMed - indexed for MEDLINE]

[Related citations](#)

524. [Ghrelin antagonized 1-methyl-4-phenylpyridinium \(MPP\(+\)\)-induced apoptosis in MES23.5 cells.](#)

Dong J, Song N, Xie J, Jiang H.

J Mol Neurosci. 2009 Feb;37(2):182-9. doi: 10.1007/s12031-008-9162-7. Epub 2008 Dec 4.

PMID: 19052922 [PubMed - indexed for MEDLINE]

[Related citations](#)

525. [MPTP and MPP+ target specific aminergic cell populations in larval zebrafish.](#)

Sallinen V, Torkko V, Sundvik M, Reenilä I, Khrustalyov D, Kaslin J, Panula P.

J Neurochem. 2009 Feb;108(3):719-31. doi: 10.1111/j.1471-4159.2008.05793.x. Epub 2008 Nov 27.

PMID: 19046410 [PubMed - indexed for MEDLINE]

[Related citations](#)

526. [Pesticide/environmental exposures and Parkinson's disease in East Texas.](#)

Dhillon AS, Tarbutton GL, Levin JL, Plotkin GM, Lowry LK, Nalbone JT, Shepherd S.

J Agromedicine. 2008;13(1):37-48. doi: 10.1080/10599240801986215.

PMID: 19042691 [PubMed - indexed for MEDLINE]

[Related citations](#)

527. [The effect of alpha-synuclein knockdown on MPP+ toxicity in models of human neurons.](#)

Fountaine TM, Venda LL, Warrick N, Christian HC, Brundin P, Channon KM, Wade-Martins R.

Eur J Neurosci. 2008 Dec;28(12):2459-73. doi: 10.1111/j.1460-9568.2008.06527.x. Epub 2008 Nov 21.

PMID: 19032594 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

528. [Iron-enhanced paraquat-mediated dopaminergic cell death due to increased oxidative stress as a consequence of microglial activation.](#)

Peng J, Stevenson FF, Oo ML, Andersen JK.

Free Radic Biol Med. 2009 Jan 15;46(2):312-20. doi: 10.1016/j.freeradbiomed.2008.10.045. Epub 2008 Nov 7.

PMID: 19027846 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

529. [Genetics, environmental factors and the emerging role of epigenetics in neurodegenerative diseases.](#)

Migliore L, Coppedè F.

Mutat Res. 2009 Jul 10;667(1-2):82-97. doi: 10.1016/j.mrfmmm.2008.10.011. Epub 2008 Oct 31. Review.

PMID: 19026668 [PubMed - indexed for MEDLINE]

[Related citations](#)

530. [Involvement of ubiquitin proteasome system in protective mechanisms of Puerarin to MPP\(+\)-elicited apoptosis.](#)

Cheng YF, Zhu GQ, Wang M, Cheng H, Zhou A, Wang N, Fang N, Wang XC, Xiao XQ, Chen ZW, Li QL.

Neurosci Res. 2009 Jan;63(1):52-8. doi: 10.1016/j.neures.2008.10.009. Epub 2008 Oct 30.

PMID: 19022306 [PubMed - indexed for MEDLINE]

[Related citations](#)

531. [Low dose rotenone treatment causes selective transcriptional activation of cell death related pathways in dopaminergic neurons in vivo.](#)

Meurers BH, Zhu C, Fernagut PO, Richter F, Hsia YC, Fleming SM, Oh M, Elashoff D, Dicarlo CD, Seaman RL, Chesselet MF.

Neurobiol Dis. 2009 Feb;33(2):182-92. doi: 10.1016/j.nbd.2008.10.001. Epub 2008 Oct 26.

PMID: 19013527 [PubMed - indexed for MEDLINE]

[Related citations](#)

532. [Smoking and Parkinson's disease: does nicotine affect alpha-synuclein fibrillation?](#)

Hong DP, Fink AL, Uversky VN.  
Biochim Biophys Acta. 2009 Feb;1794(2):282-90. doi: 10.1016/j.bbapap.2008.09.026.  
Epub 2008 Oct 25.

PMID: 19013262 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

533. [Opening of microglial K\(ATP\) channels inhibits rotenone-induced neuroinflammation.](#)

Zhou F, Yao HH, Wu JY, Ding JH, Sun T, Hu G.

J Cell Mol Med. 2008 Sep-Oct;12(5A):1559-70. doi: 10.1111/j.1582-4934.2007.00144.x.

PMID: 19012619 [PubMed - indexed for MEDLINE]

[Related citations](#)

534. [Okadaic acid protects human neuroblastoma SH-SY5Y cells from 1-methyl-4-phenylpyridinium ion-induced apoptosis.](#)

Ahn KH, Kim YS, Kim SY, Huh Y, Park C, Jeong JW.

Neurosci Lett. 2009 Jan 9;449(2):93-7. doi: 10.1016/j.neulet.2008.10.103. Epub 2008 Nov 5.

PMID: 19000740 [PubMed - indexed for MEDLINE]

[Related citations](#)

535. [Extranigral neurodegeneration in Parkinson's disease.](#)

Samantaray S, Butler JT, Ray SK, Banik NL.

Ann N Y Acad Sci. 2008 Oct;1139:331-6. doi: 10.1196/annals.1432.002.

PMID: 18991878 [PubMed - indexed for MEDLINE]

[Related citations](#)

536. [Synthesis of chiral 3-methyl- and 3-methyl-N-propargyl-1,2,3,4-tetrahydroisoquinoline and prevention of MPP+ -induced cytotoxicity.](#)

Saitoh T, Yamashita A, Abe K, Ogawa K, Kitabatake M, Taguchi K, Horiguchi Y.

Med Chem. 2008 Nov;4(6):531-8.

PMID: 18991736 [PubMed - indexed for MEDLINE]

[Related citations](#)

537. [The involvement of nitric oxide in maneb- and paraquat-induced oxidative stress in rat polymorphonuclear leukocytes.](#)

Ahmad I, Kumar A, Shukla S, Prasad Pandey H, Singh C.

Free Radic Res. 2008 Oct;42(10):849-62. doi: 10.1080/10715760802513733.

PMID: 18985485 [PubMed - indexed for MEDLINE]

[Related citations](#)

538. [Protective effect of estrogen on apoptosis in a cell culture model of Parkinson's disease.](#)

Li XL, Cheng WD, Li J, Guo XL, Guo CJ, Meng XH, Sun SG, Wang LX.

Clin Invest Med. 2008 Oct 1;31(5):E258-64.

PMID: 18980715 [PubMed - indexed for MEDLINE]



[Related citations](#)

539. [Repeated developmental exposure to chlorpyrifos and methyl parathion causes persistent alterations in nicotinic acetylcholine subunit mRNA expression with chlorpyrifos altering dopamine metabolite levels.](#)

Eells JB, Brown T.

Neurotoxicol Teratol. 2009 Mar-Apr;31(2):98-103. doi: 10.1016/j.ntt.2008.10.002. Epub 2008 Oct 21.

PMID: 18977431 [PubMed - indexed for MEDLINE]

[Related citations](#)

540. [Environmental-induced oxidative stress in neurodegenerative disorders and aging.](#)

Migliore L, Coppedè F.

Mutat Res. 2009 Mar 31;674(1-2):73-84. doi: 10.1016/j.mrgentox.2008.09.013. Epub 2008 Oct 5. Review.

PMID: 18952194 [PubMed - indexed for MEDLINE]

[Related citations](#)

541. [DJ-1 knock-down in astrocytes impairs astrocyte-mediated neuroprotection against rotenone.](#)

Mullett SJ, Hinkle DA.

Neurobiol Dis. 2009 Jan;33(1):28-36. doi: 10.1016/j.nbd.2008.09.013. Epub 2008 Sep 30.

PMID: 18930142 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

542. [Pretreatment with near-infrared light via light-emitting diode provides added benefit against rotenone- and MPP+-induced neurotoxicity.](#)

Ying R, Liang HL, Whelan HT, Eells JT, Wong-Riley MT.

Brain Res. 2008 Dec 3;1243:167-73. doi: 10.1016/j.brainres.2008.09.057. Epub 2008 Sep 30.

PMID: 18848925 [PubMed - indexed for MEDLINE]

[Related citations](#)

543. [Identification of genes associated with paraquat-induced toxicity in SH-SY5Y cells by PCR array focused on apoptotic pathways.](#)

Moran JM, Gonzalez-Polo RA, Ortiz-Ortiz MA, Niso-Santano M, Soler G, Fuentes JM.

J Toxicol Environ Health A. 2008;71(22):1457-67. doi: 10.1080/15287390802329364.

PMID: 18836921 [PubMed - indexed for MEDLINE]

[Related citations](#)

544. [Hydrogen sulfide inhibits rotenone-induced apoptosis via preservation of mitochondrial function.](#)

Hu LF, Lu M, Wu ZY, Wong PT, Bian JS.

Mol Pharmacol. 2009 Jan;75(1):27-34. doi: 10.1124/mol.108.047985. Epub 2008 Oct 2.

Erratum in: Mol Pharmacol. 2012 Jun;81(6):855.

PMID: 18832435 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

545. [Sensitive and selective liquid chromatography/tandem mass spectrometry methods for quantitative analysis of 1-methyl-4-phenyl pyridinium \(MPP+\) in mouse striatal tissue.](#)

Zhang MY, Kagan N, Sung ML, Zaleska MM, Monaghan M.

J Chromatogr B Analyt Technol Biomed Life Sci. 2008 Oct 15;874(1-2):51-6. doi: 10.1016/j.jchromb.2008.08.030. Epub 2008 Sep 16.

PMID: 18824419 [PubMed - indexed for MEDLINE]

[Related citations](#)

546. [Ziram causes dopaminergic cell damage by inhibiting E1 ligase of the proteasome.](#)

Chou AP, Maidment N, Klintonberg R, Casida JE, Li S, Fitzmaurice AG, Fernagut PO, Mortazavi F, Chesselet MF, Bronstein JM.

J Biol Chem. 2008 Dec 12;283(50):34696-703. doi: 10.1074/jbc.M802210200. Epub 2008 Sep 25.

PMID: 18818210 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

547. [Mechanism of the neuroprotective role of coenzyme Q10 with or without L-dopa in rotenone-induced parkinsonism.](#)

Abdin AA, Hamouda HE.

Neuropharmacology. 2008 Dec;55(8):1340-6. doi: 10.1016/j.neuropharm.2008.08.033. Epub 2008 Sep 10.

PMID: 18817789 [PubMed - indexed for MEDLINE]

[Related citations](#)

548. [Environmental exposures and gene regulation in disease etiology.](#)

Edwards TM, Myers JP.

Cien Saude Colet. 2008 Jan-Feb;13(1):269-81. Review.

PMID: 18813540 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

549. [Mitochondrial complex I inhibition is not required for dopaminergic neuron death induced by rotenone, MPP+, or paraquat.](#)

Choi WS, Kruse SE, Palmiter RD, Xia Z.

Proc Natl Acad Sci U S A. 2008 Sep 30;105(39):15136-41. doi: 10.1073/pnas.0807581105. Epub 2008 Sep 23.

PMID: 18812510 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

550. [1-Methyl-4-phenyl-pyridinium ion-induced oxidative stress, c-Jun phosphorylation and DNA fragmentation factor-45 cleavage in SK-N-SH cells are averted by selegiline.](#)

Chetsawang B, Kooncumchoo P, Govitrapong P, Ebadi M.

Neurochem Int. 2008 Dec;53(6-8):283-8. doi: 10.1016/j.neuint.2008.08.007. Epub 2008

Aug 30.

PMID: 18805449 [PubMed - indexed for MEDLINE]

[Related citations](#)

551. [Increased vulnerability to rotenone-induced neurotoxicity in ceruloplasmin-deficient mice.](#)  
Kaneko K, Hineno A, Yoshida K, Ikeda S.  
Neurosci Lett. 2008 Nov 28;446(1):56-8. doi: 10.1016/j.neulet.2008.08.089. Epub 2008 Sep 11.  
PMID: 18804145 [PubMed - indexed for MEDLINE]  
[Related citations](#)
552. [Parkinson disease: primacy of age as a risk factor for mitochondrial dysfunction.](#)  
Vanitallie TB.  
Metabolism. 2008 Oct;57 Suppl 2:S50-5. doi: 10.1016/j.metabol.2008.07.015. Review.  
PMID: 18803967 [PubMed - indexed for MEDLINE]  
[Related citations](#)
553. [Do early-life insults contribute to the late-life development of Parkinson and Alzheimer diseases?](#)  
Miller DB, O'Callaghan JP.  
Metabolism. 2008 Oct;57 Suppl 2:S44-9. doi: 10.1016/j.metabol.2008.07.011. Review.  
PMID: 18803966 [PubMed - indexed for MEDLINE]  
[Related citations](#)
554. [Nicotinic receptor stimulation protects nigral dopaminergic neurons in rotenone-induced Parkinson's disease models.](#)  
Takeuchi H, Yanagida T, Inden M, Takata K, Kitamura Y, Yamakawa K, Sawada H, Izumi Y, Yamamoto N, Kihara T, Uemura K, Inoue H, Taniguchi T, Akaike A, Takahashi R, Shimohama S.  
J Neurosci Res. 2009 Feb;87(2):576-85. doi: 10.1002/jnr.21869.  
PMID: 18803299 [PubMed - indexed for MEDLINE]  
[Related citations](#)
555. [Protective effects of asiatic acid on rotenone- or H2O2-induced injury in SH-SY5Y cells.](#)  
Xiong Y, Ding H, Xu M, Gao J.  
Neurochem Res. 2009 Apr;34(4):746-54. doi: 10.1007/s11064-008-9844-0. Epub 2008 Sep 19.  
PMID: 18802751 [PubMed - indexed for MEDLINE]  
[Related citations](#)
556. [Overexpression of heme oxygenase-1 protects dopaminergic neurons against 1-methyl-4-phenylpyridinium-induced neurotoxicity.](#)  
Hung SY, Liou HC, Kang KH, Wu RM, Wen CC, Fu WM.  
Mol Pharmacol. 2008 Dec;74(6):1564-75. doi: 10.1124/mol.108.048611. Epub 2008 Sep

17.  
PMID: 18799798 [PubMed - indexed for MEDLINE] **Free Article**  
[Related citations](#)
557. [Arterial baroreflex dysfunction fails to mimic Parkinson's disease in rats.](#)  
Yu JG, Wu J, Shen FM, Cai GJ, Liu JG, Su DF.  
J Pharmacol Sci. 2008 Sep;108(1):56-62. Epub 2008 Sep 6.  
PMID: 18776711 [PubMed - indexed for MEDLINE] **Free Article**  
[Related citations](#)
558. [Coupling endoplasmic reticulum stress to the cell death program in dopaminergic cells: effect of paraquat.](#)  
Chinta SJ, Rane A, Poksay KS, Bredesen DE, Andersen JK, Rao RV.  
Neuromolecular Med. 2008;10(4):333-42. doi: 10.1007/s12017-008-8047-9. Epub 2008 Sep 5.  
PMID: 18773310 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
559. [Paraquat inhibits postsynaptic AMPA receptors on dopaminergic neurons in the substantia nigra pars compacta.](#)  
Lee CY, Lee CH, Shih CC, Liou HH.  
Biochem Pharmacol. 2008 Oct 30;76(9):1155-64. doi: 10.1016/j.bcp.2008.08.006. Epub 2008 Aug 12.  
PMID: 18761327 [PubMed - indexed for MEDLINE]  
[Related citations](#)
560. [Catalytic metalloporphyrin protects against paraquat neurotoxicity in vivo.](#)  
Chen P, Chen Z, Li A, Lou XC, Wu XK, Zhao CJ, Wang SL, Liang LP.  
Biomed Environ Sci. 2008 Jun;21(3):233-8. doi: 10.1016/S0895-3988(08)60035-5.  
PMID: 18714822 [PubMed - indexed for MEDLINE]  
[Related citations](#)
561. [Polyhydroxylated fullerene derivative C\(60\)\(OH\)\(24\) prevents mitochondrial dysfunction and oxidative damage in an MPP\(+\)-induced cellular model of Parkinson's disease.](#)  
Cai X, Jia H, Liu Z, Hou B, Luo C, Feng Z, Li W, Liu J.  
J Neurosci Res. 2008 Dec;86(16):3622-34. doi: 10.1002/jnr.21805.  
PMID: 18709653 [PubMed - indexed for MEDLINE]  
[Related citations](#)
562. [Iptakalim protects against MPP+-induced degeneration of dopaminergic neurons in association with astrocyte activation.](#)  
Yang YJ, Zhang S, Ding JH, Zhou F, Hu G.  
Int J Neuropsychopharmacol. 2009 Apr;12(3):317-27. doi: 10.1017/S1461145708009243.  
Epub 2008 Aug 13.

PMID: 18700057 [PubMed - indexed for MEDLINE]

[Related citations](#)

563. [Synergistic microglial reactive oxygen species generation induced by pesticides lindane and dieldrin.](#)

Mao H, Liu B.

Neuroreport. 2008 Aug 27;19(13):1317-20. doi: 10.1097/WNR.0b013e32830b3677.

PMID: 18695515 [PubMed - indexed for MEDLINE]

[Related citations](#)

564. [Beneficial effects of carnosic acid on dieldrin-induced dopaminergic neuronal cell death.](#)

Park JA, Kim S, Lee SY, Kim CS, Kim do K, Kim SJ, Chun HS.

Neuroreport. 2008 Aug 27;19(13):1301-4. doi: 10.1097/WNR.0b013e32830abc1f.

PMID: 18695511 [PubMed - indexed for MEDLINE]

[Related citations](#)

565. [Induction of the drug metabolizing enzyme CYP2D in monkey brain by chronic nicotine treatment.](#)

Mann A, Miksys S, Lee A, Mash DC, Tyndale RF.

Neuropharmacology. 2008 Dec;55(7):1147-55. doi: 10.1016/j.neuropharm.2008.07.017.  
Epub 2008 Jul 19.

PMID: 18687346 [PubMed - indexed for MEDLINE]

[Related citations](#)

566. [Electrophysiology and pharmacology of striatal neuronal dysfunction induced by mitochondrial complex I inhibition.](#)

Costa C, Belcastro V, Tozzi A, Di Filippo M, Tantucci M, Siliquini S, Autuori A, Picconi B, Spillantini MG, Fedele E, Pittaluga A, Raiteri M, Calabresi P.

J Neurosci. 2008 Aug 6;28(32):8040-52. doi: 10.1523/JNEUROSCI.1947-08.2008.

PMID: 18685029 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

567. [Nitric oxide synthase genes and their interactions with environmental factors in Parkinson's disease.](#)

Hancock DB, Martin ER, Vance JM, Scott WK.

Neurogenetics. 2008 Oct;9(4):249-62. doi: 10.1007/s10048-008-0137-1. Epub 2008 Jul 29.

PMID: 18663495 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

568. [\[Isolation and identification of Suavissimoside R1 from roots of Rubus parvifollus used for protecting dopaminergic neurons against MPP+ toxicity\].](#)

Yu ZY, Ruan HL, Zhu XN, Wang XL, Chen RZ, Lin YC.

Zhong Yao Cai. 2008 Apr;31(4):554-7. Chinese.

PMID: 18661829 [PubMed - indexed for MEDLINE]

[Related citations](#)

569. [Cyclooxygenase-2 deficiency modifies the neurochemical effects, motor impairment and co-morbid anxiety provoked by paraquat administration in mice.](#)

Litteljohn D, Mangano EN, Hayley S.

Eur J Neurosci. 2008 Aug;28(4):707-16. doi: 10.1111/j.1460-9568.2008.06371.x. Epub 2008 Jul 24.

PMID: 18657183 [PubMed - indexed for MEDLINE]

[Related citations](#)

570. [Neoechinulin A protects PC12 cells against MPP+-induced cytotoxicity.](#)

Kajimura Y, Aoki T, Kuramochi K, Kobayashi S, Sugawara F, Watanabe N, Arai T.

J Antibiot (Tokyo). 2008 May;61(5):330-3. doi: 10.1038/ja.2008.48.

PMID: 18654001 [PubMed - indexed for MEDLINE]

[Related citations](#)

571. [Pitx3-transfected astrocytes secrete brain-derived neurotrophic factor and glial cell line-derived neurotrophic factor and protect dopamine neurons in mesencephalon cultures.](#)

Yang D, Peng C, Li X, Fan X, Li L, Ming M, Chen S, Le W.

J Neurosci Res. 2008 Nov 15;86(15):3393-400. doi: 10.1002/jnr.21774.

PMID: 18646205 [PubMed - indexed for MEDLINE]

[Related citations](#)

572. [Synergistic anti-Parkinsonism activity of high doses of B vitamins in a chronic cellular model.](#)

Jia H, Liu Z, Li X, Feng Z, Hao J, Li X, Shen W, Zhang H, Liu J.

Neurobiol Aging. 2010 Apr;31(4):636-46. doi: 10.1016/j.neurobiolaging.2008.05.031. Epub 2008 Jul 17.

PMID: 18639366 [PubMed - indexed for MEDLINE]

[Related citations](#)

573. [Overexpression of Kir2.3 in PC12 cells resists rotenone-induced neurotoxicity associated with PKC signaling pathway.](#)

Wang G, Zeng J, Shen CY, Wang ZQ, Chen SD.

Biochem Biophys Res Commun. 2008 Sep 19;374(2):204-9. doi: 10.1016/j.bbrc.2008.07.003. Epub 2008 Jul 11.

PMID: 18619942 [PubMed - indexed for MEDLINE]

[Related citations](#)

574. [Interaction of mitochondrial respiratory inhibitors and excitotoxins potentiates cell death in hippocampal slice cultures.](#)

Schuh RA, Matthews CC, Fishman PS.

J Neurosci Res. 2008 Nov 15;86(15):3306-13. doi: 10.1002/jnr.21772.

PMID: 18615648 [PubMed - indexed for MEDLINE]

[Related citations](#)

575. [The effects of piroxicam in the attenuation of MPP+/MPTP toxicity in vitro and in vivo.](#)  
Soliman Y, Jackson T, Mazzio E, Soliman KF.  
Neurochem Res. 2009 Feb;34(2):304-10. doi: 10.1007/s11064-008-9779-5. Epub 2008 Jul 9.  
PMID: 18612814 [PubMed - indexed for MEDLINE] **Free PMC Article**
- [Related citations](#)
576. [Update in the epidemiology of Parkinson's disease.](#)  
Elbaz A, Moisan F.  
Curr Opin Neurol. 2008 Aug;21(4):454-60. doi: 10.1097/WCO.0b013e3283050461.  
Review.  
PMID: 18607207 [PubMed - indexed for MEDLINE]
- [Related citations](#)
577. [Paraquat exposure reduces nicotinic receptor-evoked dopamine release in monkey striatum.](#)  
O'Leary KT, Parameswaran N, Johnston LC, McIntosh JM, Di Monte DA, Quik M.  
J Pharmacol Exp Ther. 2008 Oct;327(1):124-9. doi: 10.1124/jpet.108.141861. Epub 2008 Jul 7.  
PMID: 18606871 [PubMed - indexed for MEDLINE] **Free PMC Article**
- [Related citations](#)
578. [Paraquat and maneb induced neurotoxicity.](#)  
Thrash B, Uthayathas S, Karuppagounder SS, Suppiramaniam V, Dhanasekaran M.  
Proc West Pharmacol Soc. 2007;50:31-42. Review.  
PMID: 18605226 [PubMed - indexed for MEDLINE]
- [Related citations](#)
579. [Mitochondrial complex I inhibitor rotenone inhibits and redistributes vesicular monoamine transporter 2 via nitration in human dopaminergic SH-SY5Y cells.](#)  
Watabe M, Nakaki T.  
Mol Pharmacol. 2008 Oct;74(4):933-40. doi: 10.1124/mol.108.048546. Epub 2008 Jul 3.  
PMID: 18599602 [PubMed - indexed for MEDLINE] **Free Article**
- [Related citations](#)
580. [Proteasomal inhibition reduces parkin mRNA in PC12 and SH-SY5Y cells.](#)  
Koch A, Lehmann-Horn K, Dächsel JC, Gasser T, Kahle PJ, Lücking CB.  
Parkinsonism Relat Disord. 2009 Mar;15(3):220-5. doi: 10.1016/j.parkreldis.2008.05.005.  
Epub 2008 Jun 30.  
PMID: 18586549 [PubMed - indexed for MEDLINE]
- [Related citations](#)
581. [Chronic intraventricular administration of 1-methyl-4-phenylpyridinium as a progressive model of Parkinson's disease.](#)

Sonsalla PK, Zeevalk GD, German DC.

Parkinsonism Relat Disord. 2008;14 Suppl 2:S116-8. doi: 10.1016/j.parkreldis.2008.04.008. Epub 2008 Jun 25. Review.

PMID: 18583172 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

582. [Rotenone-induced PC12 cell toxicity is caused by oxidative stress resulting from altered dopamine metabolism.](#)

Sai Y, Wu Q, Le W, Ye F, Li Y, Dong Z.

Toxicol In Vitro. 2008 Sep;22(6):1461-8. doi: 10.1016/j.tiv.2008.04.019. Epub 2008 May 4.

PMID: 18579341 [PubMed - indexed for MEDLINE]

[Related citations](#)

583. [Developmental heptachlor exposure increases susceptibility of dopamine neurons to N-methyl-4-phenyl-1,2,3,6-tetrahydropyridine \(MPTP\) in a gender-specific manner.](#)

Richardson JR, Caudle WM, Wang MZ, Dean ED, Pennell KD, Miller GW.

Neurotoxicology. 2008 Sep;29(5):855-63. doi: 10.1016/j.neuro.2008.05.007. Epub 2008 Jun 5.

PMID: 18577399 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

584. [Potent anti-inflammatory and neuroprotective effects of TGF-beta1 are mediated through the inhibition of ERK and p47phox-Ser345 phosphorylation and translocation in microglia.](#)

Qian L, Wei SJ, Zhang D, Hu X, Xu Z, Wilson B, El-Benna J, Hong JS, Flood PM.

J Immunol. 2008 Jul 1;181(1):660-8.

PMID: 18566433 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

585. [Effect of dopaminergic neurotoxin MPTP/MPP+ on coenzyme Q content.](#)

Dhanasekaran M, Karuppagounder SS, Uthayathas S, Wold LE, Parameshwaran K, Jayachandra Babu R, Suppiramaniam V, Brown-Borg H.

Life Sci. 2008 Jul 18;83(3-4):92-5. doi: 10.1016/j.lfs.2008.04.016. Epub 2008 May 6.

PMID: 18565546 [PubMed - indexed for MEDLINE]

[Related citations](#)

586. [The effects of environmental neurotoxicants on the dopaminergic system: A possible role in drug addiction.](#)

Jones DC, Miller GW.

Biochem Pharmacol. 2008 Sep 1;76(5):569-81. doi: 10.1016/j.bcp.2008.05.010. Epub 2008 May 20. Review.

PMID: 18555207 [PubMed - indexed for MEDLINE]

[Related citations](#)

587. [The cannabinoid CP55,940 prolongs survival and improves locomotor activity in Drosophila melanogaster against paraquat: implications in Parkinson's disease.](#)



Jimenez-Del-Rio M, Daza-Restrepo A, Velez-Pardo C.  
Neurosci Res. 2008 Aug;61(4):404-11. doi: 10.1016/j.neures.2008.04.011. Epub 2008 May 2.

PMID: 18538428 [PubMed - indexed for MEDLINE]

[Related citations](#)

588. [Expression of Cbl-interacting protein of 85 kDa in MPTP mouse model of Parkinson's disease and 1-methyl-4-phenyl-pyridinium ion-treated dopaminergic SH-SY5Y cells.](#)

Bian M, Yu M, Yang S, Gao H, Huang Y, Deng C, Gao Y, Sun F, Huang F.

Acta Biochim Biophys Sin (Shanghai). 2008 Jun;40(6):505-12.

PMID: 18535749 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

589. [Disruption of dopamine transport by DDT and its metabolites.](#)

Hatcher JM, Delea KC, Richardson JR, Pennell KD, Miller GW.

Neurotoxicology. 2008 Jul;29(4):682-90. doi: 10.1016/j.neuro.2008.04.010. Epub 2008 Apr 29.

PMID: 18533268 [PubMed - indexed for MEDLINE]

[Related citations](#)

590. [Mitochondrial localization of alpha-synuclein protein in alpha-synuclein overexpressing cells.](#)

Shavali S, Brown-Borg HM, Ebadi M, Porter J.

Neurosci Lett. 2008 Jul 11;439(2):125-8. doi: 10.1016/j.neulet.2008.05.005. Epub 2008 May 8.

PMID: 18514418 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

591. [Triptolide protects against 1-methyl-4-phenyl pyridinium-induced dopaminergic neurotoxicity in rats: implication for immunosuppressive therapy in Parkinson's disease.](#)

Gao JP, Sun S, Li WW, Chen YP, Cai DF.

Neurosci Bull. 2008 Jun;24(3):133-42. doi: 10.1007/s12264-008-1225-9.

PMID: 18500385 [PubMed - indexed for MEDLINE]

[Related citations](#)

592. [ICP10PK inhibits calpain-dependent release of apoptosis-inducing factor and programmed cell death in response to the toxin MPP+.](#)

Wales SQ, Laing JM, Chen L, Aurelian L.

Gene Ther. 2008 Oct;15(20):1397-409. doi: 10.1038/gt.2008.88. Epub 2008 May 22.

PMID: 18496573 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

593. [Mitochondrial function in Parkinson's disease cybrids containing an nt2 neuron-like nuclear background.](#)

Esteves AR, Domingues AF, Ferreira IL, Januário C, Swerdlow RH, Oliveira CR, Cardoso SM.

Mitochondrion. 2008 Jun;8(3):219-28. doi: 10.1016/j.mito.2008.03.004. Epub 2008 Apr 6.

PMID: 18495557 [PubMed - indexed for MEDLINE]

[Related citations](#)

594. [Dopamine transporter inhibitory and antiparkinsonian effect of common flowering quince extract.](#)

Zhao G, Jiang ZH, Zheng XW, Zang SY, Guo LH.

Pharmacol Biochem Behav. 2008 Sep;90(3):363-71. doi: 10.1016/j.pbb.2008.03.014. Epub 2008 Mar 30.

PMID: 18485464 [PubMed - indexed for MEDLINE]

[Related citations](#)

595. [Nmnat delays axonal degeneration caused by mitochondrial and oxidative stress.](#)

Press C, Milbrandt J.

J Neurosci. 2008 May 7;28(19):4861-71. doi: 10.1523/JNEUROSCI.0525-08.2008.

PMID: 18463239 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

596. [Kynurenic acid attenuates MPP\(+\)-induced dopaminergic neuronal cell death via a Bax-mediated mitochondrial pathway.](#)

Lee do Y, Lee KS, Lee HJ, Noh YH, Kim do H, Lee JY, Cho SH, Yoon OJ, Lee WB, Kim KY, Chung YH, Kim SS.

Eur J Cell Biol. 2008 Jun;87(6):389-97. doi: 10.1016/j.ejcb.2008.03.003. Epub 2008 May 6.

PMID: 18462830 [PubMed - indexed for MEDLINE]

[Related citations](#)

597. [Human ApoD, an apolipoprotein up-regulated in neurodegenerative diseases, extends lifespan and increases stress resistance in Drosophila.](#)

Muffat J, Walker DW, Benzer S.

Proc Natl Acad Sci U S A. 2008 May 13;105(19):7088-93. doi: 10.1073/pnas.0800896105. Epub 2008 May 5.

PMID: 18458334 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

598. [Methionine sulfoxide reductase A protects dopaminergic cells from Parkinson's disease-related insults.](#)

Liu F, Hindupur J, Nguyen JL, Ruf KJ, Zhu J, Schieler JL, Bonham CC, Wood KV, Davisson VJ, Rochet JC.

Free Radic Biol Med. 2008 Aug 1;45(3):242-55. doi: 10.1016/j.freeradbiomed.2008.03.022. Epub 2008 Apr 11.

PMID: 18456002 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

599. [Impact of dietary exposure to food contaminants on the risk of Parkinson's disease.](#)  
Petersen MS, Halling J, Bech S, Wermuth L, Weihe P, Nielsen F, Jørgensen PJ, Budtz-Jørgensen E, Grandjean P.  
Neurotoxicology. 2008 Jul;29(4):584-90. doi: 10.1016/j.neuro.2008.03.001. Epub 2008 Mar 14.  
PMID: 18455239 [PubMed - indexed for MEDLINE]  
[Related citations](#)
600. [Parkinson's disease and pesticides: a toxicological perspective.](#)  
Hatcher JM, Pennell KD, Miller GW.  
Trends Pharmacol Sci. 2008 Jun;29(6):322-9. doi: 10.1016/j.tips.2008.03.007. Epub 2008 Apr 29. Review.  
PMID: 18453001 [PubMed - indexed for MEDLINE]  
[Related citations](#)
601. [Protective effect of the green tea component, L-theanine on environmental toxins-induced neuronal cell death.](#)  
Cho HS, Kim S, Lee SY, Park JA, Kim SJ, Chun HS.  
Neurotoxicology. 2008 Jul;29(4):656-62. doi: 10.1016/j.neuro.2008.03.004. Epub 2008 Mar 20.  
PMID: 18452993 [PubMed - indexed for MEDLINE]  
[Related citations](#)
602. [Near-infrared light via light-emitting diode treatment is therapeutic against rotenone- and 1-methyl-4-phenylpyridinium ion-induced neurotoxicity.](#)  
Liang HL, Whelan HT, Eells JT, Wong-Riley MT.  
Neuroscience. 2008 Jun 2;153(4):963-74. doi: 10.1016/j.neuroscience.2008.03.042. Epub 2008 Mar 26.  
PMID: 18440709 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
603. [Gene expression profiles of mouse striatum in control and maneb + paraquat-induced Parkinson's disease phenotype: validation of differentially expressed energy metabolizing transcripts.](#)  
Patel S, Singh K, Singh S, Singh MP.  
Mol Biotechnol. 2008 Sep;40(1):59-68. doi: 10.1007/s12033-008-9060-9. Epub 2008 Apr 2.  
PMID: 18386188 [PubMed - indexed for MEDLINE]  
[Related citations](#)
604. [Oxidative insults induce DJ-1 upregulation and redistribution: implications for neuroprotection.](#)  
Lev N, Ickowicz D, Melamed E, Offen D.  
Neurotoxicology. 2008 May;29(3):397-405. doi: 10.1016/j.neuro.2008.01.007. Epub 2008

Mar 10.

PMID: 18377993 [PubMed - indexed for MEDLINE]

[Related citations](#)

605. [Pesticide exposure and risk of Parkinson's disease: a family-based case-control study.](#)  
Hancock DB, Martin ER, Mayhew GM, Stajich JM, Jewett R, Stacy MA, Scott BL, Vance JM, Scott WK.  
BMC Neurol. 2008 Mar 28;8:6. doi: 10.1186/1471-2377-8-6.  
PMID: 18373838 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
606. [MPP+-induced neuronal death in rats involves tyrosine 33 phosphorylation of WW domain-containing oxidoreductase WOX1.](#)  
Lo CP, Hsu LJ, Li MY, Hsu SY, Chuang JI, Tsai MS, Lin SR, Chang NS, Chen ST.  
Eur J Neurosci. 2008 Apr;27(7):1634-46. doi: 10.1111/j.1460-9568.2008.06139.x. Epub 2008 Mar 26.  
PMID: 18371080 [PubMed - indexed for MEDLINE]  
[Related citations](#)
607. [Paraquat induces apoptosis in human lymphocytes: protective and rescue effects of glucose, cannabinoids and insulin-like growth factor-1.](#)  
Rio MJ, Velez-Pardo C.  
Growth Factors. 2008 Feb;26(1):49-60. doi: 10.1080/08977190801984205.  
PMID: 18365879 [PubMed - indexed for MEDLINE]  
[Related citations](#)
608. [Oxidative and inflammatory pathways in Parkinson's disease.](#)  
Miller RL, James-Kracke M, Sun GY, Sun AY.  
Neurochem Res. 2009 Jan;34(1):55-65. doi: 10.1007/s11064-008-9656-2. Epub 2008 Mar 25. Review.  
PMID: 18363100 [PubMed - indexed for MEDLINE]  
[Related citations](#)
609. [Role of reactive oxygen species in the neurotoxicity of environmental agents implicated in Parkinson's disease.](#)  
Drechsel DA, Patel M.  
Free Radic Biol Med. 2008 Jun 1;44(11):1873-86. doi: 10.1016/j.freeradbiomed.2008.02.008. Epub 2008 Mar 4. Review. Erratum in: Free Radic Biol Med. 2008 Oct 1;45(7):1045.  
PMID: 18342017 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
610. [Advanced glycation end products induce in vitro cross-linking of alpha-synuclein and accelerate the process of intracellular inclusion body formation.](#)  
Shaikh S, Nicholson LF.

J Neurosci Res. 2008 Jul;86(9):2071-82. doi: 10.1002/jnr.21644.

PMID: 18335520 [PubMed - indexed for MEDLINE]

[Related citations](#)

611. [Mechanisms of DJ-1 neuroprotection in a cellular model of Parkinson's disease.](#)

Liu F, Nguyen JL, Hulleman JD, Li L, Rochet JC.

J Neurochem. 2008 Jun 1;105(6):2435-53. doi: 10.1111/j.1471-4159.2008.05333.x.

PMID: 18331584 [PubMed - indexed for MEDLINE]

[Related citations](#)

612. [Anti-apoptotic effect of Mao-B inhibitor PF9601N \[N-\(2-propynyl\)-2-\(5-benzyloxy-indolyl\) methylamine\] is mediated by p53 pathway inhibition in MPP+-treated SH-SY5Y human dopaminergic cells.](#)

Sanz E, Quintana A, Battaglia V, Toninello A, Hidalgo J, Ambrosio S, Valoti M, Marco JL, Tipton KF, Unzeta M.

J Neurochem. 2008 Jun 1;105(6):2404-17. doi: 10.1111/j.1471-4159.2008.05326.x.

PMID: 18331475 [PubMed - indexed for MEDLINE]

[Related citations](#)

613. [Investigating convergent actions of genes linked to familial Parkinson's disease.](#)

Wolozin B, Saha S, Guillily M, Ferree A, Riley M.

Neurodegener Dis. 2008;5(3-4):182-5. doi: 10.1159/000113697. Epub 2008 Mar 6.

PMID: 18322385 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

614. [Alpha-synuclein, pesticides, and Parkinson disease: a case-control study.](#)

Brighina L, Frigerio R, Schneider NK, Lesnick TG, de Andrade M, Cunningham JM, Farrer MJ, Lincoln SJ, Checkoway H, Rocca WA, Maraganore DM.

Neurology. 2008 Apr 15;70(16 Pt 2):1461-9. doi: 10.1212/01.wnl.0000304049.31377.f2. Epub 2008 Mar 5.

PMID: 18322262 [PubMed - indexed for MEDLINE]

[Related citations](#)

615. [Response to "Paraquat: the red herring of Parkinson's disease research".](#)

LoPachin RM, Gavin T.

Toxicol Sci. 2008 May;103(1):219-21; author reply 222-3. doi: 10.1093/toxsci/kfn028. Epub 2008 Feb 27. No abstract available.

PMID: 18308704 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

616. [Behavioral alterations in rotenone model of Parkinson's disease: attenuation by co-treatment of centrophenoxine.](#)

Nehru B, Verma R, Khanna P, Sharma SK.

Brain Res. 2008 Mar 27;1201:122-7. doi: 10.1016/j.brainres.2008.01.074. Epub 2008 Feb 9.

PMID: 18308296 [PubMed - indexed for MEDLINE]

[Related citations](#)

617. [Association between parkinsonism and participation in agriculture in Korea.](#)  
Cho JW, Jeon BS, Jeong D, Choi YJ, Lee JY, Lee HS, Hong SY.  
J Clin Neurol. 2008 Mar;4(1):23-8. doi: 10.3988/jcn.2008.4.1.23. Epub 2008 Mar 20.  
PMID: 19513320 [PubMed] **Free PMC Article**  
[Related citations](#)
618. [Melatonin reduces the neuronal loss, downregulation of dopamine transporter, and upregulation of D2 receptor in rotenone-induced parkinsonian rats.](#)  
Lin CH, Huang JY, Ching CH, Chuang JI.  
J Pineal Res. 2008 Mar;44(2):205-13. doi: 10.1111/j.1600-079X.2007.00510.x.  
PMID: 18289173 [PubMed - indexed for MEDLINE]  
[Related citations](#)
619. [Maneb potentiates paraquat neurotoxicity by inducing key Bcl-2 family members.](#)  
Fei Q, Ethell DW.  
J Neurochem. 2008 Jun 1;105(6):2091-7. doi: 10.1111/j.1471-4159.2008.05293.x.  
PMID: 18266926 [PubMed - indexed for MEDLINE]  
[Related citations](#)
620. [Silencing of peroxiredoxin 3 and peroxiredoxin 5 reveals the role of mitochondrial peroxiredoxins in the protection of human neuroblastoma SH-SY5Y cells toward MPP+.](#)  
De Simoni S, Goemaere J, Knoop B.  
Neurosci Lett. 2008 Mar 15;433(3):219-24. doi: 10.1016/j.neulet.2007.12.068. Epub 2008 Jan 17.  
PMID: 18262354 [PubMed - indexed for MEDLINE]  
[Related citations](#)
621. [Neuroprotective effect of the natural iron chelator, phytic acid in a cell culture model of Parkinson's disease.](#)  
Xu Q, Kanthasamy AG, Reddy MB.  
Toxicology. 2008 Mar 12;245(1-2):101-8. doi: 10.1016/j.tox.2007.12.017. Epub 2007 Dec 27.  
PMID: 18255213 [PubMed - indexed for MEDLINE]  
[Related citations](#)
622. [Paraquat-induced apoptosis in human neuroblastoma SH-SY5Y cells: involvement of p53 and mitochondria.](#)  
Yang W, Tiffany-Castiglioni E.  
J Toxicol Environ Health A. 2008;71(4):289-99. doi: 10.1080/15287390701738467.  
PMID: 18253895 [PubMed - indexed for MEDLINE]  
[Related citations](#)

623. [Magnesium exerts both preventive and ameliorating effects in an in vitro rat Parkinson disease model involving 1-methyl-4-phenylpyridinium \(MPP+\) toxicity in dopaminergic neurons.](#)  
Hashimoto T, Nishi K, Nagasao J, Tsuji S, Oyanagi K.  
Brain Res. 2008 Mar 4;1197:143-51. doi: 10.1016/j.brainres.2007.12.033.  
PMID: 18242592 [PubMed - indexed for MEDLINE]  
[Related citations](#)
624. [D2/D3 receptor agonist ropinirole protects dopaminergic cell line against rotenone-induced apoptosis through inhibition of caspase- and JNK-dependent pathways.](#)  
Chen S, Zhang X, Yang D, Du Y, Li L, Li X, Ming M, Le W.  
FEBS Lett. 2008 Mar 5;582(5):603-10. doi: 10.1016/j.febslet.2008.01.028. Epub 2008 Jan 31.  
PMID: 18242171 [PubMed - indexed for MEDLINE]  
[Related citations](#)
625. [Effects of the extract of Anemopaegma mirandum \(Catuaba\) on Rotenone-induced apoptosis in human neuroblastomas SH-SY5Y cells.](#)  
Valverde G De Andrade D, Madureira de Oliveria D, Barreto G, Bertolino LA, Saraceno E, Capani F, Giraldez LD.  
Brain Res. 2008 Mar 10;1198:188-96. doi: 10.1016/j.brainres.2008.01.006. Epub 2008 Jan 14.  
PMID: 18241847 [PubMed - indexed for MEDLINE]  
[Related citations](#)
626. [Protective effects of a new metalloporphyrin on paraquat-induced oxidative stress and apoptosis in N27 cells.](#)  
Chen P, Li A, Zhang M, He M, Chen Z, Wu X, Zhao C, Wang S, Liang L.  
Acta Biochim Biophys Sin (Shanghai). 2008 Feb;40(2):125-32.  
PMID: 18235974 [PubMed - indexed for MEDLINE] **Free Article**  
[Related citations](#)
627. [Neuronal death and survival under oxidative stress in Alzheimer and Parkinson diseases.](#)  
Nunomura A, Moreira PI, Lee HG, Zhu X, Castellani RJ, Smith MA, Perry G.  
CNS Neurol Disord Drug Targets. 2007 Dec;6(6):411-23. Review.  
PMID: 18220780 [PubMed - indexed for MEDLINE]  
[Related citations](#)
628. [Vesicular monoamine transporter substrate/inhibitor activity of MPTP/MPP+ derivatives: a structure-activity study.](#)  
Wimalasena DS, Perera RP, Heyen BJ, Balasooriya IS, Wimalasena K.  
J Med Chem. 2008 Feb 28;51(4):760-8. doi: 10.1021/jm070875p. Epub 2008 Jan 26.  
PMID: 18220329 [PubMed - indexed for MEDLINE]  
[Related citations](#)

629. [Protection by the NDI1 gene against neurodegeneration in a rotenone rat model of Parkinson's disease.](#)  
Marella M, Seo BB, Nakamaru-Ogiso E, Greenamyre JT, Matsuno-Yagi A, Yagi T.  
PLoS One. 2008 Jan 16;3(1):e1433. doi: 10.1371/journal.pone.0001433.  
PMID: 18197244 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
630. [Sequential and concerted gene expression changes in a chronic in vitro model of parkinsonism.](#)  
Greene JG, Greenamyre JT, Dingledine R.  
Neuroscience. 2008 Mar 3;152(1):198-207. doi: 10.1016/j.neuroscience.2007.11.029.  
PMID: 18191903 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
631. [Up-regulation of divalent metal transporter 1 is involved in 1-methyl-4-phenylpyridinium \(MPP\(+\)\)-induced apoptosis in MES23.5 cells.](#)  
Zhang S, Wang J, Song N, Xie J, Jiang H.  
Neurobiol Aging. 2009 Sep;30(9):1466-76. doi: 10.1016/j.neurobiolaging.2007.11.025.  
Epub 2008 Jan 8.  
PMID: 18191877 [PubMed - indexed for MEDLINE]  
[Related citations](#)
632. [Inflammatory priming of the substantia nigra influences the impact of later paraquat exposure: Neuroimmune sensitization of neurodegeneration.](#)  
Mangano EN, Hayley S.  
Neurobiol Aging. 2009 Sep;30(9):1361-78. doi: 10.1016/j.neurobiolaging.2007.11.020.  
Epub 2008 Jan 10.  
PMID: 18187236 [PubMed - indexed for MEDLINE]  
[Related citations](#)
633. [Letter regarding: "Paraquat: the red herring of Parkinson's disease research".](#)  
Cory-Slechta DA, Thiruchelvam M, Di Monte DA.  
Toxicol Sci. 2008 May;103(1):215-6; author reply 217-8. Epub 2007 Dec 27. No abstract available.  
PMID: 18162474 [PubMed - indexed for MEDLINE] **Free Article**  
[Related citations](#)
634. [Trichloroethylene: Parkinsonism and complex 1 mitochondrial neurotoxicity.](#)  
Gash DM, Rutland K, Hudson NL, Sullivan PG, Bing G, Cass WA, Pandya JD, Liu M, Choi DY, Hunter RL, Gerhardt GA, Smith CD, Slevin JT, Prince TS.  
Ann Neurol. 2008 Feb;63(2):184-92.  
PMID: 18157908 [PubMed - indexed for MEDLINE]  
[Related citations](#)



635. [The exploration of rotenone as a toxin for inducing Parkinson's disease in rats, for application in BBB transport and PK-PD experiments.](#)  
Ravenstijn PG, Merlini M, Hameetman M, Murray TK, Ward MA, Lewis H, Ball G, Mottart C, de Ville de Goyet C, Lemarchand T, van Belle K, O'Neill MJ, Danhof M, de Lange EC.  
J Pharmacol Toxicol Methods. 2008 Mar-Apr;57(2):114-30. Epub 2007 Nov 13.  
PMID: 18155613 [PubMed - indexed for MEDLINE]  
[Related citations](#)
636. [Oxidative stress on EAAC1 is involved in MPTP-induced glutathione depletion and motor dysfunction.](#)  
Aoyama K, Matsumura N, Watabe M, Nakaki T.  
Eur J Neurosci. 2008 Jan;27(1):20-30. Epub 2007 Dec 17.  
PMID: 18093171 [PubMed - indexed for MEDLINE]  
[Related citations](#)
637. [Yeast adaptation to mancozeb involves the up-regulation of FLR1 under the coordinate control of Yap1, Rpn4, Pdr3, and Yrr1.](#)  
Teixeira MC, Dias PJ, Simões T, Sá-Correia I.  
Biochem Biophys Res Commun. 2008 Mar 7;367(2):249-55. Epub 2007 Dec 18.  
PMID: 18086556 [PubMed - indexed for MEDLINE]  
[Related citations](#)
638. [Comparison of the time courses of selective gene expression and dopaminergic depletion induced by MPP+ in MN9D cells.](#)  
Wang J, Duhart HM, Xu Z, Patterson TA, Newport GD, Ali SF.  
Neurochem Int. 2008 May;52(6):1037-43. Epub 2007 Nov 4.  
PMID: 18069091 [PubMed - indexed for MEDLINE]  
[Related citations](#)
639. [\[The experimental models of Parkinson's disease in animals\].](#)  
Grigor'ian GA, Bazian AS.  
Usp Fiziol Nauk. 2007 Oct-Dec;38(4):80-8. Review. Russian.  
PMID: 18064910 [PubMed - indexed for MEDLINE]  
[Related citations](#)
640. [Paraquat neurotoxicity is mediated by a Bak-dependent mechanism.](#)  
Fei Q, McCormack AL, Di Monte DA, Ethell DW.  
J Biol Chem. 2008 Feb 8;283(6):3357-64. Epub 2007 Dec 4.  
PMID: 18056701 [PubMed - indexed for MEDLINE] **Free Article**  
[Related citations](#)
641. [A cell-permeable peptide inhibitor TAT-JBD reduces the MPP+-induced caspase-9 activation but does not prevent the dopaminergic degeneration in substantia nigra of rats.](#)

Pain S, Barrier L, Deguil J, Milin S, Piriou A, Fauconneau B, Page G.  
Toxicology. 2008 Jan 14;243(1-2):124-37. Epub 2007 Oct 18.  
PMID: 18037221 [PubMed - indexed for MEDLINE]

[Related citations](#)

642. [Pedicularioside A from Buddleia lindleyana inhibits cell death induced by 1-methyl-4-phenylpyridinium ions \(MPP+\) in primary cultures of rat mesencephalic neurons.](#)

Li YY, Lu JH, Li Q, Zhao YY, Pu XP.

Eur J Pharmacol. 2008 Jan 28;579(1-3):134-40. Epub 2007 Oct 30.

PMID: 18035349 [PubMed - indexed for MEDLINE]

[Related citations](#)

643. [Neurotoxicity of pesticides.](#)

Keifer MC, Firestone J.

J Agromedicine. 2007;12(1):17-25. Review.

PMID: 18032333 [PubMed - indexed for MEDLINE]

[Related citations](#)

644. [Assessment of the direct and indirect effects of MPP+ and dopamine on the human proteasome: implications for Parkinson's disease aetiology.](#)

Caneda-Ferrón B, De Girolamo LA, Costa T, Beck KE, Layfield R, Billett EE.

J Neurochem. 2008 Apr;105(1):225-38. Epub 2007 Nov 16.

PMID: 18021296 [PubMed - indexed for MEDLINE]

[Related citations](#)

645. [Induction of microglial reactive oxygen species production by the organochlorinated pesticide dieldrin.](#)

Mao H, Fang X, Floyd KM, Polcz JE, Zhang P, Liu B.

Brain Res. 2007 Dec;1186:267-74. Epub 2007 Oct 18.

PMID: 17999924 [PubMed - indexed for MEDLINE]

[Related citations](#)

646. [Dopamine selectively sensitizes dopaminergic neurons to rotenone-induced apoptosis.](#)

Ahmadi FA, Grammatopoulos TN, Poczobutt AM, Jones SM, Snell LD, Das M, Zawada WM.

Neurochem Res. 2008 May;33(5):886-901. Epub 2007 Nov 10.

PMID: 17992568 [PubMed - indexed for MEDLINE]

[Related citations](#)

647. [Luteolin protects rat PC12 and C6 cells against MPP+ induced toxicity via an ERK dependent Keap1-Nrf2-ARE pathway.](#)

Wruck CJ, Claussen M, Fuhrmann G, Römer L, Schulz A, Pufe T, Waetzig V, Peipp M, Herdegen T, Götz ME.

J Neural Transm Suppl. 2007;(72):57-67.

PMID: 17982879 [PubMed - indexed for MEDLINE]

[Related citations](#)

648. [Neurotoxicity of pesticides: a brief review.](#)

Costa LG, Giordano G, Guizzetti M, Vitalone A.

Front Biosci. 2008 Jan 1;13:1240-9. Review.

PMID: 17981626 [PubMed - indexed for MEDLINE]

[Related citations](#)

649. [Prolonged toxicokinetics and toxicodynamics of paraquat in mouse brain.](#)

Prasad K, Winnik B, Thiruchelvam MJ, Buckley B, Mirochnitchenko O, Richfield EK.

Environ Health Perspect. 2007 Oct;115(10):1448-53.

PMID: 17938734 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

650. [Neuroprotective effects of \(-\)-epigallocatechin-3-gallate \(EGCG\) on paraquat-induced apoptosis in PC12 cells.](#)

Hou RR, Chen JZ, Chen H, Kang XG, Li MG, Wang BR.

Cell Biol Int. 2008 Jan;32(1):22-30. Epub 2007 Sep 1.

PMID: 17936647 [PubMed - indexed for MEDLINE]

[Related citations](#)

651. [Integrating glutathione metabolism and mitochondrial dysfunction with implications for Parkinson's disease: a dynamic model.](#)

Vali S, Mythri RB, Jagatha B, Padiadpu J, Ramanujan KS, Andersen JK, Gorin F, Bharath MM.

Neuroscience. 2007 Nov 23;149(4):917-30. Epub 2007 Sep 12.

PMID: 17936517 [PubMed - indexed for MEDLINE]

[Related citations](#)

652. [The bipyridyl herbicide paraquat induces proteasome dysfunction in human neuroblastoma SH-SY5Y cells.](#)

Yang W, Tiffany-Castiglioni E.

J Toxicol Environ Health A. 2007 Nov;70(21):1849-57.

PMID: 17934957 [PubMed - indexed for MEDLINE]

[Related citations](#)

653. [Paraquat: the red herring of Parkinson's disease research.](#)

Miller GW.

Toxicol Sci. 2007 Nov;100(1):1-2. No abstract available.

PMID: 17934192 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

654. [Dopaminergic neurons are preferentially sensitive to long-term rotenone toxicity in primary cell culture.](#)

Radad K, Gille G, Rausch WD.  
Toxicol In Vitro. 2008 Feb;22(1):68-74. Epub 2007 Sep 1.  
PMID: 17923380 [PubMed - indexed for MEDLINE]

[Related citations](#)

655. [Dopamine induces TNFalpha and TNF-R1 expression in SH-SY5Y human neuroblastoma cells.](#)

Gómez-Santos C, Francisco R, Giménez-Xavier P, Ambrosio S.  
Neuroreport. 2007 Oct 29;18(16):1725-8.  
PMID: 17921876 [PubMed - indexed for MEDLINE]

[Related citations](#)

656. [Pharmacological inhibition of neuronal NADPH oxidase protects against 1-methyl-4-phenylpyridinium \(MPP+\)-induced oxidative stress and apoptosis in mesencephalic dopaminergic neuronal cells.](#)

Anantharam V, Kaul S, Song C, Kanthasamy A, Kanthasamy AG.  
Neurotoxicology. 2007 Sep;28(5):988-97. Epub 2007 Aug 25.  
PMID: 17904225 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

657. [Nitration of soluble proteins in organotypic culture models of Parkinson's disease.](#)

Larsen TR, Söderling AS, Caidahl K, Roepstorff P, Gramsbergen JB.  
Neurochem Int. 2008 Feb;52(3):487-94. Epub 2007 Aug 19.  
PMID: 17900761 [PubMed - indexed for MEDLINE]

[Related citations](#)

658. [Epigallocatechin gallate \(EGCG\) potentiates the cytotoxicity of rotenone in neuroblastoma SH-SY5Y cells.](#)

Chung WG, Miranda CL, Maier CS.  
Brain Res. 2007 Oct 24;1176:133-42. Epub 2007 Aug 22.  
PMID: 17900545 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

659. [Chronic inhalation of rotenone or paraquat does not induce Parkinson's disease symptoms in mice or rats.](#)

Rojo AI, Cavada C, de Sagarra MR, Cuadrado A.  
Exp Neurol. 2007 Nov;208(1):120-6. Epub 2007 Aug 22.  
PMID: 17880941 [PubMed - indexed for MEDLINE]

[Related citations](#)

660. [Behavioral and histopathological consequences of paraquat intoxication in mice: effects of alpha-synuclein over-expression.](#)

Fernagut PO, Hutson CB, Fleming SM, Tetreault NA, Salcedo J, Masliah E, Chesselet MF.  
Synapse. 2007 Dec;61(12):991-1001.

PMID: 17879265 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

661. [Bioenergetic and oxidative effects of free 3-nitrotyrosine in culture: selective vulnerability of dopaminergic neurons and increased sensitivity of non-dopaminergic neurons to dopamine oxidation.](#)

Ma TC, Mihm MJ, Bauer JA, Hoyt KR.

J Neurochem. 2007 Oct;103(1):131-44.

PMID: 17877636 [PubMed - indexed for MEDLINE]

[Related citations](#)

662. [Risk factors for Parkinson's disease and impaired olfaction in relatives of patients with Parkinson's disease.](#)

Siderowf A, Jennings D, Connolly J, Doty RL, Marek K, Stern MB.

Mov Disord. 2007 Nov 15;22(15):2249-55.

PMID: 17876851 [PubMed - indexed for MEDLINE]

[Related citations](#)

663. [\[Pathogenesis of Parkinson disease\].](#)

Takeuchi H, Takahashi R.

Nihon Ronen Igakkai Zasshi. 2007 Jul;44(4):415-21. Review. Japanese.

PMID: 17853535 [PubMed - indexed for MEDLINE]

[Related citations](#)

664. [Paraquat induces dopaminergic dysfunction and proteasome impairment in DJ-1-deficient mice.](#)

Yang W, Chen L, Ding Y, Zhuang X, Kang UJ.

Hum Mol Genet. 2007 Dec 1;16(23):2900-10. Epub 2007 Sep 6.

PMID: 17823202 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

665. [Environmental exposures and gene regulation in disease etiology.](#)

Edwards TM, Myers JP.

Environ Health Perspect. 2007 Sep;115(9):1264-70. Review.

PMID: 17805414 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

666. [Role of lipoamide dehydrogenase and metallothionein on 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine-induced neurotoxicity.](#)

Dhanasekaran M, Albano CB, Pellet L, Karuppagounder SS, Uthayathas S, Suppiramaniam V, Brown-Borg H, Ebadi M.

Neurochem Res. 2008 Jun;33(6):980-4. Epub 2007 Sep 1.

PMID: 17768676 [PubMed - indexed for MEDLINE]

[Related citations](#)

667. [Mitochondrial complex I inhibitor rotenone-elicited dopamine redistribution from vesicles to cytosol in human dopaminergic SH-SY5Y cells.](#)  
Watabe M, Nakaki T.  
J Pharmacol Exp Ther. 2007 Nov;323(2):499-507. Epub 2007 Aug 28.  
PMID: 17726156 [PubMed - indexed for MEDLINE] **Free Article**  
[Related citations](#)
668. [Overexpressed alpha-synuclein regulated the nuclear factor-kappaB signal pathway.](#)  
Yuan Y, Jin J, Yang B, Zhang W, Hu J, Zhang Y, Chen NH.  
Cell Mol Neurobiol. 2008 Jan;28(1):21-33. Epub 2007 Aug 22.  
PMID: 17712623 [PubMed - indexed for MEDLINE]  
[Related citations](#)
669. [\[Parkinson's disease and rural environment\].](#)  
Elbaz A.  
Rev Prat. 2007 Jun 15;57(11 Suppl):37-9. Review. French.  
PMID: 17708091 [PubMed - indexed for MEDLINE]  
[Related citations](#)
670. [Subchronic intoxication with chlorfenvinphos, an organophosphate insecticide, affects rat brain antioxidative enzymes and glutathione level.](#)  
Lukaszewicz-Hussain A.  
Food Chem Toxicol. 2008 Jan;46(1):82-6. Epub 2007 Jul 14.  
PMID: 17706853 [PubMed - indexed for MEDLINE]  
[Related citations](#)
671. [Identification of novel proteins affected by rotenone in mitochondria of dopaminergic cells.](#)  
Jin J, Davis J, Zhu D, Kashima DT, Leroueil M, Pan C, Montine KS, Zhang J.  
BMC Neurosci. 2007 Aug 16;8:67.  
PMID: 17705834 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
672. [Neuroinflammation in Alzheimer's disease and Parkinson's disease: are microglia pathogenic in either disorder?](#)  
Rogers J, Mastroeni D, Leonard B, Joyce J, Grover A.  
Int Rev Neurobiol. 2007;82:235-46. Review.  
PMID: 17678964 [PubMed - indexed for MEDLINE]  
[Related citations](#)
673. [Epidemiologic studies of environmental exposures in Parkinson's disease.](#)  
Elbaz A, Tranchant C.  
J Neurol Sci. 2007 Nov 15;262(1-2):37-44. Epub 2007 Jul 27. Review.  
PMID: 17673256 [PubMed - indexed for MEDLINE]

[Related citations](#)

674. [Cytotoxicity of paraquat in microglial cells: Involvement of PKCdelta- and ERK1/2-dependent NADPH oxidase.](#)

Miller RL, Sun GY, Sun AY.

Brain Res. 2007 Sep 5;1167:129-39. Epub 2007 Jul 10.

PMID: 17662968 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

675. [Melatonin inhibits MPP+-induced caspase-mediated death pathway and DNA fragmentation factor-45 cleavage in SK-N-SH cultured cells.](#)

Chetsawang J, Govitrapong P, Chetsawang B.

J Pineal Res. 2007 Sep;43(2):115-20.

PMID: 17645689 [PubMed - indexed for MEDLINE]

[Related citations](#)

676. [\[Protecting effect of Cistanche extracts on MPP+-induced injury of the Parkinson's disease cell model\].](#)

Wang H, Li WW, Cai DF, Yang R.

Zhong Xi Yi Jie He Xue Bao. 2007 Jul;5(4):407-11. Chinese.

PMID: 17631803 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

677. [Beclin 1-independent pathway of damage-induced mitophagy and autophagic stress: implications for neurodegeneration and cell death.](#)

Chu CT, Zhu J, Dagda R.

Autophagy. 2007 Nov-Dec;3(6):663-6. Epub 2007 Jun 25.

PMID: 17622797 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

678. [Protective effect of erythropoietin against 1-methyl-4-phenylpyridinium-induced neurodegeneration in PC12 cells.](#)

Wu Y, Shang Y, Sun SG, Liu RG, Yang WQ.

Neurosci Bull. 2007 May;23(3):156-64.

PMID: 17612594 [PubMed - indexed for MEDLINE]

[Related citations](#)

679. [Spare respiratory capacity rather than oxidative stress regulates glutamate excitotoxicity after partial respiratory inhibition of mitochondrial complex I with rotenone.](#)

Yadava N, Nicholls DG.

J Neurosci. 2007 Jul 4;27(27):7310-7.

PMID: 17611283 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

680. [Iron and paraquat as synergistic environmental risk factors in sporadic Parkinson's disease](#)

[accelerate age-related neurodegeneration.](#)

Peng J, Peng L, Stevenson FF, Doctrow SR, Andersen JK.

J Neurosci. 2007 Jun 27;27(26):6914-22.

PMID: 17596439 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

681. [Rotenone selectively kills serotonergic neurons through a microtubule-dependent mechanism.](#)

Ren Y, Feng J.

J Neurochem. 2007 Oct;103(1):303-11. Epub 2007 Jun 22.

PMID: 17587308 [PubMed - indexed for MEDLINE]

[Related citations](#)

682. [Epidemiology of Parkinson's disease.](#)

Khandhar SM, Marks WJ.

Dis Mon. 2007 Apr;53(4):200-5. Review. No abstract available.

PMID: 17586326 [PubMed - indexed for MEDLINE]

[Related citations](#)

683. [Unique responses to mitochondrial complex I inhibition in tuberoinfundibular dopamine neurons may impart resistance to toxic insult.](#)

Behrouz B, Drolet RE, Sayed ZA, Lookingland KJ, Goudreau JL.

Neuroscience. 2007 Jul 13;147(3):592-8. Epub 2007 Jun 20.

PMID: 17583437 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

684. [Astrocytes protect MN9D neuronal cells against rotenone-induced oxidative stress by a glutathione-dependent mechanism.](#)

Cao Q, Wei LR, Lu LL, Zhao CL, Zhao HY, Yang H.

Sheng Li Xue Bao. 2007 Jun 25;59(3):253-9.

PMID: 17579777 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

685. [Is Parkinson's disease an autoimmune disorder of endogenous vasoactive neuropeptides?](#)

Staines DR.

Med Hypotheses. 2007;69(6):1208-11. Epub 2007 Jun 11.

PMID: 17562359 [PubMed - indexed for MEDLINE]

[Related citations](#)

686. [Rotenone potentiates NMDA currents in substantia nigra dopamine neurons.](#)

Wu YN, Johnson SW.

Neurosci Lett. 2007 Jun 27;421(2):96-100. Epub 2007 May 24.

PMID: 17560718 [PubMed - indexed for MEDLINE]



[Related citations](#)

687. ['Rejuvenation' protects neurons in mouse models of Parkinson's disease.](#)  
Chan CS, Guzman JN, Ilijic E, Mercer JN, Rick C, Tkatch T, Meredith GE, Surmeier DJ.  
Nature. 2007 Jun 28;447(7148):1081-6. Epub 2007 Jun 10.  
PMID: 17558391 [PubMed - indexed for MEDLINE]

[Related citations](#)

688. [Pesticides and metals induced Parkinson's disease: involvement of free radicals and oxidative stress.](#)  
Singh C, Ahmad I, Kumar A.  
Cell Mol Biol (Noisy-le-grand). 2007 May 30;53(5):19-28. Review.  
PMID: 17543230 [PubMed - indexed for MEDLINE]

[Related citations](#)

689. [Impaired mutagenic activities of MPDP\(+\) \(1-methyl-4-phenyl-2,3-dihydropyridinium\) and MPP\(+\) \(1-methyl-4-phenylpyridinium\) due to their interactions with methylxanthines.](#)  
Ulanowska K, Piosik J, Gwizdek-Wisniewska A, Wegrzyn G.  
Bioorg Med Chem. 2007 Aug 1;15(15):5150-7. Epub 2007 May 17.  
PMID: 17533133 [PubMed - indexed for MEDLINE]

[Related citations](#)

690. [Identification of differentially expressed proteins in striatum of maneb-and paraquat-induced Parkinson's disease phenotype in mouse.](#)  
Patel S, Sinha A, Singh MP.  
Neurotoxicol Teratol. 2007 Sep-Oct;29(5):578-85. Epub 2007 Apr 27.  
PMID: 17532186 [PubMed - indexed for MEDLINE]

[Related citations](#)

691. [Functional ryanodine receptors are expressed by human microglia and THP-1 cells: Their possible involvement in modulation of neurotoxicity.](#)  
Klegeris A, Choi HB, McLarnon JG, McGeer PL.  
J Neurosci Res. 2007 Aug 1;85(10):2207-15.  
PMID: 17526017 [PubMed - indexed for MEDLINE]

[Related citations](#)

692. [Developmental exposure to pesticides zineb and/or endosulfan renders the nigrostriatal dopamine system more susceptible to these environmental chemicals later in life.](#)  
Jia Z, Misra HP.  
Neurotoxicology. 2007 Jul;28(4):727-35. Epub 2007 Apr 20.  
PMID: 17512982 [PubMed - indexed for MEDLINE]

[Related citations](#)

693. [Protective effects of Ginkgo biloba extract on paraquat-induced apoptosis of PC12 cells.](#)  
Kang X, Chen J, Xu Z, Li H, Wang B.

Toxicol In Vitro. 2007 Sep;21(6):1003-9. Epub 2007 Feb 21.

PMID: 17509817 [PubMed - indexed for MEDLINE]

[Related citations](#)

694. [Erythropoietin prevents PC12 cells from 1-methyl-4-phenylpyridinium ion-induced apoptosis via the Akt/GSK-3beta/caspase-3 mediated signaling pathway.](#)

Wu Y, Shang Y, Sun S, Liang H, Liu R.

Apoptosis. 2007 Aug;12(8):1365-75.

PMID: 17508273 [PubMed - indexed for MEDLINE]

[Related citations](#)

695. [Interaction between genes and environment in neurodegenerative diseases.](#)

Elbaz A, Dufouil C, Alperovitch A.

C R Biol. 2007 Apr;330(4):318-28. Epub 2007 Apr 9. Review.

PMID: 17502288 [PubMed - indexed for MEDLINE]

[Related citations](#)

696. [Toxic influence of subchronic paraquat administration on dopaminergic neurons in rats.](#)

Kuter K, Smiałowska M, Wierońska J, Zieba B, Wardas J, Pietraszek M, Nowak P, Biedka I, Roczniak W, Konieczny J, Wolfarth S, Ossowska K.

Brain Res. 2007 Jun 25;1155:196-207. Epub 2007 Apr 12.

PMID: 17493592 [PubMed - indexed for MEDLINE]

[Related citations](#)

697. [Pesticide exposure might be a strong risk factor for Parkinson's disease.](#)

Baldereschi M, Inzitari M, Vanni P, Di Carlo A, Inzitari D.

Ann Neurol. 2008 Jan;63(1):128. No abstract available.

PMID: 17487876 [PubMed - indexed for MEDLINE]

[Related citations](#)

698. [Rotenone-induced neurotoxicity of THP-1 cells requires production of reactive oxygen species and activation of phosphatidylinositol 3-kinase.](#)

Hu JH, Zhu XZ.

Brain Res. 2007 Jun 11;1153:12-9. Epub 2007 Mar 12.

PMID: 17481595 [PubMed - indexed for MEDLINE]

[Related citations](#)

699. [Scleroderma-like lesions and Parkinson's disease: possible links with exposure to pesticides.](#)

Stinco G, Piccirillo F, de Francesco V, Patrone P.

Eur J Dermatol. 2007 May-Jun;17(3):256-7. Epub 2007 May 4. No abstract available.

PMID: 17478401 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

700. [Gene expression profiling of MPP+-treated MN9D cells: a mechanism of toxicity study.](#)

Wang J, Xu Z, Fang H, Duhart HM, Patterson TA, Ali SF.  
Neurotoxicology. 2007 Sep;28(5):979-87. Epub 2007 Mar 12.  
PMID: 17475336 [PubMed - indexed for MEDLINE]

[Related citations](#)

701. [Neurodegeneration of mouse nigrostriatal dopaminergic system induced by repeated oral administration of rotenone is prevented by 4-phenylbutyrate, a chemical chaperone.](#)

Inden M, Kitamura Y, Takeuchi H, Yanagida T, Takata K, Kobayashi Y, Taniguchi T, Yoshimoto K, Kaneko M, Okuma Y, Taira T, Ariga H, Shimohama S.

J Neurochem. 2007 Jun;101(6):1491-1504.

PMID: 17459145 [PubMed - indexed for MEDLINE]

[Related citations](#)

702. [Gene-environment interactions in parkinsonism and Parkinson's disease: the Geoparkinson study.](#)

Dick FD, De Palma G, Ahmadi A, Osborne A, Scott NW, Prescott GJ, Bennett J, Semple S, Dick S, Mozzoni P, Haites N, Wettinger SB, Mutti A, Otelea M, Seaton A, Soderkvist P, Felice A; Geoparkinson Study Group.

Occup Environ Med. 2007 Oct;64(10):673-80. Epub 2007 Apr 20.

PMID: 17449559 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

703. [Pharmacological inhibition of PARP-1 reduces alpha-synuclein- and MPP+-induced cytotoxicity in Parkinson's disease in vitro models.](#)

Outeiro TF, Grammatopoulos TN, Altmann S, Amore A, Standaert DG, Hyman BT, Kazantsev AG.

Biochem Biophys Res Commun. 2007 Jun 8;357(3):596-602. Epub 2007 Apr 5.

PMID: 17449015 [PubMed - indexed for MEDLINE]

[Related citations](#)

704. [Behavioural and neural deficits induced by rotenone in the pond snail \*Lymnaea stagnalis\*. A possible model for Parkinson's disease in an invertebrate.](#)

Vehovszky A, Szabó H, Hiripi L, Elliott CJ, Hernádi L.

Eur J Neurosci. 2007 Apr;25(7):2123-30.

PMID: 17439496 [PubMed - indexed for MEDLINE]

[Related citations](#)

705. [Relationship between autophagy and apoptotic cell death in human neuroblastoma cells treated with paraquat: could autophagy be a "brake" in paraquat-induced apoptotic death?](#)

González-Polo RA, Niso-Santano M, Ortíz-Ortíz MA, Gómez-Martín A, Morán JM, García-Rubio L, Francisco-Morcillo J, Zaragoza C, Soler G, Fuentes JM.

Autophagy. 2007 Jul-Aug;3(4):366-7. Epub 2007 Jul 26.

PMID: 17438367 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

706. [Mangiferin protects against 1-methyl-4-phenylpyridinium toxicity mediated by oxidative stress in N2A cells.](#)  
Amazzal L, Lapôtre A, Quignon F, Bagrel D.  
Neurosci Lett. 2007 May 17;418(2):159-64. Epub 2007 Mar 14.  
PMID: 17433543 [PubMed - indexed for MEDLINE]  
[Related citations](#)
707. [1-methyl-4-phenylpyridinium-induced alterations of glutathione status in immortalized rat dopaminergic neurons.](#)  
Drechsel DA, Liang LP, Patel M.  
Toxicol Appl Pharmacol. 2007 May 1;220(3):341-8. Epub 2007 Feb 12.  
PMID: 17395226 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
708. [Biphasic mechanism of the toxicity induced by 1-methyl-4-phenylpyridinium ion \(MPP+\) as revealed by dynamic changes in glucose metabolism in rat brain slices.](#)  
Maruoka N, Murata T, Omata N, Takashima Y, Fujibayashi Y, Wada Y.  
Neurotoxicology. 2007 May;28(3):672-8. Epub 2007 Feb 23.  
PMID: 17391768 [PubMed - indexed for MEDLINE]  
[Related citations](#)
709. [Mitochondria are a major source of paraquat-induced reactive oxygen species production in the brain.](#)  
Castello PR, Drechsel DA, Patel M.  
J Biol Chem. 2007 May 11;282(19):14186-93. Epub 2007 Mar 27.  
PMID: 17389593 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
710. [The parkinsonian neurotoxin rotenone activates calpain and caspase-3 leading to motoneuron degeneration in spinal cord of Lewis rats.](#)  
Samantaray S, Knaryan VH, Guyton MK, Matzelle DD, Ray SK, Banik NL.  
Neuroscience. 2007 May 11;146(2):741-55. Epub 2007 Mar 23.  
PMID: 17367952 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
711. [Antioxidant effect of erythropoietin on 1-methyl-4-phenylpyridinium-induced neurotoxicity in PC12 cells.](#)  
Wu Y, Shang Y, Sun S, Liu R.  
Eur J Pharmacol. 2007 Jun 14;564(1-3):47-56. Epub 2007 Feb 17.  
PMID: 17362920 [PubMed - indexed for MEDLINE]  
[Related citations](#)
712. [The pRb/E2F cell-cycle pathway mediates cell death in Parkinson's disease.](#)  
Höglinger GU, Breunig JJ, Depboylu C, Rouaux C, Michel PP, Alvarez-Fischer D,

Boutillier AL, Degregori J, Oertel WH, Rakic P, Hirsch EC, Hunot S.  
Proc Natl Acad Sci U S A. 2007 Feb 27;104(9):3585-90. Epub 2007 Feb 21.  
PMID: 17360686 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

713. [Iptakalim alleviates rotenone-induced degeneration of dopaminergic neurons through inhibiting microglia-mediated neuroinflammation.](#)  
Zhou F, Wu JY, Sun XL, Yao HH, Ding JH, Hu G.  
Neuropsychopharmacology. 2007 Dec;32(12):2570-80. Epub 2007 Mar 14.  
PMID: 17356569 [PubMed - indexed for MEDLINE] **Free Article**  
[Related citations](#)
714. [The gestational environment and Parkinson's disease: evidence for neurodevelopmental origins of a neurodegenerative disorder.](#)  
Barlow BK, Cory-Slechta DA, Richfield EK, Thiruchelvam M.  
Reprod Toxicol. 2007 Apr-May;23(3):457-70. Epub 2007 Feb 6. Review.  
PMID: 17350799 [PubMed - indexed for MEDLINE]  
[Related citations](#)
715. [Melatonin protects against rotenone-induced oxidative stress in a hemiparkinsonian rat model.](#)  
Saravanan KS, Sindhu KM, Mohanakumar KP.  
J Pineal Res. 2007 Apr;42(3):247-53.  
PMID: 17349022 [PubMed - indexed for MEDLINE]  
[Related citations](#)
716. [N-methyltetrahydro-beta-carboline analogs of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine \(MPTP\) neurotoxin are oxidized to neurotoxic beta-carbolinium cations by heme peroxidases.](#)  
Herraiz T, Guillén H, Galisteo J.  
Biochem Biophys Res Commun. 2007 Apr 27;356(1):118-23. Epub 2007 Feb 26.  
PMID: 17346675 [PubMed - indexed for MEDLINE]  
[Related citations](#)
717. [Interaction of genetic and environmental factors in a Drosophila parkinsonism model.](#)  
Chaudhuri A, Bowling K, Funderburk C, Lawal H, Inamdar A, Wang Z, O'Donnell JM.  
J Neurosci. 2007 Mar 7;27(10):2457-67.  
PMID: 17344383 [PubMed - indexed for MEDLINE] **Free Article**  
[Related citations](#)
718. [Inhibition of cyclin-dependent kinases is neuroprotective in 1-methyl-4-phenylpyridinium-induced apoptosis in neurons.](#)  
Alvira D, Tajés M, Verdaguer E, de Arriba SG, Allgaier C, Matute C, Trullas R, Jiménez A, Pallàs M, Camins A.

Neuroscience. 2007 Apr 25;146(1):350-65. Epub 2007 Mar 7.

PMID: 17343987 [PubMed - indexed for MEDLINE]

[Related citations](#)

719. [Inhibition of paraquat-induced autophagy accelerates the apoptotic cell death in neuroblastoma SH-SY5Y cells.](#)

González-Polo RA, Niso-Santano M, Ortíz-Ortíz MA, Gómez-Martín A, Morán JM, García-Rubio L, Francisco-Morcillo J, Zaragoza C, Soler G, Fuentes JM.

Toxicol Sci. 2007 Jun;97(2):448-58. Epub 2007 Mar 6.

PMID: 17341480 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

720. [Environmental risk factors for Parkinson's disease and parkinsonism: the Geoparkinson study.](#)

Dick FD, De Palma G, Ahmadi A, Scott NW, Prescott GJ, Bennett J, Semple S, Dick S, Counsell C, Mozzoni P, Haites N, Wettinger SB, Mutti A, Otelea M, Seaton A, Söderkvist P, Felice A; Geoparkinson study group.

Occup Environ Med. 2007 Oct;64(10):666-72. Epub 2007 Mar 1.

PMID: 17332139 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

721. [Does ORP150/HSP12A protect dopaminergic neurons against MPTP/MPP\(+\)-induced neurotoxicity?](#)

Kitao Y, Matsuyama T, Takano K, Tabata Y, Yoshimoto T, Momoi T, Yamatodani A, Ogawa S, Hori O.

Antioxid Redox Signal. 2007 May;9(5):589-95.

PMID: 17330988 [PubMed - indexed for MEDLINE]

[Related citations](#)

722. [Activation of c-Jun N-terminal protein kinase is a common mechanism underlying paraquat- and rotenone-induced dopaminergic cell apoptosis.](#)

Klintworth H, Newhouse K, Li T, Choi WS, Faigle R, Xia Z.

Toxicol Sci. 2007 May;97(1):149-62. Epub 2007 Feb 25.

PMID: 17324951 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

723. [Exposure to mixtures of endosulfan and zineb induces apoptotic and necrotic cell death in SH-SY5Y neuroblastoma cells, in vitro.](#)

Jia Z, Misra HP.

J Appl Toxicol. 2007 Sep-Oct;27(5):434-46.

PMID: 17309119 [PubMed - indexed for MEDLINE]

[Related citations](#)

724. [Dieldrin exposure induces oxidative damage in the mouse nigrostriatal dopamine system.](#)

Hatcher JM, Richardson JR, Guillot TS, McCormack AL, Di Monte DA, Jones DP, Pennell

KD, Miller GW.

Exp Neurol. 2007 Apr;204(2):619-30. Epub 2007 Jan 5.

PMID: 17291500 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

725. [1-Methyl-4-phenylpyridinium induces synaptic dysfunction through a pathway involving caspase and PKCdelta enzymatic activities.](#)

Serulle Y, Morfini G, Pigino G, Moreira JE, Sugimori M, Brady ST, Llinás RR.

Proc Natl Acad Sci U S A. 2007 Feb 13;104(7):2437-41. Epub 2007 Feb 7.

PMID: 17287339 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

726. [1-Methyl-4-phenylpyridinium affects fast axonal transport by activation of caspase and protein kinase C.](#)

Morfini G, Pigino G, Opalach K, Serulle Y, Moreira JE, Sugimori M, Llinás RR, Brady ST.

Proc Natl Acad Sci U S A. 2007 Feb 13;104(7):2442-7. Epub 2007 Feb 7.

PMID: 17287338 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

727. [Melatonin inhibits maneb-induced aggregation of alpha-synuclein in rat pheochromocytoma cells.](#)

Ishido M.

J Pineal Res. 2007 Mar;42(2):125-30.

PMID: 17286743 [PubMed - indexed for MEDLINE]

[Related citations](#)

728. [Rifampicin protects PC12 cells against MPP+-induced apoptosis and inhibits the expression of an alpha-Synuclein multimer.](#)

Xu J, Wei C, Xu C, Bennett MC, Zhang G, Li F, Tao E.

Brain Res. 2007 Mar 30;1139:220-5. Epub 2007 Jan 4.

PMID: 17280646 [PubMed - indexed for MEDLINE]

[Related citations](#)

729. [Alpha-synuclein and tyrosine hydroxylase expression in acute rotenone toxicity.](#)

Luo C, Rajput AH, Akhtar S, Rajput A.

Int J Mol Med. 2007 Mar;19(3):517-21.

PMID: 17273802 [PubMed - indexed for MEDLINE]

[Related citations](#)

730. [Rosiglitazone protects human neuroblastoma SH-SY5Y cells against MPP+ induced cytotoxicity via inhibition of mitochondrial dysfunction and ROS production.](#)

Jung TW, Lee JY, Shim WS, Kang ES, Kim SK, Ahn CW, Lee HC, Cha BS.

J Neurol Sci. 2007 Feb 15;253(1-2):53-60. Epub 2007 Jan 30.

PMID: 17266988 [PubMed - indexed for MEDLINE]

[Related citations](#)

731. [7-nitroindazole protects striatal dopaminergic neurons against MPP+-induced degeneration: an in vivo microdialysis study.](#)

Di Matteo V, Benigno A, Pierucci M, Giuliano DA, Crescimanno G, Esposito E, Di Giovanni G.

Ann N Y Acad Sci. 2006 Nov;1089:462-71.

PMID: 17261789 [PubMed - indexed for MEDLINE]

[Related citations](#)

732. [Pesticide exposure exacerbates alpha-synucleinopathy in an A53T transgenic mouse model.](#)

Norris EH, Uryu K, Leight S, Giasson BI, Trojanowski JQ, Lee VM.

Am J Pathol. 2007 Feb;170(2):658-66.

PMID: 17255333 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

733. [Parkinson's disease and pesticide exposures.](#)

Dick FD.

Br Med Bull. 2006;79-80:219-31. Epub 2007 Jan 22. Review.

PMID: 17242039 [PubMed - indexed for MEDLINE]

[Related citations](#)

734. [Mechanism of toxicity of pesticides acting at complex I: relevance to environmental etiologies of Parkinson's disease.](#)

Sherer TB, Richardson JR, Testa CM, Seo BB, Panov AV, Yagi T, Matsuno-Yagi A, Miller GW, Greenamyre JT.

J Neurochem. 2007 Mar;100(6):1469-79. Epub 2007 Jan 4.

PMID: 17241123 [PubMed - indexed for MEDLINE]

[Related citations](#)

735. [SAG protects human neuroblastoma SH-SY5Y cells against 1-methyl-4-phenylpyridinium ion \(MPP+\)-induced cytotoxicity via the downregulation of ROS generation and JNK signaling.](#)

Kim SY, Kim MY, Mo JS, Park JW, Park HS.

Neurosci Lett. 2007 Feb 14;413(2):132-6. Epub 2007 Jan 8.

PMID: 17240529 [PubMed - indexed for MEDLINE]

[Related citations](#)

736. [Nicotine partially protects against paraquat-induced nigrostriatal damage in mice; link to alpha6beta2\\* nAChRs.](#)

Khwaja M, McCormack A, McIntosh JM, Di Monte DA, Quik M.

J Neurochem. 2007 Jan;100(1):180-90.

PMID: 17227438 [PubMed - indexed for MEDLINE]

[Related citations](#)



737. [Dopaminergic toxicity of the herbicide atrazine in rat striatal slices.](#)  
Filipov NM, Stewart MA, Carr RL, Sistrunk SC.  
Toxicology. 2007 Mar 22;232(1-2):68-78. Epub 2006 Dec 15.  
PMID: 17218051 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
738. [Alkyl succinate poisoning.](#)  
Raj M, Subrahmanyam DK, Agrawal A, Sethuraman KR.  
J Assoc Physicians India. 2006 Oct;54:825-6.  
PMID: 17214284 [PubMed - indexed for MEDLINE]  
[Related citations](#)
739. [Mitochondrial avid radioprobes. Preparation and evaluation of 7'\(Z\)-\[125I\]iodorotenone and 7'\(Z\)-\[125I\]iodorotenol.](#)  
VanBrocklin HF, Hanrahan SM, Enas JD, Nandan E, O'Neil JP.  
Nucl Med Biol. 2007 Jan;34(1):109-16. Epub 2006 Nov 28.  
PMID: 17210467 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
740. [Herbicide exposure modifies GSTP1 haplotype association to Parkinson onset age: the GenePD Study.](#)  
Wilk JB, Tobin JE, Suchowersky O, Shill HA, Klein C, Wooten GF, Lew MF, Mark MH, Guttman M, Watts RL, Singer C, Growdon JH, Latourelle JC, Saint-Hilaire MH, DeStefano AL, Prakash R, Williamson S, Berg CJ, Sun M, Goldwurm S, Pezzoli G, Racette BA, Perlmutter JS, Parsian A, Baker KB, Giroux ML, Litvan I, Pramstaller PP, Nicholson G, Burn DJ, Chinnery PF, Vieregge P, Slevin JT, Cambi F, MacDonald ME, Gusella JF, Myers RH, Golbe LI.  
Neurology. 2006 Dec 26;67(12):2206-10.  
PMID: 17190945 [PubMed - indexed for MEDLINE]  
[Related citations](#)
741. [Pesticide exposure on southwestern Taiwanese with MnSOD and NQO1 polymorphisms is associated with increased risk of Parkinson's disease.](#)  
Fong CS, Wu RM, Shieh JC, Chao YT, Fu YP, Kuao CL, Cheng CW.  
Clin Chim Acta. 2007 Mar;378(1-2):136-41. Epub 2006 Nov 17.  
PMID: 17188257 [PubMed - indexed for MEDLINE]  
[Related citations](#)
742. [Chronic rotenone treatment induces behavioral effects but no pathological signs of parkinsonism in mice.](#)  
Richter F, Hamann M, Richter A.  
J Neurosci Res. 2007 Feb 15;85(3):681-91.  
PMID: 17171705 [PubMed - indexed for MEDLINE]  
[Related citations](#)

743. [Mortality among a cohort of banana plantation workers in Costa Rica.](#)  
Hofmann J, Guardado J, Keifer M, Wesseling C.  
Int J Occup Environ Health. 2006 Oct-Dec;12(4):321-8.  
PMID: 17168219 [PubMed - indexed for MEDLINE]  
[Related citations](#)
744. [Microglial activation as a priming event leading to paraquat-induced dopaminergic cell degeneration.](#)  
Purisai MG, McCormack AL, Cumine S, Li J, Isla MZ, Di Monte DA.  
Neurobiol Dis. 2007 Feb;25(2):392-400. Epub 2006 Dec 12.  
PMID: 17166727 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
745. [Dopaminergic system modulation, behavioral changes, and oxidative stress after neonatal administration of pyrethroids.](#)  
Nasuti C, Gabbianelli R, Falcioni ML, Di Stefano A, Sozio P, Cantalamessa F.  
Toxicology. 2007 Jan 18;229(3):194-205. Epub 2006 Oct 29.  
PMID: 17140720 [PubMed - indexed for MEDLINE]  
[Related citations](#)
746. [RNA interference-mediated knockdown of alpha-synuclein protects human dopaminergic neuroblastoma cells from MPP\(+\) toxicity and reduces dopamine transport.](#)  
Fountaine TM, Wade-Martins R.  
J Neurosci Res. 2007 Feb 1;85(2):351-63.  
PMID: 17131421 [PubMed - indexed for MEDLINE]  
[Related citations](#)
747. [Pesticides and impairment of mitochondrial function in relation with the parkinsonian syndrome.](#)  
Gomez C, Bandez MJ, Navarro A.  
Front Biosci. 2007 Jan 1;12:1079-93. Review.  
PMID: 17127363 [PubMed - indexed for MEDLINE]  
[Related citations](#)
748. [Mitochondrial toxins and neurodegenerative diseases.](#)  
Ayala A, Venero JL, Cano J, Machado A.  
Front Biosci. 2007 Jan 1;12:986-1007. Review.  
PMID: 17127354 [PubMed - indexed for MEDLINE]  
[Related citations](#)
749. [Plasma concentration of organochlorine compounds is associated with age and not obesity.](#)  
Hue O, Marcotte J, Berrigan F, Simoneau M, Doré J, Marceau P, Marceau S, Tremblay A, Teasdale N.  
Chemosphere. 2007 Apr;67(7):1463-7. Epub 2006 Nov 28.

PMID: 17126879 [PubMed - indexed for MEDLINE]

[Related citations](#)

750. [Neuroprotective effects of ginsenoside-Rg1 in primary nigral neurons against rotenone toxicity.](#)  
Leung KW, Yung KK, Mak NK, Chan YS, Fan TP, Wong RN.  
Neuropharmacology. 2007 Mar;52(3):827-35. Epub 2006 Nov 22.  
PMID: 17123556 [PubMed - indexed for MEDLINE]  
[Related citations](#)
751. [Geographic model and biomarker-derived measures of pesticide exposure and Parkinson's disease.](#)  
Ritz B, Costello S.  
Ann N Y Acad Sci. 2006 Sep;1076:378-87.  
PMID: 17119217 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
752. [Pesticide exposure and self-reported Parkinson's disease in the agricultural health study.](#)  
Kamel F, Tanner C, Umbach D, Hoppin J, Alavanja M, Blair A, Comyns K, Goldman S, Korell M, Langston J, Ross G, Sandler D.  
Am J Epidemiol. 2007 Feb 15;165(4):364-74. Epub 2006 Nov 20.  
PMID: 17116648 [PubMed - indexed for MEDLINE] **Free Article**  
[Related citations](#)
753. [An in vitro model of human dopaminergic neurons derived from embryonic stem cells: MPP+ toxicity and GDNF neuroprotection.](#)  
Zeng X, Chen J, Deng X, Liu Y, Rao MS, Cadet JL, Freed WJ.  
Neuropsychopharmacology. 2006 Dec;31(12):2708-15.  
PMID: 17109014 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
754. [L-carnitine protects neurons from 1-methyl-4-phenylpyridinium-induced neuronal apoptosis in rat forebrain culture.](#)  
Wang C, Sadovova N, Ali HK, Duhart HM, Fu X, Zou X, Patterson TA, Binienda ZK, Virmani A, Paule MG, Slikker W Jr, Ali SF.  
Neuroscience. 2007 Jan 5;144(1):46-55. Epub 2006 Nov 2.  
PMID: 17084538 [PubMed - indexed for MEDLINE]  
[Related citations](#)
755. [Microtubule: a common target for parkin and Parkinson's disease toxins.](#)  
Feng J.  
Neuroscientist. 2006 Dec;12(6):469-76. Review.  
PMID: 17079513 [PubMed - indexed for MEDLINE]  
[Related citations](#)

756. [Mitochondrial damage modulates alternative splicing in neuronal cells: implications for neurodegeneration.](#)  
Maracchioni A, Totaro A, Angelini DF, Di Penta A, Bernardi G, Carrì MT, Achsel T.  
J Neurochem. 2007 Jan;100(1):142-53. Epub 2006 Oct 25.  
PMID: 17064354 [PubMed - indexed for MEDLINE]  
[Related citations](#)
757. [Carnosol, a component of rosemary \(Rosmarinus officinalis L.\) protects nigral dopaminergic neuronal cells.](#)  
Kim SJ, Kim JS, Cho HS, Lee HJ, Kim SY, Kim S, Lee SY, Chun HS.  
Neuroreport. 2006 Nov 6;17(16):1729-33.  
PMID: 17047462 [PubMed - indexed for MEDLINE]  
[Related citations](#)
758. [Parkinson's disease in relation to pesticide exposure and nuclear encoded mitochondrial complex I gene variants.](#)  
Corder EH, Mellick GD.  
J Biomed Biotechnol. 2006;2006(3):27601.  
PMID: 17047302 [PubMed] **Free PMC Article**  
[Related citations](#)
759. [Occupational titles as risk factors for Parkinson's disease.](#)  
Dick S, Semple S, Dick F, Seaton A.  
Occup Med (Lond). 2007 Jan;57(1):50-6. Epub 2006 Oct 17.  
PMID: 17046990 [PubMed - indexed for MEDLINE] **Free Article**  
[Related citations](#)
760. [A novel peptide inhibitor targeted to caspase-3 cleavage site of a proapoptotic kinase protein kinase C delta \(PKCdelta\) protects against dopaminergic neuronal degeneration in Parkinson's disease models.](#)  
Kanthasamy AG, Anantharam V, Zhang D, Latchoumycandane C, Jin H, Kaul S, Kanthasamy A.  
Free Radic Biol Med. 2006 Nov 15;41(10):1578-89. Epub 2006 Aug 25.  
PMID: 17045926 [PubMed - indexed for MEDLINE]  
[Related citations](#)
761. [Chemical genomic profiling for identifying intracellular targets of toxicants producing Parkinson's disease.](#)  
Doostzadeh J, Davis RW, Giaever GN, Nislow C, Langston JW.  
Toxicol Sci. 2007 Jan;95(1):182-7. Epub 2006 Oct 16.  
PMID: 17043098 [PubMed - indexed for MEDLINE] **Free Article**  
[Related citations](#)
762. [Differential effect of nerve growth factor on dopaminergic neurotoxin-induced apoptosis.](#)

Hirata Y, Meguro T, Kiuchi K.  
J Neurochem. 2006 Oct;99(2):416-25.  
PMID: 17029596 [PubMed - indexed for MEDLINE]

[Related citations](#)

763. [Divergent mechanisms of paraquat, MPP+, and rotenone toxicity: oxidation of thioredoxin and caspase-3 activation.](#)

Ramachandiran S, Hansen JM, Jones DP, Richardson JR, Miller GW.  
Toxicol Sci. 2007 Jan;95(1):163-71. Epub 2006 Oct 3.  
PMID: 17018646 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

764. [Controversies on new animal models of Parkinson's disease pro and con: the rotenone model of Parkinson's disease \(PD\).](#)

Schmidt WJ, Alam M.  
J Neural Transm Suppl. 2006;(70):273-6. Review.  
PMID: 17017541 [PubMed - indexed for MEDLINE]

[Related citations](#)

765. [The rotenone model of parkinsonism--the five years inspection.](#)

Höglinger GU, Oertel WH, Hirsch EC.  
J Neural Transm Suppl. 2006;(70):269-72. Review.  
PMID: 17017540 [PubMed - indexed for MEDLINE]

[Related citations](#)

766. [Unique cytochromes P450 in human brain: implication in disease pathogenesis.](#)

Ravindranath V, Kommaddi RP, Pai HV.  
J Neural Transm Suppl. 2006;(70):167-71. Review.  
PMID: 17017525 [PubMed - indexed for MEDLINE]

[Related citations](#)

767. [CYP450, genetics and Parkinson's disease: gene x environment interactions hold the key.](#)

Mellick GD.  
J Neural Transm Suppl. 2006;(70):159-65.  
PMID: 17017524 [PubMed - indexed for MEDLINE]

[Related citations](#)

768. [Nongenetic causes of Parkinson's disease.](#)

Chade AR, Kasten M, Tanner CM.  
J Neural Transm Suppl. 2006;(70):147-51. Review.  
PMID: 17017522 [PubMed - indexed for MEDLINE]

[Related citations](#)

769. [Mitochondria mass is low in mouse substantia nigra dopamine neurons: implications for](#)

[Parkinson's disease.](#)

Liang CL, Wang TT, Luby-Phelps K, German DC.  
Exp Neurol. 2007 Feb;203(2):370-80. Epub 2006 Sep 28.  
PMID: 17010972 [PubMed - indexed for MEDLINE]

[Related citations](#)

770. [Inhibition of aldehyde detoxification in CNS mitochondria by fungicides.](#)

Leiphon LJ, Picklo MJ Sr.  
Neurotoxicology. 2007 Jan;28(1):143-9. Epub 2006 Sep 1.  
PMID: 17010440 [PubMed - indexed for MEDLINE]

[Related citations](#)

771. [RTP801 is elevated in Parkinson brain substantia nigral neurons and mediates death in cellular models of Parkinson's disease by a mechanism involving mammalian target of rapamycin inactivation.](#)

Malagelada C, Ryu EJ, Biswas SC, Jackson-Lewis V, Greene LA.  
J Neurosci. 2006 Sep 27;26(39):9996-10005.  
PMID: 17005863 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

772. [Dopamine D2 agonists, bromocriptine and quinpirole, increase MPP+ -induced toxicity in PC12 cells.](#)

Chiasson K, Daoust B, Levesque D, Martinoli MG.  
Neurotox Res. 2006 Aug;10(1):31-42.  
PMID: 17000468 [PubMed - indexed for MEDLINE]

[Related citations](#)

773. [The neurotoxin, MPP+, induces hyperphosphorylation of Tau, in the presence of alpha-Synuclein, in SH-SY5Y neuroblastoma cells.](#)

Duka T, Sidhu A.  
Neurotox Res. 2006 Aug;10(1):1-10.  
PMID: 17000465 [PubMed - indexed for MEDLINE]

[Related citations](#)

774. [VIP is a transcriptional target of Nurr1 in dopaminergic cells.](#)

Luo Y, Henriksen LA, Giuliano RE, Prifti L, Callahan LM, Federoff HJ.  
Exp Neurol. 2007 Jan;203(1):221-32. Epub 2006 Sep 26.  
PMID: 16999955 [PubMed - indexed for MEDLINE]

[Related citations](#)

775. [Neuroprotective effects of the stable nitroxide compound Tempol on 1-methyl-4-phenylpyridinium ion-induced neurotoxicity in the Nerve Growth Factor-differentiated model of pheochromocytoma PC12 cells.](#)

Lipman T, Tabakman R, Lazarovici P.

Eur J Pharmacol. 2006 Nov 7;549(1-3):50-7. Epub 2006 Aug 26.  
PMID: 16989807 [PubMed - indexed for MEDLINE]

[Related citations](#)

776. [Induction of parkin expression in the presence of oxidative stress.](#)

Yang YX, Muqit MM, Latchman DS.

Eur J Neurosci. 2006 Sep;24(5):1366-72.

PMID: 16987221 [PubMed - indexed for MEDLINE]

[Related citations](#)

777. [5' and 3' region variability in the dopamine transporter gene \(SLC6A3\), pesticide exposure and Parkinson's disease risk: a hypothesis-generating study.](#)

Kelada SN, Checkoway H, Kardia SL, Carlson CS, Costa-Mallen P, Eaton DL, Firestone J, Powers KM, Swanson PD, Franklin GM, Longstreth WT Jr, Weller TS, Afsharinejad Z, Costa LG.

Hum Mol Genet. 2006 Oct 15;15(20):3055-62. Epub 2006 Sep 8.

PMID: 16963468 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

778. [PEP-1-SOD fusion protein efficiently protects against paraquat-induced dopaminergic neuron damage in a Parkinson disease mouse model.](#)

Choi HS, An JJ, Kim SY, Lee SH, Kim DW, Yoo KY, Won MH, Kang TC, Kwon HJ, Kang JH, Cho SW, Kwon OS, Park J, Eum WS, Choi SY.

Free Radic Biol Med. 2006 Oct 1;41(7):1058-68. Epub 2006 Jun 15.

PMID: 16962931 [PubMed - indexed for MEDLINE]

[Related citations](#)

779. [Environmental determinants of Parkinson's disease.](#)

Wright JM, Keller-Byrne J.

Arch Environ Occup Health. 2005 Jan-Feb;60(1):32-8.

PMID: 16961006 [PubMed - indexed for MEDLINE]

[Related citations](#)

780. [Distinct effects of atypical 1,4-dihydropyridines on 1-methyl-4-phenylpyridinium-induced toxicity.](#)

Klimaviciusa L, Klusa V, Duburs G, Kaasik A, Kalda A, Zharkovsky A.

Cell Biochem Funct. 2007 Jan-Feb;25(1):15-21.

PMID: 16927412 [PubMed - indexed for MEDLINE]

[Related citations](#)

781. [D-beta-hydroxybutyrate protects dopaminergic SH-SY5Y cells in a rotenone model of Parkinson's disease.](#)

Imamura K, Takeshima T, Kashiwaya Y, Nakaso K, Nakashima K.

J Neurosci Res. 2006 Nov 1;84(6):1376-84.

PMID: 16917840 [PubMed - indexed for MEDLINE]

[Related citations](#)

782. [Caenorhabditis elegans MPP+ model of Parkinson's disease for high-throughput drug screenings.](#)

Braungart E, Gerlach M, Riederer P, Baumeister R, Hoener MC.

Neurodegener Dis. 2004;1(4-5):175-83.

PMID: 16908987 [PubMed - indexed for MEDLINE]

[Related citations](#)

783. [Mutational analysis of DJ-1 in Drosophila implicates functional inactivation by oxidative damage and aging.](#)

Meulener MC, Xu K, Thomson L, Ischiropoulos H, Bonini NM.

Proc Natl Acad Sci U S A. 2006 Aug 15;103(33):12517-22. Epub 2006 Aug 7. Erratum in: Proc Natl Acad Sci U S A. 2006 Oct 3;103(40):14978. Thompson, Leonor [corrected to Thomson, Leonor].

PMID: 16894167 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

784. [Temporal effects of paraquat/maneb on microglial activation and dopamine neuronal loss in older rats.](#)

Saint-Pierre M, Tremblay ME, Sik A, Gross RE, Cicchetti F.

J Neurochem. 2006 Aug;98(3):760-72.

PMID: 16893418 [PubMed - indexed for MEDLINE]

[Related citations](#)

785. [Acute neurotoxic effects of mancozeb and maneb in mesencephalic neuronal cultures are associated with mitochondrial dysfunction.](#)

Domico LM, Zeevalk GD, Bernard LP, Cooper KR.

Neurotoxicology. 2006 Sep;27(5):816-25. Epub 2006 Jul 22.

PMID: 16889834 [PubMed - indexed for MEDLINE]

[Related citations](#)

786. [Neurotrophic factors stabilize microtubules and protect against rotenone toxicity on dopaminergic neurons.](#)

Jiang Q, Yan Z, Feng J.

J Biol Chem. 2006 Sep 29;281(39):29391-400. Epub 2006 Aug 3.

PMID: 16887804 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

787. [The role of tissue transglutaminase in 1-methyl-4-phenylpyridinium \(MPP+\)-induced toxicity in differentiated human SH-SY5Y neuroblastoma cells.](#)

Beck KE, De Girolamo LA, Griffin M, Billett EE.

Neurosci Lett. 2006 Sep 11;405(1-2):46-51. Epub 2006 Jul 28.



PMID: 16876317 [PubMed - indexed for MEDLINE]

[Related citations](#)

788. [Geographic isolates of atypical Parkinsonism and tauopathy in the tropics: possible synergy of neurotoxins.](#)

Caparros-Lefebvre D, Steele J, Kotake Y, Ohta S.

Mov Disord. 2006 Oct;21(10):1769-71.

PMID: 16874753 [PubMed - indexed for MEDLINE]

[Related citations](#)

789. [Cytotoxicity of chloral-derived beta-carbolines is not specific towards neuronal nor dopaminergic cells.](#)

Storch A, Hwang YI, Bringmann G, Feineis D, Ott S, Brückner R, Schwarz J.

J Neural Transm. 2006 Dec;113(12):1895-901. Epub 2006 Aug 1.

PMID: 16868795 [PubMed - indexed for MEDLINE]

[Related citations](#)

790. [Identification of novel proteins associated with both alpha-synuclein and DJ-1.](#)

Jin J, Li GJ, Davis J, Zhu D, Wang Y, Pan C, Zhang J.

Mol Cell Proteomics. 2007 May;6(5):845-59. Epub 2006 Jul 18.

PMID: 16854843 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

791. [Endotoxin, a possible agent in the causation of Parkinson's disease.](#)

Lange JH, Buja A, Mastrangelo G.

J Occup Environ Med. 2006 Jul;48(7):655; author reply 655-6. No abstract available.

PMID: 16832216 [PubMed - indexed for MEDLINE]

[Related citations](#)

792. [Rats with unilateral median forebrain bundle, but not striatal or nigral, lesions by the neurotoxins MPP+ or rotenone display differential sensitivity to amphetamine and apomorphine.](#)

Sindhu KM, Banerjee R, Senthilkumar KS, Saravanan KS, Raju BC, Rao JM, Mohanakumar KP.

Pharmacol Biochem Behav. 2006 Jun;84(2):321-9. Epub 2006 Jul 3.

PMID: 16820197 [PubMed - indexed for MEDLINE]

[Related citations](#)

793. [Adaptive acetylcholinesterase splicing patterns attenuate 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine-induced Parkinsonism in mice.](#)

Ben-Shaul Y, Benmoyal-Segal L, Ben-Ari S, Bergman H, Soreq H.

Eur J Neurosci. 2006 Jun;23(11):2915-22.

PMID: 16819980 [PubMed - indexed for MEDLINE]

[Related citations](#)

794. [Monocyte-mediated rotenone neurotoxicity towards human neuroblastoma SH-SY5Y: role of mitogen-activated protein kinases.](#)  
Zhao FL, Hu JH, Zhu XZ.  
Biol Pharm Bull. 2006 Jul;29(7):1372-7.  
PMID: 16819171 [PubMed - indexed for MEDLINE] **Free Article**  
[Related citations](#)
795. [Paraquat exposure as an etiological factor of Parkinson's disease.](#)  
Dinis-Oliveira RJ, Remião F, Carmo H, Duarte JA, Navarro AS, Bastos ML, Carvalho F.  
Neurotoxicology. 2006 Dec;27(6):1110-22. Epub 2006 Jul 3. Review.  
PMID: 16815551 [PubMed - indexed for MEDLINE]  
[Related citations](#)
796. [Developmental exposure to the pesticide dieldrin alters the dopamine system and increases neurotoxicity in an animal model of Parkinson's disease.](#)  
Richardson JR, Caudle WM, Wang M, Dean ED, Pennell KD, Miller GW.  
FASEB J. 2006 Aug;20(10):1695-7. Epub 2006 Jun 29.  
PMID: 16809432 [PubMed - indexed for MEDLINE] **Free Article**  
[Related citations](#)
797. [Protocatechuic acid suppresses MPP+ -induced mitochondrial dysfunction and apoptotic cell death in PC12 cells.](#)  
Guan S, Jiang B, Bao YM, An LJ.  
Food Chem Toxicol. 2006 Oct;44(10):1659-66. Epub 2006 May 17.  
PMID: 16806628 [PubMed - indexed for MEDLINE]  
[Related citations](#)
798. [Enhancement of tyrosine hydroxylase expression and activity by Trypanosoma cruzi parasite-derived neurotrophic factor.](#)  
Chuenkova MV, Pereiraperrin M.  
Brain Res. 2006 Jul 12;1099(1):167-75. Epub 2006 Jun 23.  
PMID: 16806115 [PubMed - indexed for MEDLINE]  
[Related citations](#)
799. [Gene-environment interactions in sporadic Parkinson's disease.](#)  
Benmoyal-Segal L, Soreq H.  
J Neurochem. 2006 Jun;97(6):1740-55. Review.  
PMID: 16805780 [PubMed - indexed for MEDLINE]  
[Related citations](#)
800. [Pesticide exposure and risk for Parkinson's disease.](#)  
Ascherio A, Chen H, Weisskopf MG, O'Reilly E, McCullough ML, Calle EE, Schwarzschild

MA, Thun MJ.  
Ann Neurol. 2006 Aug;60(2):197-203.

801. [Degeneration of dopaminergic mesocortical neurons and activation of compensatory processes induced by a long-term paraquat administration in rats: implications for Parkinson's disease.](#)

Ossowska K, Smiałowska M, Kuter K, Wierońska J, Zieba B, Wardas J, Nowak P, Dabrowska J, Bortel A, Biedka I, Schulze G, Rommelspacher H.

Neuroscience. 2006 Sep 15;141(4):2155-65. Epub 2006 Jun 22.

PMID: 16797138 [PubMed - indexed for MEDLINE]

[Related citations](#)

802. [Chemical exposures and Parkinson's disease: a population-based case-control study.](#)

Frigerio R, Sanft KR, Grossardt BR, Peterson BJ, Elbaz A, Bower JH, Ahlskog JE, de Andrade M, Maraganore DM, Rocca WA.

Mov Disord. 2006 Oct;21(10):1688-92.

PMID: 16773614 [PubMed - indexed for MEDLINE]

[Related citations](#)

803. [Transduced Tat-alpha-synuclein protects against oxidative stress in vitro and in vivo.](#)

Choi HS, Lee SH, Kim SY, An JJ, Hwang SI, Kim DW, Yoo KY, Won MH, Kang TC, Kwon HJ, Kang JH, Cho SW, Kwon OS, Choi JH, Park J, Eum WS, Choi SY.

J Biochem Mol Biol. 2006 May

31;39(3):253-62. Retraction in: [BMB](#)

[Rep. 2010 Apr;43\(4\):304.](#)

PMID: 16756753 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

804. [Potentiating effect of the ATP-sensitive potassium channel blocker glibenclamide](#)

[on complex I inhibitor neurotoxicity in vitro and in vivo.](#)

Kou J, Klorig DC, Bloomquist JR.

Neurotoxicology. 2006 Sep;27(5):826-34.

Epub 2006 Apr 28.

PMID: 16725203 [PubMed - indexed for MEDLINE]

[Related citations](#)

805. [Neural repair strategies for Parkinson's disease: insights from primate models.](#)

Soderstrom K, O'Malley J, Steece-Collier K, Kordower JH.

Cell Transplant. 2006;15(3):251-65.

Review.

PMID: 16719060 [PubMed - indexed for MEDLINE]

[Related citations](#)

806. [Progressive dopamine neuron loss in Parkinson's disease: the multiple hit hypothesis.](#)

Carvey PM, Punati A, Newman MB.

Cell Transplant. 2006;15(3):239-50.

Review.

PMID: 16719059 [PubMed - indexed for MEDLINE]

[Related citations](#)

807. [Low concentrations of paraquat induces early activation of extracellular signal-regulated kinase 1/2, protein kinase B, and c-Jun N-terminal kinase 1/2 pathways: role of c-Jun N-terminal kinase in paraquat-induced cell death.](#)

Niso-Santano M, Morán JM, García-Rubio L, Gómez-Martín A, González-Polo RA, Soler G, Fuentes JM.

Toxicol Sci. 2006 Aug;92(2):507-15.

Epub 2006 May 9.

PMID: 16687388 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

808. [Heat shock proteins reduce alpha-](#)

[synuclein aggregation induced by MPP+ in SK-N-SH cells.](#)

Fan GH, Zhou HY, Yang H, Chen SD.  
FEBS Lett. 2006 May 29;580(13):3091-8.  
Epub 2006 Apr 27.  
PMID: 16678164 [PubMed - indexed for MEDLINE]

[Related citations](#)

809. [Reactive microgliosis participates in MPP+-induced dopaminergic neurodegeneration: role of 67 kDa laminin receptor.](#)

Wang T, Zhang W, Pei Z, Block M, Wilson B, Reece JM, Miller DS, Hong JS.  
FASEB J. 2006 May;20(7):906-15.  
PMID: 16675848 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

810. [Neurotoxic effect of maneb in rats as studied by neurochemical and immunohistochemical parameters.](#)

Nielsen BS, Larsen EH, Ladefoged O, Lam HR.  
Environ Toxicol Pharmacol. 2006 May;21(3):268-75. doi:  
10.1016/j.etap.2005.09.003. Epub 2005 Nov 10.  
PMID: 21783668 [PubMed]

[Related citations](#)

811. [Basic fibroblast growth factor protects against rotenone-induced dopaminergic cell death through activation of extracellular signal-regulated kinases 1/2 and phosphatidylinositol-3 kinase pathways.](#)

Hsuan SL, Klintworth HM, Xia Z.  
J Neurosci. 2006 Apr 26;26(17):4481-91.  
PMID: 16641227 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

812. [Inhibitory effects of pesticides on](#)

[proteasome activity: implication in Parkinson's disease.](#)

Wang XF, Li S, Chou AP, Bronstein JM. Neurobiol Dis. 2006 Jul;23(1):198-205. Epub 2006 Apr 19. PMID: 16626962 [PubMed - indexed for MEDLINE]

[Related citations](#)

813. [Activation of group III metabotropic glutamate receptors attenuates rotenone toxicity on dopaminergic neurons through a microtubule-dependent mechanism.](#)

Jiang Q, Yan Z, Feng J. J Neurosci. 2006 Apr 19;26(16):4318-28. PMID: 16624952 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

814. [Enhanced sensitivity of DJ-1-deficient dopaminergic neurons to energy metabolism impairment: role of Na<sup>+</sup>/K<sup>+</sup> ATPase.](#)

Pisani A, Martella G, Tscherter A, Costa C, Mercuri NB, Bernardi G, Shen J, Calabresi P. Neurobiol Dis. 2006 Jul;23(1):54-60. Epub 2006 Apr 19. PMID: 16624565 [PubMed - indexed for MEDLINE]

[Related citations](#)

815. [Organochlorine pesticide exposure in essential tremor: a case-control study using biological and occupational exposure assessments.](#)

Louis ED, Factor-Litvak P, Parides M, Andrews L, Santella RM, Wolff MS. Neurotoxicology. 2006 Jul;27(4):579-86. Epub 2006 Mar 22. PMID: 16620996 [PubMed - indexed for MEDLINE]

[Related citations](#)

816. [Proteasomal inhibition hypersensitizes](#)

[differentiated neuroblastoma cells to oxidative damage.](#)

Lev N, Melamed E, Offen D.

Neurosci Lett. 2006 May 15;399(1-2):27-32. Epub 2006 Apr 11.

PMID: 16584840 [PubMed - indexed for MEDLINE]

[Related citations](#)

817. [Rotenone induces cell death in primary dopaminergic culture by increasing ROS production and inhibiting mitochondrial respiration.](#)

Radad K, Rausch WD, Gille G.

Neurochem Int. 2006 Sep;49(4):379-86. Epub 2006 Mar 31.

PMID: 16580092 [PubMed - indexed for MEDLINE]

[Related citations](#)

818. [The potentiating effects of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine \(MPTP\) on paraquat-induced neurochemical and behavioral changes in mice.](#)

Shepherd KR, Lee ES, Schmued L, Jiao Y, Ali SF, Oriaku ET, Lamango NS, Soliman KF, Charlton CG.

Pharmacol Biochem Behav. 2006 Mar;83(3):349-59. Epub 2006 Mar 6.

PMID: 16580056 [PubMed - indexed for MEDLINE]

[Related citations](#)

819. [Chromatographic analysis of dopamine metabolism in a Parkinsonian model.](#)

Baranyi M, Milusheva E, Vizi ES, Sperl agh B.

J Chromatogr A. 2006 Jul 7;1120(1-2):13-20. Epub 2006 Mar 31.

PMID: 16580006 [PubMed - indexed for MEDLINE]

[Related citations](#)

820. [Identification of rotenone-induced](#)

[modifications in alpha-synuclein using affinity pull-down and tandem mass spectrometry.](#)

Mirzaei H, Schieler JL, Rochet JC, Regnier F.

Anal Chem. 2006 Apr 1;78(7):2422-31.

PMID: 16579629 [PubMed - indexed for MEDLINE]

[Related citations](#)

821. [Susceptibility to rotenone is increased in neurons from parkin null mice and is reduced by minocycline.](#)

Casarejos MJ, Menéndez J, Solano RM, Rodríguez-Navarro JA, García de Yébenes J, Mena MA.

J Neurochem. 2006 May;97(4):934-46.

Epub 2006 Mar 29.

PMID: 16573651 [PubMed - indexed for MEDLINE]

[Related citations](#)

822. [Proteomic identification of a stress protein, mortalin/mthsp70/GRP75: relevance to Parkinson disease.](#)

Jin J, Hulette C, Wang Y, Zhang T, Pan C, Wadhwa R, Zhang J.

Mol Cell Proteomics. 2006 Jul;5(7):1193-204. Epub 2006 Mar 24.

PMID: 16565515 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

823. [Adiponectin protects human neuroblastoma SH-SY5Y cells against MPP+-induced cytotoxicity.](#)

Jung TW, Lee JY, Shim WS, Kang ES, Kim JS, Ahn CW, Lee HC, Cha BS.

Biochem Biophys Res Commun. 2006 May 5;343(2):564-70. Epub 2006 Mar 10.

PMID: 16554029 [PubMed - indexed for MEDLINE]

[Related citations](#)

824. [Curcumin protects PC12 cells against 1-](#)



[methyl-4-phenylpyridinium ion-induced apoptosis by bcl-2-mitochondria-ROS-iNOS pathway.](#)

Chen J, Tang XQ, Zhi JL, Cui Y, Yu HM, Tang EH, Sun SN, Feng JQ, Chen PX.

Apoptosis. 2006 Jun;11(6):943-53.

PMID: 16547587 [PubMed - indexed for MEDLINE]

[Related citations](#)

825. [Rat model of Parkinson's disease: chronic central delivery of 1-methyl-4-phenylpyridinium \(MPP+\).](#)

Yazdani U, German DC, Liang CL, Manzano L, Sonsalla PK, Zeevalk GD.

Exp Neurol. 2006 Jul;200(1):172-83.

Epub 2006 Mar 20.

PMID: 16546169 [PubMed - indexed for MEDLINE]

[Related citations](#)

826. [In vivo complementation of complex I by the yeast Ndi1 enzyme. Possible application for treatment of Parkinson disease.](#)

Seo BB, Nakamaru-Ogiso E, Flotte TR, Matsuno-Yagi A, Yagi T.

J Biol Chem. 2006 May

19;281(20):14250-5. Epub 2006 Mar 16.

PMID: 16543240 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

827. [Parkin protects against mitochondrial toxins and beta-amyloid accumulation in skeletal muscle cells.](#)

Rosen KM, Veereshwarayya V, Moussa CE, Fu Q, Goldberg MS, Schlossmacher MG, Shen J, Querfurth HW.

J Biol Chem. 2006 May 5;281(18):12809-16. Epub 2006 Mar 3.

PMID: 16517603 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

828. [Status of antioxidant defense system and expression of toxicant responsive genes in striatum of maneb- and paraquat-induced Parkinson's disease phenotype in mouse: mechanism of neurodegeneration.](#)

Patel S, Singh V, Kumar A, Gupta YK, Singh MP.

Brain Res. 2006 Apr 7;1081(1):9-18.

Epub 2006 Feb 28.

PMID: 16510128 [PubMed - indexed for MEDLINE]

[Related citations](#)

829. [Inhibition of the cdk5/p25 fragment formation may explain the antiapoptotic effects of melatonin in an experimental model of Parkinson's disease.](#)

Alvira D, Tajés M, Verdaguer E, Acuña-Castroviejo D, Folch J, Camins A, Pallas M.

J Pineal Res. 2006 Apr;40(3):251-8.

PMID: 16499562 [PubMed - indexed for MEDLINE]

[Related citations](#)

830. [L-deprenyl protects against rotenone-induced, oxidative stress-mediated dopaminergic neurodegeneration in rats.](#)

Saravanan KS, Sindhu KM, Senthilkumar KS, Mohanakumar KP.

Neurochem Int. 2006 Jul;49(1):28-40.

Epub 2006 Feb 21.

PMID: 16490285 [PubMed - indexed for MEDLINE]

[Related citations](#)

831. [Enhanced sensitivity of dopaminergic neurons to rotenone-induced toxicity with aging.](#)

Phinney AL, Andringa G, Bol JG, Wolters ECh, van Muiswinkel FL, van Dam AM, Drukarch B.

Parkinsonism Relat Disord. 2006

May;12(4):228-38. Epub 2006 Feb 20.

PMID: 16488175 [PubMed - indexed for MEDLINE]

[Related citations](#)

832. [6-Hydroxydopamine but not 1-methyl-4-phenylpyridinium abolishes alpha-synuclein anti-apoptotic phenotype by inhibiting its proteasomal degradation and by promoting its aggregation.](#)

Alves da Costa C, Dunys J, Brau F, Wilk S, Cappai R, Checler F.

J Biol Chem. 2006 Apr 7;281(14):9824-31. Epub 2006 Feb 7.

PMID: 16464850 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

833. [Nitric oxide and MPP+-induced hydroxyl radical generation.](#)

Obata T.

J Neural Transm. 2006 Sep;113(9):1131-44. Epub 2006 Feb 6. Review.

PMID: 16463115 [PubMed - indexed for MEDLINE]

[Related citations](#)

834. [Pesticides and Parkinson's disease--is there a link?](#)

Brown TP, Rumsby PC, Capleton AC, Rushton L, Levy LS.

Environ Health Perspect. 2006 Feb;114(2):156-64. Review.

PMID: 16451848 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

835. [Spatial test for agricultural pesticide "blow-in" effect on prevalence of Parkinson's disease.](#)

Yesavage JA, Sheikh J, Noda A, Murphy G, O'Hara R, Hierholzer R, Battista M, Ashford JW, Schneider B, Hoblyn J, Kraemer HC, Tinklenberg J.

J Geriatr Psychiatry Neurol. 2006 Mar;19(1):32-5.

PMID: 16449758 [PubMed - indexed for MEDLINE]

[Related citations](#)

836. [Occupational exposures and movement abnormalities among Japanese-American men: the Honolulu-Asia Aging Study.](#)

Charles LE, Burchfiel CM, Fekedulegn D, Kashon ML, Ross GW, Petrovitch H, Sanderson WT.

Neuroepidemiology. 2006;26(3):130-9. Epub 2006 Jan 26.

PMID: 16439859 [PubMed - indexed for MEDLINE]

[Related citations](#)

837. [Intersecting pathways to neurodegeneration in Parkinson's disease: effects of the pesticide rotenone on DJ-1, alpha-synuclein, and the ubiquitin-proteasome system.](#)

Betarbet R, Canet-Aviles RM, Sherer TB, Mastroberardino PG, McLendon C, Kim JH, Lund S, Na HM, Taylor G, Bence NF, Kopito R, Seo BB, Yagi T, Yagi A, Klinefelter G, Cookson MR, Greenamyre JT.

Neurobiol Dis. 2006 May;22(2):404-20. Epub 2006 Jan 24.

PMID: 16439141 [PubMed - indexed for MEDLINE]

[Related citations](#)

838. [Early induction of calpains in rotenone-mediated neuronal apoptosis.](#)

Chen MJ, Yap YW, Choy MS, Koh CH, Seet SJ, Duan W, Whiteman M, Cheung NS.

Neurosci Lett. 2006 Apr 10-17;397(1-2):69-73. Epub 2006 Jan 10.

PMID: 16412576 [PubMed - indexed for MEDLINE]

[Related citations](#)

839. [Toxin-induced models of Parkinson's](#)

[disease.](#)

Bové J, Prou D, Perier C, Przedborski S.  
NeuroRx. 2005 Jul;2(3):484-94. Review.  
PMID: 16389312 [PubMed - indexed for  
MEDLINE] **Free PMC Article**

[Related citations](#)

840. [Creatine supplementation improves dopaminergic cell survival and protects against MPP+ toxicity in an organotypic tissue culture system.](#)

Andres RH, Ducray AD, Pérez-Bouza A, Schlattner U, Huber AW, Krebs SH, Seiler RW, Wallimann T, Widmer HR.

Cell Transplant. 2005;14(8):537-50.

PMID: 16355565 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

841. [\[The role of environmental factors in Parkinson's disease may depend on disease onset age\].](#)

Kłodowska-Duda G, Jasińska-Myga B, Safranow K, Boczarska-Jedynak M, Opala G.

Neurol Neurochir Pol. 2005 Nov-Dec;39(6):445-50. Polish.

PMID: 16355301 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

842. [1-methyl-4-phenylpyridinium neurotoxicity is attenuated by adenoviral gene transfer of human Cu/Zn superoxide dismutase.](#)

Barkats M, Horellou P, Colin P, Millecamps S, Faucon-Bigué N, Mallet J.

J Neurosci Res. 2006 Feb 1;83(2):233-42.

PMID: 16353238 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

843. [Tetrahydrobiopterin causes mitochondrial dysfunction in dopaminergic cells: implications for Parkinson's disease.](#)

Choi HJ, Lee SY, Cho Y, No H, Kim SW, Hwang O.

Neurochem Int. 2006 Mar;48(4):255-62.  
Epub 2005 Dec 15.

PMID: 16343695 [PubMed - indexed for MEDLINE]

[Related citations](#)

844. [Acetylsalicylic acid and acetaminophen protect against MPP+-induced mitochondrial damage and superoxide anion generation.](#)

Maharaj H, Maharaj DS, Daya S.

Life Sci. 2006 Apr 18;78(21):2438-43.  
Epub 2005 Nov 28.

PMID: 16318861 [PubMed - indexed for MEDLINE]

[Related citations](#)

845. [Valproic acid-mediated Hsp70 induction and anti-apoptotic neuroprotection in SH-SY5Y cells.](#)

Pan T, Li X, Xie W, Jankovic J, Le W.

FEBS Lett. 2005 Dec 19;579(30):6716-20. Epub 2005 Nov 21.

PMID: 16313906 [PubMed - indexed for MEDLINE]

[Related citations](#)

846. [Epidemiological evidence on multiple system atrophy.](#)

Vanacore N.

J Neural Transm. 2005  
Dec;112(12):1605-12. Review.

PMID: 16284906 [PubMed - indexed for MEDLINE]

[Related citations](#)

847. [Stress-induced alterations in parkin solubility promote parkin aggregation and compromise parkin's protective function.](#)

Wang C, Ko HS, Thomas B, Tsang F, Chew KC, Tay SP, Ho MW, Lim TM, Soong TW, Pletnikova O, Troncoso J, Dawson VL, Dawson TM, Lim KL.

Hum Mol Genet. 2005 Dec  
15;14(24):3885-97. Epub 2005 Nov 8.  
PMID: 16278233 [PubMed - indexed for  
MEDLINE] **Free Article**

[Related citations](#)

848. [The bipyridyl herbicide paraquat produces oxidative stress-mediated toxicity in human neuroblastoma SH-SY5Y cells: relevance to the dopaminergic pathogenesis.](#)

Yang W, Tiffany-Castiglioni E.

J Toxicol Environ Health A. 2005 Nov  
26;68(22):1939-61.

PMID: 16263688 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

849. [The regulation of rotenone-induced inflammatory factor production by ATP-sensitive potassium channel expressed in BV-2 cells.](#)

Liu X, Wu JY, Zhou F, Sun XL, Yao HH,  
Yang Y, Ding JH, Hu G.

Neurosci Lett. 2006 Feb 13;394(2):131-5.  
Epub 2005 Oct 28.

PMID: 16257489 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

850. [Parkinson's disease in diphenyl-exposed workers--a causal association?](#)

Wastensson G, Hagberg S, Andersson E,  
Johnels B, Barregård L.

Parkinsonism Relat Disord. 2006  
Jan;12(1):29-34. Epub 2005 Oct 26.

PMID: 16256410 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

851. [Synergistic effect of alpha-dihydroergocryptine and L-dopa or dopamine on dopaminergic neurons in primary culture.](#)

Gille G, Radad K, Reichmann H, Rausch

WD.

J Neural Transm. 2006 Sep;113(9):1107-18. Epub 2005 Oct 27.

PMID: 16252065 [PubMed - indexed for MEDLINE]

[Related citations](#)

852. [Partial mitochondrial inhibition causes striatal dopamine release suppression and medium spiny neuron depolarization via H<sub>2</sub>O<sub>2</sub> elevation, not ATP depletion.](#)

Bao L, Avshalumov MV, Rice ME.

J Neurosci. 2005 Oct 26;25(43):10029-40.

PMID: 16251452 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

853. [Rotenone model of Parkinson disease: multiple brain mitochondria dysfunctions after short term systemic rotenone intoxication.](#)

Panov A, Dikalov S, Shalbuyeva N, Taylor G, Sherer T, Greenamyre JT.

J Biol Chem. 2005 Dec 23;280(51):42026-35. Epub 2005 Oct 21.

PMID: 16243845 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

854. [Systemic exposure to paraquat and maneb models early Parkinson's disease in young adult rats.](#)

Cicchetti F, Lapointe N, Roberge-Tremblay A, Saint-Pierre M, Jimenez L, Ficke BW, Gross RE.

Neurobiol Dis. 2005 Nov;20(2):360-71.

PMID: 16242641 [PubMed - indexed for MEDLINE]

[Related citations](#)

855. [Similar patterns of mitochondrial vulnerability and rescue induced by genetic modification of alpha-synuclein, parkin, and DJ-1 in Caenorhabditis](#)



[elegans.](#)

Ved R, Saha S, Westlund B, Perier C, Burnam L, Sluder A, Hoener M, Rodrigues CM, Alfonso A, Steer C, Liu L, Przedborski S, Wolozin B.

J Biol Chem. 2005 Dec 30;280(52):42655-68. Epub 2005 Oct 19. PMID: 16239214 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

856. [Heat shock proteins reduce toxicity of 1-methyl-4-phenylpyridinium ion in SK-N-SH cells.](#)

Fan GH, Qi C, Chen SD.

J Neurosci Res. 2005 Nov 15;82(4):551-62.

PMID: 16235253 [PubMed - indexed for MEDLINE]

[Related citations](#)

857. [Protocatechuic acid from \*Alpinia oxyphylla\* against MPP<sup>+</sup>-induced neurotoxicity in PC12 cells.](#)

An LJ, Guan S, Shi GF, Bao YM, Duan YL, Jiang B.

Food Chem Toxicol. 2006 Mar;44(3):436-43. Epub 2005 Oct 11.

PMID: 16223555 [PubMed - indexed for MEDLINE]

[Related citations](#)

858. [The mitochondrial complex I inhibitor rotenone triggers a cerebral tauopathy.](#)

Höglinger GU, Lannuzel A, Khondiker ME, Michel PP, Duyckaerts C, Féger J, Champy P, Prigent A, Medja F, Lombes A, Oertel WH, Ruberg M, Hirsch EC.

J Neurochem. 2005 Nov;95(4):930-9. Epub 2005 Aug 10.

PMID: 16219024 [PubMed - indexed for MEDLINE]

[Related citations](#)

859. [Evaluation of epidemiologic and animal](#)

[data associating pesticides with Parkinson's disease.](#)

Li AA, Mink PJ, McIntosh LJ, Teta MJ, Finley B.

J Occup Environ Med. 2005 Oct;47(10):1059-87. Review.

PMID: 16217247 [PubMed - indexed for MEDLINE]

[Related citations](#)

860. [Heat shock proteins protect both MPP\(+\) and paraquat neurotoxicity.](#)

Donaire V, Niso M, Morán JM, García L, González-Polo RA, Soler G, Fuentes JM.

Brain Res Bull. 2005 Nov 30;67(6):509-14. Epub 2005 Sep 2.

PMID: 16216701 [PubMed - indexed for MEDLINE]

[Related citations](#)

861. [Neuroprotective effects of Polygonum multiflorum on nigrostriatal dopaminergic degeneration induced by paraquat and maneb in mice.](#)

Li X, Matsumoto K, Murakami Y, Tezuka Y, Wu Y, Kadota S.

Pharmacol Biochem Behav. 2005 Oct;82(2):345-52. Epub 2005 Oct 7.

PMID: 16214209 [PubMed - indexed for MEDLINE]

[Related citations](#)

862. [Sepiapterin attenuates 1-methyl-4-phenylpyridinium-induced apoptosis in neuroblastoma cells transfected with neuronal NOS: role of tetrahydrobiopterin, nitric oxide, and proteasome activation.](#)

Shang T, Kotamraju S, Zhao H, Kalivendi SV, Hillard CJ, Kalyanaraman B.

Free Radic Biol Med. 2005 Oct 15;39(8):1059-74.

PMID: 16198233 [PubMed - indexed for MEDLINE]

[Related citations](#)

863. [A slowly developing dysfunction of dopaminergic nigrostriatal neurons induced by long-term paraquat administration in rats: an animal model of preclinical stages of Parkinson's disease?](#)

Ossowska K, Wardas J, Smiałowska M, Kuter K, Lenda T, Wierońska JM, Zieba B, Nowak P, Dabrowska J, Bortel A, Kwieciński A, Wolfarth S.

Eur J Neurosci. 2005 Sep;22(6):1294-304.

PMID: 16190885 [PubMed - indexed for MEDLINE]

[Related citations](#)

864. [Mechanism of 1-methyl-4-phenylpyridinium-induced dopamine release from PC12 cells.](#)

Chagkutip J, Govitrapong P, Klongpanichpak S, Ebadi M.

Neurochem Res. 2005 May;30(5):633-9.

PMID: 16176067 [PubMed - indexed for MEDLINE]

[Related citations](#)

865. [Paraquat induces selective dopaminergic nigrostriatal degeneration in aging C57BL/6 mice.](#)

Li X, Yin J, Cheng CM, Sun JL, Li Z, Wu YL.

Chin Med J (Engl). 2005 Aug 20;118(16):1357-61.

PMID: 16157030 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

866. [Apoptosis inducing factor mediates caspase-independent 1-methyl-4-phenylpyridinium toxicity in dopaminergic cells.](#)

Chu CT, Zhu JH, Cao G, Signore A, Wang S, Chen J.

J Neurochem. 2005 Sep;94(6):1685-95.

PMID: 16156740 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

867. [Effect of metals on herbicides-alpha-synuclein association: a possible factor in neurodegenerative disease studied by capillary electrophoresis.](#)

André C, Truong TT, Robert JF, Guillaume YC.

Electrophoresis. 2005 Sep;26(17):3256-64.

PMID: 16143978 [PubMed - indexed for MEDLINE]

[Related citations](#)

868. [Paraquat neurotoxicity is distinct from that of MPTP and rotenone.](#)

Richardson JR, Quan Y, Sherer TB, Greenamyre JT, Miller GW.

Toxicol Sci. 2005 Nov;88(1):193-201. Epub 2005 Sep 1.

PMID: 16141438 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

869. [Developmental pesticide models of the Parkinson disease phenotype.](#)

Cory-Slechta DA, Thiruchelvam M, Barlow BK, Richfield EK.

Environ Health Perspect. 2005 Sep;113(9):1263-70.

PMID: 16140639 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

870. [The role of early life environmental risk factors in Parkinson disease: what is the evidence?](#)

Logroscino G.

Environ Health Perspect. 2005 Sep;113(9):1234-8. Review.

PMID: 16140634 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

871. [Roles of Drosophila DJ-1 in survival of dopaminergic neurons and oxidative stress.](#)  
Menzies FM, Yenissetti SC, Min KT.  
Curr Biol. 2005 Sep 6;15(17):1578-82.  
PMID: 16139214 [PubMed - indexed for MEDLINE]

[Related citations](#)

872. [Drosophila DJ-1 mutants are selectively sensitive to environmental toxins associated with Parkinson's disease.](#)  
Meulener M, Whitworth AJ, Armstrong-Gold CE, Rizzu P, Heutink P, Wes PD, Pallanck LJ, Bonini NM.  
Curr Biol. 2005 Sep 6;15(17):1572-7.  
PMID: 16139213 [PubMed - indexed for MEDLINE]

[Related citations](#)

873. [Proliferation of microglial cells induced by 1-methyl-4-phenylpyridinium in mesencephalic cultures results from an astrocyte-dependent mechanism: role of granulocyte macrophage colony-stimulating factor.](#)  
Henze C, Hartmann A, Lescot T, Hirsch EC, Michel PP.  
J Neurochem. 2005 Nov;95(4):1069-77.  
Epub 2005 Aug 31.  
PMID: 16135085 [PubMed - indexed for MEDLINE]

[Related citations](#)

874. [Effect of overexpression of wild-type or mutant parkin on the cellular response induced by toxic insults.](#)  
Hyun DH, Lee M, Halliwell B, Jenner P.  
J Neurosci Res. 2005 Oct 15;82(2):232-44.  
PMID: 16130151 [PubMed - indexed for MEDLINE]

[Related citations](#)

875. [Promethazine protects against 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine neurotoxicity.](#)  
Clerehugh C, Starkov AA, Calingasan NY, Lorenzo BJ, Chen J, Beal MF.  
Neurobiol Dis. 2005 Dec;20(3):701-8.  
Epub 2005 Aug 26.  
PMID: 16126396 [PubMed - indexed for MEDLINE]  
[Related citations](#)
876. [A delivery strategy for rotenone microspheres in an animal model of Parkinson's disease.](#)  
Huang J, Liu H, Gu W, Yan Z, Xu Z, Yang Y, Zhu X, Li Y.  
Biomaterials. 2006 Feb;27(6):937-46.  
Epub 2005 Aug 22.  
PMID: 16118017 [PubMed - indexed for MEDLINE]  
[Related citations](#)
877. [Rotenone and CCCP inhibit tyrosine hydroxylation in rat striatal tissue slices.](#)  
Hirata Y, Nagatsu T.  
Toxicology. 2005 Dec;216(1):9-14. Epub 2005 Aug 22.  
PMID: 16115719 [PubMed - indexed for MEDLINE]  
[Related citations](#)
878. [Protective effect of melatonin on rotenone plus Ca<sup>2+</sup>-induced mitochondrial oxidative stress and PC12 cell death.](#)  
Sousa SC, Castilho RF.  
Antioxid Redox Signal. 2005 Sep-Oct;7(9-10):1110-6.  
PMID: 16115015 [PubMed - indexed for MEDLINE]  
[Related citations](#)
879. [Selective alterations of transcription factors in MPP<sup>+</sup>-induced neurotoxicity in PC12 cells.](#)

Xu Z, Cawthon D, McCastlain KA,  
Duhart HM, Newport GD, Fang H,  
Patterson TA, Slikker W Jr, Ali SF.  
Neurotoxicology. 2005 Aug;26(4):729-  
37.  
PMID: 16112330 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

880. [Perinatal heptachlor exposure increases expression of presynaptic dopaminergic markers in mouse striatum.](#)  
Caudle WM, Richardson JR, Wang M,  
Miller GW.  
Neurotoxicology. 2005 Aug;26(4):721-8.  
PMID: 16112329 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

881. [Dieldrin-induced neurotoxicity: relevance to Parkinson's disease pathogenesis.](#)  
Kanthasamy AG, Kitazawa M,  
Kanthasamy A, Anantharam V.  
Neurotoxicology. 2005 Aug;26(4):701-  
19. Review.  
PMID: 16112328 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

882. [The parkinsonism producing neurotoxin MPP+ affects microtubule dynamics by acting as a destabilising factor.](#)  
Cappelletti G, Surrey T, Maci R.  
FEBS Lett. 2005 Aug 29;579(21):4781-6.  
PMID: 16098973 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

883. [Increased nuclear factor-erythroid 2 p45-related factor 2 activity protects SH-SY5Y cells against oxidative damage.](#)  
Cao TT, Ma L, Kandpal G, Warren L,  
Hess JF, Seabrook GR.  
J Neurochem. 2005 Oct;95(2):406-17.  
Epub 2005 Aug 10.

PMID: 16092930 [PubMed - indexed for MEDLINE]

[Related citations](#)

884. [Selective vulnerability of dopaminergic neurons to microtubule depolymerization.](#)

Ren Y, Liu W, Jiang H, Jiang Q, Feng J.  
J Biol Chem. 2005 Oct 7;280(40):34105-12. Epub 2005 Aug 9.

PMID: 16091364 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

885. [Synaptophysin enhances the neuroprotection of VMAT2 in MPP+-induced toxicity in MN9D cells.](#)

Chen CX, Huang SY, Zhang L, Liu YJ.  
Neurobiol Dis. 2005 Aug;19(3):419-26.

PMID: 16023584 [PubMed - indexed for MEDLINE]

[Related citations](#)

886. [Pig xenografts to the immunocompetent rat brain: Survival rates using distinct neurotoxic lesions in the nigrostriatal pathway and two rat strains.](#)

Robichon R, Jaafar A, Terqui M, Brachet P, Peschanski M.

Exp Neurol. 2005 Aug;194(2):333-40.

PMID: 16022861 [PubMed - indexed for MEDLINE]

[Related citations](#)

887. [Pesticides exposure and genetic polymorphism of paraoxonase in the susceptibility of Parkinson's disease.](#)

Fong CS, Cheng CW, Wu RM.

Acta Neurol Taiwan. 2005 Jun;14(2):55-60.

PMID: 16008163 [PubMed - indexed for MEDLINE]

[Related citations](#)

888. [Pesticides and Parkinson's disease.](#)

Wu YR.



Acta Neurol Taiwan. 2005 Jun;14(2):38-9. No abstract available.

PMID: 16008160 [PubMed - indexed for MEDLINE]

[Related citations](#)

889. [Increased sensitivity to MPTP in human alpha-synuclein A30P transgenic mice.](#)

Nieto M, Gil-Bea FJ, Dalfó E, Cuadrado M, Cabodevilla F, Sánchez B, Catena S, Sesma T, Ribé E, Ferrer I, Ramírez MJ, Gómez-Isla T.

Neurobiol Aging. 2006 Jun;27(6):848-56. Epub 2005 Jul 11.

PMID: 16006012 [PubMed - indexed for MEDLINE]

[Related citations](#)

890. [Pyrethroid pesticide-induced alterations in dopamine transporter function.](#)

Elwan MA, Richardson JR, Guillot TS, Caudle WM, Miller GW.

Toxicol Appl Pharmacol. 2006 Mar 15;211(3):188-97. Epub 2005 Jul 11.

PMID: 16005927 [PubMed - indexed for MEDLINE]

[Related citations](#)

891. [PACAP protects neuronal differentiated PC12 cells against the neurotoxicity induced by a mitochondrial complex I inhibitor, rotenone.](#)

Wang G, Qi C, Fan GH, Zhou HY, Chen SD.

FEBS Lett. 2005 Jul 18;579(18):4005-11.

PMID: 16004991 [PubMed - indexed for MEDLINE]

[Related citations](#)

892. [ATP-sensitive potassium channel opener iptakalim protected against the cytotoxicity of MPP+ on SH-SY5Y cells by decreasing extracellular glutamate level.](#)

Hu LF, Wang S, Shi XR, Yao HH, Sun

YH, Ding JH, Liu SY, Hu G.  
J Neurochem. 2005 Sep;94(6):1570-9.  
Epub 2005 Jul 5.  
PMID: 16000145 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

893. [Dopaminergic neurotoxins require excitotoxic stimulation in organotypic cultures.](#)

Kress GJ, Reynolds JJ.  
Neurobiol Dis. 2005 Dec;20(3):639-45.  
Epub 2005 Jun 29.  
PMID: 15996475 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

894. [Test-retest repeatability of self-reported environmental exposures in Parkinson's disease cases and healthy controls.](#)

Gartner CE, Battistutta D, Dunne MP,  
Silburn PA, Mellick GD.  
Parkinsonism Relat Disord. 2005  
Aug;11(5):287-95.  
PMID: 15994111 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

895. [Behavioral differences in a rotenone-induced hemiparkinsonian rat model developed following intranigral or median forebrain bundle infusion.](#)

Sindhu KM, Saravanan KS,  
Mohanakumar KP.  
Brain Res. 2005 Jul 27;1051(1-2):25-34.  
PMID: 15992782 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

896. [The emerging utility of animal models of chronic neurodegenerative diseases.](#)

Kahle PJ, Haass C.  
Expert Opin Ther Targets. 2001  
Feb;5(1):125-32.

PMID: 15992171 [PubMed]

[Related citations](#)

897. [Dieldrin induces ubiquitin-proteasome dysfunction in alpha-synuclein overexpressing dopaminergic neuronal cells and enhances susceptibility to apoptotic cell death.](#)

Sun F, Anantharam V,  
Latchoumycandane C, Kanthasamy A,  
Kanthasamy AG.

J Pharmacol Exp Ther. 2005  
Oct;315(1):69-79. Epub 2005 Jun 29.

PMID: 15987830 [PubMed - indexed for  
MEDLINE] **Free Article**

[Related citations](#)

898. [Investigating the receptor-independent neuroprotective mechanisms of nicotine in mitochondria.](#)

Xie YX, Bezard E, Zhao BL.

J Biol Chem. 2005 Sep  
16;280(37):32405-12. Epub 2005 Jun 27.

PMID: 15985439 [PubMed - indexed for  
MEDLINE] **Free Article**

[Related citations](#)

899. [Wild-type alpha-synuclein interacts with pro-apoptotic proteins PKCdelta and BAD to protect dopaminergic neuronal cells against MPP+-induced apoptotic cell death.](#)

Kaul S, Anantharam V, Kanthasamy A,  
Kanthasamy AG.

Brain Res Mol Brain Res. 2005 Sep  
13;139(1):137-52.

PMID: 15978696 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

900. [Microglial activation induced by neurodegeneration: a proteomic analysis.](#)

Zhou Y, Wang Y, Kovacs M, Jin J, Zhang  
J.

Mol Cell Proteomics. 2005

Oct;4(10):1471-9. Epub 2005 Jun 22.  
PMID: 15975914 [PubMed - indexed for  
MEDLINE] **Free Article**

[Related citations](#)

901. [Characterization of the monomethylarsonate reductase and dehydroascorbate reductase activities of Omega class glutathione transferase variants: implications for arsenic metabolism and the age-at-onset of Alzheimer's and Parkinson's diseases.](#)  
Schmuck EM, Board PG, Whitbread AK, Tetlow N, Cavanaugh JA, Blackburn AC, Masoumi A.  
Pharmacogenet Genomics. 2005 Jul;15(7):493-501.  
PMID: 15970797 [PubMed - indexed for MEDLINE]  
[Related citations](#)
902. [Forcing nonamyloidogenic beta-synuclein to fibrillate.](#)  
Yamin G, Munishkina LA, Karymov MA, Lyubchenko YL, Uversky VN, Fink AL.  
Biochemistry. 2005 Jun 28;44(25):9096-107.  
PMID: 15966733 [PubMed - indexed for MEDLINE]  
[Related citations](#)
903. [The role of phospholipid methylation in 1-methyl-4-phenyl-pyridinium ion \(MPP+\)-induced neurotoxicity in PC12 cells.](#)  
Lee ES, Chen H, Charlton CG, Soliman KF.  
Neurotoxicology. 2005 Dec;26(6):945-57.  
Epub 2005 Jun 9.  
PMID: 15950286 [PubMed - indexed for MEDLINE]  
[Related citations](#)
904. [Superoxide dismutase/catalase mimetics are neuroprotective against selective](#)

[paraquat-mediated dopaminergic neuron death in the substantia nigra: implications for Parkinson disease.](#)

Peng J, Stevenson FF, Doctrow SR, Andersen JK.

J Biol Chem. 2005 Aug 12;280(32):29194-8. Epub 2005 Jun 9.

PMID: 15946937 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

905. [BimEL up-regulation potentiates AIF translocation and cell death in response to MPTP.](#)

Liou AK, Zhou Z, Pei W, Lim TM, Yin XM, Chen J.

FASEB J. 2005 Aug;19(10):1350-2. Epub 2005 Jun 7.

PMID: 15941767 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

906. [Potential occupational risks for neurodegenerative diseases.](#)

Park RM, Schulte PA, Bowman JD, Walker JT, Bondy SC, Yost MG, Touchstone JA, Dosemeci M.

Am J Ind Med. 2005 Jul;48(1):63-77.

PMID: 15940722 [PubMed - indexed for MEDLINE]

[Related citations](#)

907. [Acute intranigral infusion of rotenone in rats causes progressive biochemical lesions in the striatum similar to Parkinson's disease.](#)

Saravanan KS, Sindhu KM, Mohanakumar KP.

Brain Res. 2005 Jul 12;1049(2):147-55.

PMID: 15936733 [PubMed - indexed for MEDLINE]

[Related citations](#)

908. [Mitochondrial membrane depolarization and the selective death of dopaminergic](#)

[neurons by rotenone: protective effect of coenzyme Q10.](#)

Moon Y, Lee KH, Park JH, Geum D, Kim K.

J Neurochem. 2005 Jun;93(5):1199-208.

PMID: 15934940 [PubMed - indexed for MEDLINE]

[Related citations](#)

909. [Dopaminergic neurotoxicity by 6-OHDA and MPP+: differential requirement for neuronal cyclooxygenase activity.](#)

Carrasco E, Casper D, Werner P.

J Neurosci Res. 2005 Jul 1;81(1):121-31.

PMID: 15931668 [PubMed - indexed for MEDLINE]

[Related citations](#)

910. [Activation of mitochondrial ATP-sensitive potassium channels improves rotenone-related motor and neurochemical alterations in rats.](#)

Yang Y, Liu X, Long Y, Wang F, Ding JH, Liu SY, Sun YH, Yao HH, Wang H, Wu J, Hu G.

Int J Neuropsychopharmacol. 2006

Feb;9(1):51-61. Epub 2005 Jun 1.

PMID: 15927086 [PubMed - indexed for MEDLINE]

[Related citations](#)

911. [Increased sensitivity of striatal dopamine release to H2O2 upon chronic rotenone treatment.](#)

Milusheva E, Baranyi M, Kittel A, Sperlágh B, Vizi ES.

Free Radic Biol Med. 2005 Jul

1;39(1):133-42. Epub 2005 Mar 25.

PMID: 15925285 [PubMed - indexed for MEDLINE]

[Related citations](#)

912. [Rotenone induces aggregation of gamma-tubulin protein and subsequent disorganization of the centrosome:](#)

[relevance to formation of inclusion bodies and neurodegeneration.](#)

Diaz-Corrales FJ, Asanuma M, Miyazaki I, Miyoshi K, Ogawa N.

Neuroscience. 2005;133(1):117-35.

PMID: 15893636 [PubMed - indexed for MEDLINE]

[Related citations](#)

913. [Effects of creatine treatment on the survival of dopaminergic neurons in cultured fetal ventral mesencephalic tissue.](#)

Andres RH, Huber AW, Schlattner U, Pérez-Bouza A, Krebs SH, Seiler RW, Wallimann T, Widmer HR.

Neuroscience. 2005;133(3):701-13.

PMID: 15890457 [PubMed - indexed for MEDLINE]

[Related citations](#)

914. [Energy status, ubiquitin proteasomal function, and oxidative stress during chronic and acute complex I inhibition with rotenone in mesencephalic cultures.](#)

Zeevalk GD, Bernard LP.

Antioxid Redox Signal. 2005 May-Jun;7(5-6):662-72.

PMID: 15890011 [PubMed - indexed for MEDLINE]

[Related citations](#)

915. [The role of microglia in paraquat-induced dopaminergic neurotoxicity.](#)

Wu XF, Block ML, Zhang W, Qin L, Wilson B, Zhang WQ, Veronesi B, Hong JS.

Antioxid Redox Signal. 2005 May-Jun;7(5-6):654-61.

PMID: 15890010 [PubMed - indexed for MEDLINE]

[Related citations](#)

916. [Toxicity of redox cycling pesticides in primary mesencephalic cultures.](#)

Bonneh-Barkay D, Langston WJ, Di Monte DA.  
Antioxid Redox Signal. 2005 May-Jun;7(5-6):649-53.  
PMID: 15890009 [PubMed - indexed for MEDLINE]

[Related citations](#)

917. [The effect of endogenous dopamine in rotenone-induced toxicity in PC12 cells.](#)  
Dukes AA, Korwek KM, Hastings TG.  
Antioxid Redox Signal. 2005 May-Jun;7(5-6):630-8.  
PMID: 15890007 [PubMed - indexed for MEDLINE]

[Related citations](#)

918. [Cell type-specific gene expression of midbrain dopaminergic neurons reveals molecules involved in their vulnerability and protection.](#)  
Chung CY, Seo H, Sonntag KC, Brooks A, Lin L, Isacson O.  
Hum Mol Genet. 2005 Jul 1;14(13):1709-25. Epub 2005 May 11.  
PMID: 15888489 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

919. [Increased myocardial N-myristoyltransferase activity in rotenone model of Parkinsonism.](#)  
Pasha MK, Sharma RK, Rajput AH.  
Int J Mol Med. 2005 Jun;15(6):987-91.  
PMID: 15870904 [PubMed - indexed for MEDLINE]

[Related citations](#)

920. [Role of oxidative stress in paraquat-induced dopaminergic cell degeneration.](#)  
McCormack AL, Atienza JG, Johnston LC, Andersen JK, Vu S, Di Monte DA.  
J Neurochem. 2005 May;93(4):1030-7.  
PMID: 15857406 [PubMed - indexed for



MEDLINE]

[Related citations](#)

921. [Sleep disturbances in the rotenone animal model of Parkinson disease.](#)

García-García F, Ponce S, Brown R, Cussen V, Krueger JM.  
Brain Res. 2005 May 3;1042(2):160-8.  
PMID: 15854587 [PubMed - indexed for MEDLINE]

[Related citations](#)

922. [MPP+-induced COX-2 activation and subsequent dopaminergic neurodegeneration.](#)

Wang T, Pei Z, Zhang W, Liu B, Langenbach R, Lee C, Wilson B, Reece JM, Miller DS, Hong JS.  
FASEB J. 2005 Jul;19(9):1134-6. Epub 2005 Apr 21.  
PMID: 15845609 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

923. [Parkinson's disease risk factors: genetic, environmental, or both?](#)

Allam MF, Del Castillo AS, Navajas RF.  
Neurol Res. 2005 Mar;27(2):206-8.  
Review.  
PMID: 15829184 [PubMed - indexed for MEDLINE]

[Related citations](#)

924. [Overexpression of superoxide dismutase or glutathione peroxidase protects against the paraquat + maneb-induced Parkinson disease phenotype.](#)

Thiruchelvam M, Prokopenko O, Cory-Slechta DA, Buckley B, Mirochnitchenko O.  
J Biol Chem. 2005 Jun 10;280(23):22530-9. Epub 2005 Apr 11. Erratum in: J Biol Chem. 2008 Nov 7;283(45):31268.  
Richfield, Eric K [removed].  
PMID: 15824117 [PubMed - indexed for

MEDLINE] **Free Article**

[Related citations](#)

925. [Systematic administration of iptakalim, an ATP-sensitive potassium channel opener, prevents rotenone-induced motor and neurochemical alterations in rats.](#)

Yang Y, Liu X, Long Y, Wang F, Ding JH, Liu SY, Sun YH, Yao HH, Wang H, Wu J, Hu G.

J Neurosci Res. 2005 May 1;80(3):442-9.

PMID: 15795934 [PubMed - indexed for MEDLINE]

[Related citations](#)

926. [Rotenone induces oxidative stress and dopaminergic neuron damage in organotypic substantia nigra cultures.](#)

Testa CM, Sherer TB, Greenamyre JT.

Brain Res Mol Brain Res. 2005 Mar 24;134(1):109-18. Epub 2005 Jan 6.

PMID: 15790535 [PubMed - indexed for MEDLINE]

[Related citations](#)

927. [Consumption of milk and calcium in midlife and the future risk of Parkinson disease.](#)

Park M, Ross GW, Petrovitch H, White LR, Masaki KH, Nelson JS, Tanner CM, Curb JD, Blanchette PL, Abbott RD.

Neurology. 2005 Mar 22;64(6):1047-51.

PMID: 15781824 [PubMed - indexed for MEDLINE]

[Related citations](#)

928. [Developmental pesticide exposures and the Parkinson's disease phenotype.](#)

Cory-Slechta DA, Thiruchelvam M, Richfield EK, Barlow BK, Brooks AI.

Birth Defects Res A Clin Mol Teratol. 2005 Mar;73(3):136-9.

PMID: 15751039 [PubMed - indexed for MEDLINE]

[Related citations](#)

929. [Parkinson's disease among Inuit in Greenland: organochlorines as risk factors.](#)  
Koldkjaer OG, Wermuth L, Bjerregaard P.  
Int J Circumpolar Health. 2004;63 Suppl 2:366-8.  
PMID: 15736686 [PubMed - indexed for MEDLINE]

[Related citations](#)

930. [Possible involvement of Ca<sup>2+</sup> signaling in rotenone-induced apoptosis in human neuroblastoma SH-SY5Y cells.](#)  
Wang XJ, Xu JX.  
Neurosci Lett. 2005 Mar 11;376(2):127-32. Epub 2004 Dec 9.  
PMID: 15698934 [PubMed - indexed for MEDLINE]

[Related citations](#)

931. [Neuroprotective effect of 1-methyl-1,2,3,4-tetrahydroisoquinoline on cultured rat mesencephalic neurons in the presence or absence of various neurotoxins.](#)  
Kotake Y, Taguchi R, Okuda K, Sekiya Y, Tasaki Y, Hirobe M, Ohta S.  
Brain Res. 2005 Feb 8;1033(2):143-50.  
PMID: 15694918 [PubMed - indexed for MEDLINE]

[Related citations](#)

932. [Cytochrome c release from rat brain mitochondria is proportional to the mitochondrial functional deficit: implications for apoptosis and neurodegenerative disease.](#)  
Clayton R, Clark JB, Sharpe M.  
J Neurochem. 2005 Feb;92(4):840-9.  
PMID: 15686486 [PubMed - indexed for MEDLINE]

[Related citations](#)

933. [Salvianic acid A protects human neuroblastoma SH-SY5Y cells against MPP+-induced cytotoxicity.](#)  
Wang XJ, Xu JX.  
Neurosci Res. 2005 Feb;51(2):129-38.  
PMID: 15681030 [PubMed - indexed for MEDLINE]  
[Related citations](#)
934. [Parkinson disease studies yield insights.](#)  
Friedrich MJ.  
JAMA. 2005 Jan 26;293(4):409-10. No abstract available.  
PMID: 15671413 [PubMed - indexed for MEDLINE]  
[Related citations](#)
935. [Compensatory caspase activation in MPP+-induced cell death in dopaminergic neurons.](#)  
Chee JL, Guan XL, Lee JY, Dong B, Leong SM, Ong EH, Liou AK, Lim TM.  
Cell Mol Life Sci. 2005 Jan;62(2):227-38.  
PMID: 15666094 [PubMed - indexed for MEDLINE]  
[Related citations](#)
936. [Pathological proteins in Parkinson's disease: focus on the proteasome.](#)  
Snyder H, Wolozin B.  
J Mol Neurosci. 2004;24(3):425-42.  
Review.  
PMID: 15655264 [PubMed - indexed for MEDLINE]  
[Related citations](#)
937. [MPP+: mechanism for its toxicity in cerebellar granule cells.](#)  
González-Polo RA, Soler G, Fuentes JM.  
Mol Neurobiol. 2004 Dec;30(3):253-64.  
Review.  
PMID: 15655251 [PubMed - indexed for MEDLINE]  
[Related citations](#)

938. [RA410/Sly1 suppresses MPP+ and 6-hydroxydopamine-induced cell death in SH-SY5Y cells.](#)  
Bando Y, Katayama T, Taniguchi M, Ishibashi T, Matsuo N, Ogawa S, Tohyama M.  
Neurobiol Dis. 2005 Feb;18(1):143-51.  
PMID: 15649705 [PubMed - indexed for MEDLINE]  
[Related citations](#)
939. [Pesticides and risk of Parkinson disease: a population-based case-control study.](#)  
Firestone JA, Smith-Weller T, Franklin G, Swanson P, Longstreth WT Jr, Checkoway H.  
Arch Neurol. 2005 Jan;62(1):91-5.  
PMID: 15642854 [PubMed - indexed for MEDLINE]  
[Related citations](#)
940. [Effect of sesamin in Acanthopanax senticosus HARMS on behavioral dysfunction in rotenone-induced parkinsonian rats.](#)  
Fujikawa T, Kanada N, Shimada A, Ogata M, Suzuki I, Hayashi I, Nakashima K.  
Biol Pharm Bull. 2005 Jan;28(1):169-72.  
PMID: 15635186 [PubMed - indexed for MEDLINE] **Free Article**  
[Related citations](#)
941. [Uncoupling protein-2 is critical for nigral dopamine cell survival in a mouse model of Parkinson's disease.](#)  
Andrews ZB, Horvath B, Barnstable CJ, Elsworth J, Yang L, Beal MF, Roth RH, Matthews RT, Horvath TL.  
J Neurosci. 2005 Jan 5;25(1):184-91.  
Erratum in: J Neurosci. 2005 Feb 23;25(8):table of contents.  
PMID: 15634780 [PubMed - indexed for MEDLINE] **Free Article**  
[Related citations](#)

942. [Acetylcholinesterase/paraoxonase interactions increase the risk of insecticide-induced Parkinson's disease.](#)  
Benmoyal-Segal L, Vander T, Shifman S, Bryk B, Ebstein RP, Marcus EL, Stessman J, Darvasi A, Herishanu Y, Friedman A, Soreq H.  
FASEB J. 2005 Mar;19(3):452-4. Epub 2005 Jan 3.  
PMID: 15629887 [PubMed - indexed for MEDLINE] **Free Article**  
[Related citations](#)
943. [Mitochondrial complex I inhibition depletes plasma testosterone in the rotenone model of Parkinson's disease.](#)  
Alam M, Schmidt WJ.  
Physiol Behav. 2004 Dec 15;83(3):395-400.  
PMID: 15581661 [PubMed - indexed for MEDLINE]  
[Related citations](#)
944. [Chronic exposure to rotenone models sporadic Parkinson's disease in Drosophila melanogaster.](#)  
Coulom H, Birman S.  
J Neurosci. 2004 Dec 1;24(48):10993-8.  
PMID: 15574749 [PubMed - indexed for MEDLINE] **Free Article**  
[Related citations](#)
945. [Pramipexole protects against apoptotic cell death by non-dopaminergic mechanisms.](#)  
Gu M, Iravani MM, Cooper JM, King D, Jenner P, Schapira AH.  
J Neurochem. 2004 Dec;91(5):1075-81. Erratum in: J Neurochem. 2005 Jan;92(1):215. Irvani, M [corrected to Iravani, MM].  
PMID: 15569251 [PubMed - indexed for MEDLINE]  
[Related citations](#)

946. [Toxicity of dipyridyl compounds and related compounds.](#)  
Li S, Crooks PA, Wei X, de Leon J.  
Crit Rev Toxicol. 2004 Sep-Oct;34(5):447-60. Review.  
PMID: 15560568 [PubMed - indexed for MEDLINE]  
[Related citations](#)
947. [\[Alzheimer's disease with secondary Parkinson's syndrome. Case report of a patient with dementia and Parkinson's syndrome after long-term occupational exposure to insecticides, herbicides, and pesticides\].](#)  
Laske C, Wormstall H, Einsiedler K, Buchkremer G.  
Nervenarzt. 2004 Nov;75(11):1107-11. German.  
PMID: 15551110 [PubMed - indexed for MEDLINE]  
[Related citations](#)
948. [TRPC1-mediated inhibition of 1-methyl-4-phenylpyridinium ion neurotoxicity in human SH-SY5Y neuroblastoma cells.](#)  
Bollimuntha S, Singh BB, Shavali S, Sharma SK, Ebadi M.  
J Biol Chem. 2005 Jan 21;280(3):2132-40. Epub 2004 Nov 12.  
PMID: 15542611 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
949. [Environmental factors and Parkinson's disease: a case-control study in the Tuscany region of Italy.](#)  
Nuti A, Ceravolo R, Dell'Agnello G, Gambaccini G, Bellini G, Kiferle L, Rossi C, Logi C, Bonuccelli U.  
Parkinsonism Relat Disord. 2004 Dec;10(8):481-5.  
PMID: 15542008 [PubMed - indexed for MEDLINE]

[Related citations](#)

950. [The neuromelanin of human substantia nigra: physiological and pathogenic aspects.](#)  
Zucca FA, Giaveri G, Gallorini M, Albertini A, Toscani M, Pezzoli G, Lucius R, Wilms H, Sulzer D, Ito S, Wakamatsu K, Zecca L.  
Pigment Cell Res. 2004 Dec;17(6):610-7.  
Review.  
PMID: 15541018 [PubMed - indexed for MEDLINE]

[Related citations](#)

951. [Rotenone, deguelin, their metabolites, and the rat model of Parkinson's disease.](#)  
Caboni P, Sherer TB, Zhang N, Taylor G, Na HM, Greenamyre JT, Casida JE.  
Chem Res Toxicol. 2004  
Nov;17(11):1540-8.  
PMID: 15540952 [PubMed - indexed for MEDLINE]

[Related citations](#)

952. [Pesticides and organic agriculture.](#)  
DiMatteo K.  
Environ Health Perspect. 2004  
Nov;112(15):A865; discussion A865. No abstract available.  
PMID: 15531416 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

953. [Rotenone potentiates dopamine neuron loss in animals exposed to lipopolysaccharide prenatally.](#)  
Ling Z, Chang QA, Tong CW, Leurgans SE, Lipton JW, Carvey PM.  
Exp Neurol. 2004 Dec;190(2):373-83.  
PMID: 15530876 [PubMed - indexed for MEDLINE]

[Related citations](#)

954. [Modulation of antioxidant defense](#)



[systems by the environmental pesticide maneb in dopaminergic cells.](#)

Barlow BK, Lee DW, Cory-Slechta DA, Opanashuk LA.

Neurotoxicology. 2005 Jan;26(1):63-75.

PMID: 15527874 [PubMed - indexed for MEDLINE]

[Related citations](#)

955. [Paraquat induces oxidative stress and neuronal cell death; neuroprotection by water-soluble Coenzyme Q10.](#)

McCarthy S, Somayajulu M, Sikorska M, Borowy-Borowski H, Pandey S.

Toxicol Appl Pharmacol. 2004 Nov 15;201(1):21-31.

PMID: 15519605 [PubMed - indexed for MEDLINE]

[Related citations](#)

956. [Comparative analysis of passive dosimetry and biomonitoring for assessing chlorpyrifos exposure in pesticide workers.](#)

Geer LA, Cardello N, Dellarco MJ, Leighton TJ, Zendzian RP, Roberts JD, Buckley TJ.

Ann Occup Hyg. 2004 Nov;48(8):683-95. Epub 2004 Oct 29.

PMID: 15516344 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

957. [A fetal risk factor for Parkinson's disease.](#)

Barlow BK, Richfield EK, Cory-Slechta DA, Thiruchelvam M.

Dev Neurosci. 2004 Jan-Feb;26(1):11-23.

PMID: 15509894 [PubMed - indexed for MEDLINE]

[Related citations](#)

958. [Involvement of dopamine D\(2\)/D\(3\) receptors and BDNF in the neuroprotective effects of S32504 and pramipexole against 1-methyl-4-](#)

[phenylpyridinium in terminally differentiated SH-SY5Y cells.](#)

Presgraves SP, Borwege S, Millan MJ, Joyce JN.

Exp Neurol. 2004 Nov;190(1):157-70.

PMID: 15473989 [PubMed - indexed for MEDLINE]

[Related citations](#)

959. [Distinct mechanisms of neurodegeneration induced by chronic complex I inhibition in dopaminergic and non-dopaminergic cells.](#)

Kweon GR, Marks JD, Krencik R, Leung EH, Schumacker PT, Hyland K, Kang UJ.

J Biol Chem. 2004 Dec

10;279(50):51783-92. Epub 2004 Oct 6.

PMID: 15469939 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

960. [Cigarette smoking and Parkinson's disease: a case-control study in a population characterized by a high prevalence of pesticide exposure.](#)

Galanaud JP, Elbaz A, Clavel J, Vidal JS, Corrèze JR, Alperovitch A, Tzourio C.

Mov Disord. 2005 Feb;20(2):181-9.

PMID: 15468111 [PubMed - indexed for MEDLINE]

[Related citations](#)

961. [Sensitivity of zebrafish to environmental toxins implicated in Parkinson's disease.](#)

Bretau S, Lee S, Guo S.

Neurotoxicol Teratol. 2004 Nov-Dec;26(6):857-64.

PMID: 15451049 [PubMed - indexed for MEDLINE]

[Related citations](#)

962. [The cytotoxic activity of lactoperoxidase: enhancement and inhibition by neuroactive compounds.](#)

Everse J, Coates PW.  
Free Radic Biol Med. 2004 Sep  
15;37(6):839-49.  
PMID: 15384204 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

963. [Variable effects of chronic subcutaneous administration of rotenone on striatal histology.](#)

Zhu C, Vourc'h P, Fernagut PO, Fleming SM, Lacan S, Dicarlo CD, Seaman RL, Chesselet MF.

J Comp Neurol. 2004 Oct 25;478(4):418-26.

PMID: 15384065 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

964. [The effect of macromolecular crowding on protein aggregation and amyloid fibril formation.](#)

Munishkina LA, Cooper EM, Uversky VN, Fink AL.

J Mol Recognit. 2004 Sep-Oct;17(5):456-64.

PMID: 15362105 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

965. [Dopaminergic neurotoxicity of homocysteine and its derivatives in primary mesencephalic cultures.](#)

Heider I, Lehmsiek V, Lenk T, Müller T, Storch A.

J Neural Transm Suppl. 2004;(68):1-13.

PMID: 15354384 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

966. [Identification of the protein disulfide isomerase family member PDIp in experimental Parkinson's disease and Lewy body pathology.](#)

Conn KJ, Gao W, McKee A, Lan MS,

Ullman MD, Eisenhauer PB, Fine RE, Wells JM.  
Brain Res. 2004 Oct 1;1022(1-2):164-72.  
PMID: 15353226 [PubMed - indexed for MEDLINE]

[Related citations](#)

967. [Activation of NF-kappaB is involved in 6-hydroxydopamine-but not MPP+ - induced dopaminergic neuronal cell death: its potential role as a survival determinant.](#)

Park SH, Choi WS, Yoon SY, Ahn YS, Oh YJ.  
Biochem Biophys Res Commun. 2004 Sep 24;322(3):727-33.  
PMID: 15336524 [PubMed - indexed for MEDLINE]

[Related citations](#)

968. [Paraoxonase 1 \(PON1\) gene polymorphisms and Parkinson's disease in a Finnish population.](#)

Clarimon J, Eerola J, Hellström O, Tienari PJ, Singleton A.  
Neurosci Lett. 2004 Sep 2;367(2):168-70.  
PMID: 15331145 [PubMed - indexed for MEDLINE]

[Related citations](#)

969. [Alpha and beta estradiol protect neuronal but not native PC12 cells from paraquat-induced oxidative stress.](#)

Gélinas S, Bureau G, Valastro B, Massicotte G, Cicchetti F, Chiasson K, Gagne B, Blanchet J, Martinoli MG.  
Neurotox Res. 2004;6(2):141-8.  
PMID: 15325966 [PubMed - indexed for MEDLINE]

[Related citations](#)

970. [Rotenone induces apoptosis via activation of bad in human dopaminergic SH-SY5Y cells.](#)

Watabe M, Nakaki T.

J Pharmacol Exp Ther. 2004  
Dec;311(3):948-53. Epub 2004 Jul 27.  
PMID: 15280438 [PubMed - indexed for  
MEDLINE] **Free Article**

[Related citations](#)

971. [Epidemiology of multiple system atrophy: a prevalence and pilot risk factor study in Aquitaine, France.](#)

Chrysostome V, Tison F, Yekhlief F,  
Sourgen C, Baldi I, Dartigues JF.

Neuroepidemiology. 2004 Jul-  
Aug;23(4):201-8.

PMID: 15272223 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

972. [L-DOPA reverses the hypokinetic behaviour and rigidity in rotenone-treated rats.](#)

Alam M, Schmidt WJ.

Behav Brain Res. 2004 Aug  
31;153(2):439-46.

PMID: 15265640 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

973. [Effects of iptakalim on rotenone-induced cytotoxicity and dopamine release from PC12 cells.](#)

Yang Y, Liu X, Ding JH, Sun J, Long Y,  
Wang F, Yao HH, Hu G.

Neurosci Lett. 2004 Aug 5;366(1):53-7.

PMID: 15265589 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

974. [Neurotoxicant-induced animal models of Parkinson's disease: understanding the role of rotenone, maneb and paraquat in neurodegeneration.](#)

Uversky VN.

Cell Tissue Res. 2004 Oct;318(1):225-41.  
Epub 2004 Jul 16. Review.

PMID: 15258850 [PubMed - indexed for

MEDLINE]

[Related citations](#)

975. [Clinical characteristics of Parkinson's disease among Inuit in Greenland and inhabitants of the Faroe Islands and Als \(Denmark\).](#)

Wermuth L, Bünger N, von Weitzel-Mudersback P, Pakkenberg H, Jeune B.

Mov Disord. 2004 Jul;19(7):821-4.

PMID: 15254942 [PubMed - indexed for MEDLINE]

[Related citations](#)

976. [Nitrosative stress linked to sporadic Parkinson's disease: S-nitrosylation of parkin regulates its E3 ubiquitin ligase activity.](#)

Yao D, Gu Z, Nakamura T, Shi ZQ, Ma Y, Gaston B, Palmer LA, Rockenstein EM, Zhang Z, Masliah E, Uehara T, Lipton SA.

Proc Natl Acad Sci U S A. 2004 Jul 20;101(29):10810-4. Epub 2004 Jul 13.

Erratum in: Proc Natl Acad Sci U S A. 2004 Sep 21;101(38):13969.

PMID: 15252205 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

977. [G209A mutant alpha synuclein expression specifically enhances dopamine induced oxidative damage.](#)

Orth M, Tabrizi SJ, Tomlinson C, Messmer K, Korlipara LV, Schapira AH, Cooper JM.

Neurochem Int. 2004 Oct;45(5):669-76.

PMID: 15234109 [PubMed - indexed for MEDLINE]

[Related citations](#)

978. [\[Study on the risk factors and its interaction on Parkinson disease\].](#)

Tan XH, Wang SM, Xue NQ, Teng WT, Feng YQ.

Zhonghua Liu Xing Bing Xue Za Zhi.  
2004 Jun;25(6):527-30. Chinese.  
PMID: 15231138 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

979. [Inhibitory effects of 1-methyl-4-phenylpyridinium on glutamate uptake into cultured C6 glioma cells.](#)  
Yao HH, Ding JH, He HR, Hu G.  
Acta Pharmacol Sin. 2004 Jul;25(7):855-60.  
PMID: 15210057 [PubMed - indexed for  
MEDLINE] **Free Article**

[Related citations](#)

980. [Parkin protects human dopaminergic neuroblastoma cells against dopamine-induced apoptosis.](#)  
Jiang H, Ren Y, Zhao J, Feng J.  
Hum Mol Genet. 2004 Aug  
15;13(16):1745-54. Epub 2004 Jun 15.  
PMID: 15198987 [PubMed - indexed for  
MEDLINE] **Free Article**

[Related citations](#)

981. [Association of pesticide exposure with neurologic dysfunction and disease.](#)  
Kamel F, Hoppin JA.  
Environ Health Perspect. 2004  
Jun;112(9):950-8. Review.  
PMID: 15198914 [PubMed - indexed for  
MEDLINE] **Free PMC Article**

[Related citations](#)

982. [Protection against MPP+ neurotoxicity in cerebellar granule cells by antioxidants.](#)  
González-Polo RA, Soler G,  
Rodríguezmartín A, Morán JM, Fuentes JM.  
Cell Biol Int. 2004;28(5):373-80.  
PMID: 15193280 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

983. [A non-peptidyl neurotrophic small molecule for midbrain dopaminergic neurons.](#)  
Lin LF, Rubin LL, Xu M.  
J Neurochem. 2004 Jun;89(6):1387-95.  
PMID: 15189341 [PubMed - indexed for MEDLINE]  
[Related citations](#)
984. [The Parkinson's disease protein DJ-1 is neuroprotective due to cysteine-sulfinic acid-driven mitochondrial localization.](#)  
Canet-Avilés RM, Wilson MA, Miller DW, Ahmad R, McLendon C, Bandyopadhyay S, Baptista MJ, Ringe D, Petsko GA, Cookson MR.  
Proc Natl Acad Sci U S A. 2004 Jun 15;101(24):9103-8. Epub 2004 Jun 4.  
PMID: 15181200 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
985. [Occupational and environmental risk factors for Parkinson's disease.](#)  
Lai BC, Marion SA, Teschke K, Tsui JK.  
Parkinsonism Relat Disord. 2002 Jun;8(5):297-309. Review.  
PMID: 15177059 [PubMed - indexed for MEDLINE]  
[Related citations](#)
986. [Further evidence that interactions between CYP2D6 and pesticide exposure increase risk for Parkinson's disease.](#)  
Deng Y, Newman B, Dunne MP, Silburn PA, Mellick GD.  
Ann Neurol. 2004 Jun;55(6):897. No abstract available.  
PMID: 15174030 [PubMed - indexed for MEDLINE]  
[Related citations](#)
987. [Paraquat-induced apoptotic cell death in cerebellar granule cells.](#)



González-Polo RA, Rodríguez-Martín A, Morán JM, Niso M, Soler G, Fuentes JM. Brain Res. 2004 Jun 18;1011(2):170-6. PMID: 15157803 [PubMed - indexed for MEDLINE]

[Related citations](#)

988. [The herbicide paraquat induces dopaminergic nigral apoptosis through sustained activation of the JNK pathway.](#)  
Peng J, Mao XO, Stevenson FF, Hsu M, Andersen JK. J Biol Chem. 2004 Jul 30;279(31):32626-32. Epub 2004 May 20. PMID: 15155744 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

989. [Behavioral and immunohistochemical effects of chronic intravenous and subcutaneous infusions of varying doses of rotenone.](#)  
Fleming SM, Zhu C, Fernagut PO, Mehta A, DiCarlo CD, Seaman RL, Chesselet MF. Exp Neurol. 2004 Jun;187(2):418-29. PMID: 15144868 [PubMed - indexed for MEDLINE]

[Related citations](#)

990. [Genetic ablation of tumor necrosis factor-alpha \(TNF-alpha\) and pharmacological inhibition of TNF-synthesis attenuates MPTP toxicity in mouse striatum.](#)  
Ferber B, Leng A, Mura A, Hengerer B, Feldon J. J Neurochem. 2004 May;89(4):822-33. PMID: 15140182 [PubMed - indexed for MEDLINE]

[Related citations](#)

991. [Neuroprotective effect of fraxetin and myricetin against rotenone-induced apoptosis in neuroblastoma cells.](#)  
Molina-Jiménez MF, Sánchez-Reus MI,

Andres D, Cascales M, Benedi J.  
Brain Res. 2004 May 29;1009(1-2):9-16.  
PMID: 15120578 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

992. [Acute exposure to organochlorine pesticides does not affect striatal dopamine in mice.](#)

Thiffault C, Langston WJ, Di Monte DA.  
Neurotox Res. 2001 Nov;3(6):537-43.  
PMID: 15111243 [PubMed]

[Related citations](#)

993. [Brain inflammation enhances 1-methyl-4-phenylpyridinium-evoked neurotoxicity in rats.](#)

Goralski KB, Renton KW.  
Toxicol Appl Pharmacol. 2004 May  
1;196(3):381-9.  
PMID: 15094308 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

994. [Alpha-synuclein: normal function and role in neurodegenerative diseases.](#)

Norris EH, Giasson BI, Lee VM.  
Curr Top Dev Biol. 2004;60:17-54.  
Review.  
PMID: 15094295 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

995. [Dopamine transporter-mediated cytotoxicity of beta-carbolinium derivatives related to Parkinson's disease: relationship to transporter-dependent uptake.](#)

Storch A, Hwang YI, Gearhart DA, Beach JW, Neafsey EJ, Collins MA, Schwarz J.  
J Neurochem. 2004 May;89(3):685-94.  
PMID: 15086525 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

996. [The neurobehavioral changes induced by bilateral rotenone lesion in medial forebrain bundle of rats are reversed by L-DOPA.](#)

Alam M, Mayerhofer A, Schmidt WJ.

Behav Brain Res. 2004 May 5;151(1-2):117-24.

PMID: 15084427 [PubMed - indexed for MEDLINE]

[Related citations](#)

997. [Oxidative stress and microglial activation in substantia nigra following striatal MPP+.](#)

Miwa H, Kubo T, Morita S, Nakanishi I, Kondo T.

Neuroreport. 2004 Apr 29;15(6):1039-44.

PMID: 15076730 [PubMed - indexed for MEDLINE]

[Related citations](#)

998. [Proteolytic activation of proapoptotic kinase PKCdelta is regulated by overexpression of Bcl-2: implications for oxidative stress and environmental factors in Parkinson's disease.](#)

Kanthasamy AG, Kitazawa M, Kaul S, Yang Y, Lahiri DK, Anantharam V, Kanthasamy A.

Ann N Y Acad Sci. 2003 Dec;1010:683-6.

PMID: 15033812 [PubMed - indexed for MEDLINE]

[Related citations](#)

999. [Suppression of caspase-3-dependent proteolytic activation of protein kinase C delta by small interfering RNA prevents MPP+-induced dopaminergic degeneration.](#)

Yang Y, Kaul S, Zhang D, Anantharam V, Kanthasamy AG.

Mol Cell Neurosci. 2004 Mar;25(3):406-21.

PMID: 15033169 [PubMed - indexed for MEDLINE]

[Related citations](#)

- 1000 [Chronic administration of rotenone increases levels of nitric oxide and lipid peroxidation products in rat brain.](#)

Bashkatova V, Alam M, Vanin A, Schmidt WJ.

Exp Neurol. 2004 Apr;186(2):235-41.

PMID: 15026259 [PubMed - indexed for MEDLINE]

[Related citations](#)

1001. [Inhibition of mixed lineage kinase 3 attenuates MPP+-induced neurotoxicity in SH-SY5Y cells.](#)

Mathiasen JR, McKenna BA, Saporito MS, Ghadge GD, Roos RP, Holskin BP, Wu ZL, Trusko SP, Connors TC, Maroney AC, Thomas BA, Thomas JC, Bozyczko-Coyne D.

Brain Res. 2004 Apr 2;1003(1-2):86-97.

PMID: 15019567 [PubMed - indexed for MEDLINE]

[Related citations](#)

1002. [Parkinson's disease, pesticides and individual vulnerability.](#)

Paolini M, Sapone A, Gonzalez FJ.

Trends Pharmacol Sci. 2004 Mar;25(3):124-9. Review. No abstract available.

PMID: 15019266 [PubMed - indexed for MEDLINE]

[Related citations](#)

1003. [Use of a VA pharmacy database to screen for areas at high risk for disease: Parkinson's disease and exposure to pesticides.](#)

Yesavage JA, Sheikh J, Noda A, Murphy G, O'Hara R, Hierholzer R, Battista M, Ashford JW, Kraemer HC, Tinklenberg J.

J Geriatr Psychiatry Neurol. 2004  
Mar;17(1):36-8.  
PMID: 15018696 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1004. [Risk factors for dopaminergic neuron loss in human alpha-synuclein transgenic mice.](#)  
Thiruchelvam MJ, Powers JM, Cory-Slechta DA, Richfield EK.  
Eur J Neurosci. 2004 Feb;19(4):845-54.  
PMID: 15009131 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1005. [CYP2D6 polymorphism, pesticide exposure, and Parkinson's disease.](#)  
Elbaz A, Levecque C, Clavel J, Vidal JS, Richard F, Amouyel P, Alperovitch A, Chartier-Harlin MC, Tzourio C.  
Ann Neurol. 2004 Mar;55(3):430-4.  
PMID: 14991823 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1006. [Clearance of alpha-synuclein oligomeric intermediates via the lysosomal degradation pathway.](#)  
Lee HJ, Khoshaghideh F, Patel S, Lee SJ.  
J Neurosci. 2004 Feb 25;24(8):1888-96.  
PMID: 14985429 [PubMed - indexed for  
MEDLINE] **Free Article**

[Related citations](#)

1007. [Rotenone-induced apoptosis is mediated by p38 and JNK MAP kinases in human dopaminergic SH-SY5Y cells.](#)  
Newhouse K, Hsuan SL, Chang SH, Cai B, Wang Y, Xia Z.  
Toxicol Sci. 2004 May;79(1):137-46.  
Epub 2004 Feb 19.  
PMID: 14976342 [PubMed - indexed for  
MEDLINE] **Free Article**

[Related citations](#)

1008. [\[Caffeic acid \(CA\) protects cerebellar granule neurons \(CGNs\) from apoptosis induced by neurotoxin 1-methyl-4-phenylpyridinium \(MPP+\)\].](#)

Tian XF, Pu XP.

Beijing Da Xue Xue Bao. 2004 Feb;36(1):27-30. Chinese.

PMID: 14970883 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

1009. [Effect of melatonin on temporal changes of reactive oxygen species and glutathione after MPP\(+\) treatment in human astrocytoma U373MG cells.](#)

Chuang JI, Chen TH.

J Pineal Res. 2004 Mar;36(2):117-25.

PMID: 14962063 [PubMed - indexed for MEDLINE]

[Related citations](#)

1010. [Rotenone induces non-specific central nervous system and systemic toxicity.](#)

Lapointe N, St-Hilaire M, Martinoli MG, Blanchet J, Gould P, Rouillard C, Cicchetti F.

FASEB J. 2004 Apr;18(6):717-9. Epub 2004 Feb 6.

PMID: 14766796 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

1011. [1-Methyl-4-phenylpyridinium-induced apoptosis in cerebellar granule neurons is mediated by transferrin receptor iron-dependent depletion of tetrahydrobiopterin and neuronal nitric-oxide synthase-derived superoxide.](#)

Shang T, Kotamraju S, Kalivendi SV, Hillard CJ, Kalyanaraman B.

J Biol Chem. 2004 Apr 30;279(18):19099-112. Epub 2004 Jan 29.

PMID: 14752097 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

1012. [Enhanced in vitro midbrain dopamine neuron differentiation, dopaminergic function, neurite outgrowth, and 1-methyl-4-phenylpyridium resistance in mouse embryonic stem cells overexpressing Bcl-XL.](#)

Shim JW, Koh HC, Chang MY, Roh E, Choi CY, Oh YJ, Son H, Lee YS, Studer L, Lee SH.

J Neurosci. 2004 Jan 28;24(4):843-52.

PMID: 14749429 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

1013. [Alpha-synuclein up-regulation and aggregation during MPP+-induced apoptosis in neuroblastoma cells: intermediacy of transferrin receptor iron and hydrogen peroxide.](#)

Kalivendi SV, Cunningham S, Kotamraju S, Joseph J, Hillard CJ, Kalyanaraman B.

J Biol Chem. 2004 Apr 9;279(15):15240-7. Epub 2004 Jan 23.

PMID: 14742448 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

1014. [Andrographolide reduces inflammation-mediated dopaminergic neurodegeneration in mesencephalic neuron-glia cultures by inhibiting microglial activation.](#)

Wang T, Liu B, Zhang W, Wilson B, Hong JS.

J Pharmacol Exp Ther. 2004 Mar;308(3):975-83. Epub 2004 Jan 8.

PMID: 14718612 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

1015. [Paraquat and iron exposure as possible synergistic environmental risk factors in Parkinson's disease.](#)

Andersen JK.

Neurotox Res. 2003;5(5):307-13.

Review. No abstract available.

PMID: 14715449 [PubMed - indexed for MEDLINE]

[Related citations](#)

1016. [Multiple risk factors for Parkinson's disease.](#)

Gorell JM, Peterson EL, Rybicki BA, Johnson CC.

J Neurol Sci. 2004 Feb 15;217(2):169-74.

PMID: 14706220 [PubMed - indexed for MEDLINE]

[Related citations](#)

1017. [alpha-Synuclein selectively increases manganese-induced viability loss in SK-N-MC neuroblastoma cells expressing the human dopamine transporter.](#)

Pifl C, Khorchide M, Kattinger A, Reither H, Hardy J, Hornykiewicz O.

Neurosci Lett. 2004 Jan 2;354(1):34-7.

PMID: 14698476 [PubMed - indexed for MEDLINE]

[Related citations](#)

1018. [Melatonin protects against oxidative stress caused by 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine in the mouse nigrostriatum.](#)

Thomas B, Mohanakumar KP.

J Pineal Res. 2004 Jan;36(1):25-32.

PMID: 14675127 [PubMed - indexed for MEDLINE]

[Related citations](#)

1019. [Proteasome mediates dopaminergic neuronal degeneration, and its inhibition causes alpha-synuclein inclusions.](#)



Sawada H, Kohno R, Kihara T, Izumi Y, Sakka N, Ibi M, Nakanishi M, Nakamizo T, Yamakawa K, Shibasaki H, Yamamoto N, Akaike A, Inden M, Kitamura Y, Taniguchi T, Shimohama S.

J Biol Chem. 2004 Mar 12;279(11):10710-9. Epub 2003 Dec 12. PMID: 14672949 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

1020. [Dopamine is involved in selectivity of dopaminergic neuronal death by rotenone.](#)

Sakka N, Sawada H, Izumi Y, Kume T, Katsuki H, Kaneko S, Shimohama S, Akaike A.

Neuroreport. 2003 Dec 19;14(18):2425-8.

PMID: 14663204 [PubMed - indexed for MEDLINE]

[Related citations](#)

1021. [Acetaminophen and aspirin inhibit superoxide anion generation and lipid peroxidation, and protect against 1-methyl-4-phenyl pyridinium-induced dopaminergic neurotoxicity in rats.](#)

Maharaj DS, Saravanan KS, Maharaj H, Mohanakumar KP, Daya S.

Neurochem Int. 2004 Apr;44(5):355-60.

PMID: 14643753 [PubMed - indexed for MEDLINE]

[Related citations](#)

1022. [Mechanism of toxicity in rotenone models of Parkinson's disease.](#)

Sherer TB, Betarbet R, Testa CM, Seo BB, Richardson JR, Kim JH, Miller GW, Yagi T, Matsuno-Yagi A, Greenamyre JT.

J Neurosci. 2003 Nov 26;23(34):10756-64.

PMID: 14645467 [PubMed - indexed for

MEDLINE] **Free Article**

[Related citations](#)

1023. [Neuroprotective effects of the novel D3/D2 receptor agonist and antiparkinson agent, S32504, in vitro against 1-methyl-4-phenylpyridinium \(MPP+\) and in vivo against 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine \(MPTP\): a comparison to ropinirole.](#)

Joyce JN, Presgraves S, Renish L, Borwege S, Osredkar T, Hagner D, Replogle M, PazSoldan M, Millan MJ. Exp Neurol. 2003 Nov;184(1):393-407. PMID: 14637109 [PubMed - indexed for MEDLINE]

[Related citations](#)

1024. [The pesticide rotenone induces caspase-3-mediated apoptosis in ventral mesencephalic dopaminergic neurons.](#)

Ahmadi FA, Linseman DA, Grammatopoulos TN, Jones SM, Bouchard RJ, Freed CR, Heidenreich KA, Zawada WM. J Neurochem. 2003 Nov;87(4):914-21. PMID: 14622122 [PubMed - indexed for MEDLINE]

[Related citations](#)

1025. [An inhibitor of mitochondrial complex I, rotenone, inactivates proteasome by oxidative modification and induces aggregation of oxidized proteins in SH-SY5Y cells.](#)

Shamoto-Nagai M, Maruyama W, Kato Y, Isobe K, Tanaka M, Naoi M, Osawa T. J Neurosci Res. 2003 Nov 15;74(4):589-97. PMID: 14598303 [PubMed - indexed for MEDLINE]

[Related citations](#)

1026. [PDNF, a human parasite-derived mimic](#)

[of neurotrophic factors, prevents caspase activation, free radical formation, and death of dopaminergic cells exposed to the Parkinsonism-inducing neurotoxin MPP+.](#)

Chuenkova MV, Pereira MA.

Brain Res Mol Brain Res. 2003 Nov 6;119(1):50-61.

PMID: 14597229 [PubMed - indexed for MEDLINE]

[Related citations](#)

1027. [Neuromelanin of the substantia nigra: a neuronal black hole with protective and toxic characteristics.](#)

Zecca L, Zucca FA, Wilms H, Sulzer D.

Trends Neurosci. 2003 Nov;26(11):578-80. Review.

PMID: 14585596 [PubMed - indexed for MEDLINE]

[Related citations](#)

1028. [Environmental, life-style, and physical precursors of clinical Parkinson's disease: recent findings from the Honolulu-Asia Aging Study.](#)

Abbott RD, Ross GW, White LR, Sanderson WT, Burchfiel CM, Kashon M, Sharp DS, Masaki KH, Curb JD, Petrovitch H.

J Neurol. 2003 Oct;250 Suppl 3:III30-9.

PMID: 14579122 [PubMed - indexed for MEDLINE]

[Related citations](#)

1029. [Mechanism for generation of hydrogen peroxide and change of mitochondrial membrane potential during rotenone-induced apoptosis.](#)

Tada-Oikawa S, Hiraku Y, Kawanishi M, Kawanishi S.

Life Sci. 2003 Nov 7;73(25):3277-88.

PMID: 14561532 [PubMed - indexed for MEDLINE]

[Related citations](#)

1030. [Immunohistochemical changes in the mouse striatum induced by the pyrethroid insecticide permethrin.](#)  
Pittman JT, Dodd CA, Klein BG.  
Int J Toxicol. 2003 Sep-Oct;22(5):359-70.  
PMID: 14555407 [PubMed - indexed for MEDLINE]

[Related citations](#)

1031. [Alpha-synuclein expression in HEK293 cells enhances the mitochondrial sensitivity to rotenone.](#)  
Orth M, Tabrizi SJ, Schapira AH, Cooper JM.  
Neurosci Lett. 2003 Nov 6;351(1):29-32.  
PMID: 14550906 [PubMed - indexed for MEDLINE]

[Related citations](#)

1032. [Fe\(II\)-induced DNA damage in alpha-synuclein-transfected human dopaminergic BE\(2\)-M17 neuroblastoma cells: detection by the Comet assay.](#)  
Martin FL, Williamson SJ, Paleologou KE, Hewitt R, El-Agnaf OM, Allsop D.  
J Neurochem. 2003 Nov;87(3):620-30.  
PMID: 14535945 [PubMed - indexed for MEDLINE]

[Related citations](#)

1033. [MPP+ analogs acting on mitochondria and inducing neuro-degeneration.](#)  
Kotake Y, Ohta S.  
Curr Med Chem. 2003 Dec;10(23):2507-16. Review.  
PMID: 14529466 [PubMed - indexed for MEDLINE]

[Related citations](#)

1034. [The mitochondrial complex I inhibitor](#)

[annonacin is toxic to mesencephalic dopaminergic neurons by impairment of energy metabolism.](#)

Lannuzel A, Michel PP, Höglinger GU, Champy P, Jousset A, Medja F, Lombès A, Darios F, Gleye C, Laurens A, Hocquemiller R, Hirsch EC, Ruberg M.

Neuroscience. 2003;121(2):287-96.

PMID: 14521988 [PubMed - indexed for MEDLINE]

[Related citations](#)

1035. [Minocycline enhances MPTP toxicity to dopaminergic neurons.](#)

Yang L, Sugama S, Chirichigno JW, Gregorio J, Lorenzl S, Shin DH, Browne SE, Shimizu Y, Joh TH, Beal MF, Albers DS.

J Neurosci Res. 2003 Oct 15;74(2):278-85.

PMID: 14515357 [PubMed - indexed for MEDLINE]

[Related citations](#)

1036. [Rotenone increases glutamate-induced dopamine release but does not affect hydroxyl-free radical formation in rat striatum.](#)

Leng A, Feldon J, Ferger B.

Synapse. 2003 Dec 1;50(3):240-50.

PMID: 14515342 [PubMed - indexed for MEDLINE]

[Related citations](#)

1037. [Targeted expression of BCL-2 attenuates MPP+ but not 6-OHDA induced cell death in dopaminergic neurons.](#)

O'Malley KL, Liu J, Lotharius J, Holtz W.

Neurobiol Dis. 2003 Oct;14(1):43-51.

PMID: 13678665 [PubMed - indexed for MEDLINE]

[Related citations](#)

1038. [Differential regulation of JNK in](#)

[caspase-3-mediated apoptosis of MPP\(+\)-treated primary cortical neurons.](#)

Sun DS, Chang HH.

Cell Biol Int. 2003;27(9):769-77.

PMID: 12972283 [PubMed - indexed for MEDLINE]

[Related citations](#)

1039. [Modulation of dopamine transporter function by alpha-synuclein is altered by impairment of cell adhesion and by induction of oxidative stress.](#)

Wersinger C, Prou D, Vernier P, Sidhu A.

FASEB J. 2003 Nov;17(14):2151-3.

Epub 2003 Sep 4.

PMID: 12958153 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

1040. [Lifestyle-related risk factors for Parkinson's disease: a population-based study.](#)

Baldereschi M, Di Carlo A, Vanni P, Ghetti A, Carbonin P, Amaducci L, Inzitari D; Italian Longitudinal Study on Aging Working Group.

Acta Neurol Scand. 2003

Oct;108(4):239-44.

PMID: 12956856 [PubMed - indexed for MEDLINE]

[Related citations](#)

1041. [A protein-chameleon: conformational plasticity of alpha-synuclein, a disordered protein involved in neurodegenerative disorders.](#)

Uversky VN.

J Biomol Struct Dyn. 2003

Oct;21(2):211-34. Review.

PMID: 12956606 [PubMed - indexed for MEDLINE]

[Related citations](#)

1042. [Role of nitric oxide in rotenone-induced nigro-striatal injury.](#)

He Y, Imam SZ, Dong Z, Jankovic J, Ali SF, Appel SH, Le W.

J Neurochem. 2003 Sep;86(6):1338-45.

PMID: 12950443 [PubMed - indexed for MEDLINE]

[Related citations](#)

1043. [The neuromelanin of human substantia nigra: structure, synthesis and molecular behaviour.](#)

Zecca L, Zucca FA, Costi P, Tampellini D, Gatti A, Gerlach M, Riederer P, Fariello RG, Ito S, Gallorini M, Sulzer D.

J Neural Transm Suppl. 2003;(65):145-55. Review.

PMID: 12946053 [PubMed - indexed for MEDLINE]

[Related citations](#)

1044. [Animal models of Parkinson's disease in rodents induced by toxins: an update.](#)

Hirsch EC, Höglinger G, Rousset E, Breidert T, Parain K, Feger J, Ruberg M, Prigent A, Cohen-Salmon C, Launay JM.

J Neural Transm Suppl. 2003;(65):89-100. Review.

PMID: 12946051 [PubMed - indexed for MEDLINE]

[Related citations](#)

1045. [The environment and Parkinson's disease: is the nigrostriatal system preferentially targeted by neurotoxins?](#)

Di Monte DA.

Lancet Neurol. 2003 Sep;2(9):531-8. Review.

PMID: 12941575 [PubMed - indexed for MEDLINE]

[Related citations](#)

1046. [The rotenone model of Parkinson's](#)

[disease: genes, environment and mitochondria.](#)

Greenamyre JT, Betarbet R, Sherer TB.

Parkinsonism Relat Disord. 2003 Aug;9 Suppl 2:S59-64. Review.

PMID: 12915069 [PubMed - indexed for MEDLINE]

[Related citations](#)

1047. [Novel anti-inflammatory therapy for Parkinson's disease.](#)

Gao HM, Liu B, Zhang W, Hong JS.

Trends Pharmacol Sci. 2003 Aug;24(8):395-401. Review.

PMID: 12915048 [PubMed - indexed for MEDLINE]

[Related citations](#)

1048. [Age-related irreversible progressive nigrostriatal dopaminergic neurotoxicity in the paraquat and maneb model of the Parkinson's disease phenotype.](#)

Thiruchelvam M, McCormack A, Richfield EK, Baggs RB, Tank AW, Di Monte DA, Cory-Slechta DA.

Eur J Neurosci. 2003 Aug;18(3):589-600.

PMID: 12911755 [PubMed - indexed for MEDLINE]

[Related citations](#)

1049. [Dysfunction of mitochondrial complex I and the proteasome: interactions between two biochemical deficits in a cellular model of Parkinson's disease.](#)

Höglinger GU, Carrard G, Michel PP, Medja F, Lombès A, Ruberg M, Friguet B, Hirsch EC.

J Neurochem. 2003 Sep;86(5):1297-307.

PMID: 12911637 [PubMed - indexed for MEDLINE]

[Related citations](#)

1050. [Association between Parkinson's disease and exposure to pesticides in](#)



[southwestern France.](#)

Baldi I, Cantagrel A, Lebailly P, Tison F, Dubroca B, Chrysostome V, Dartigues JF, Brochard P.

Neuroepidemiology. 2003 Sep-Oct;22(5):305-10.

PMID: 12902626 [PubMed - indexed for MEDLINE]

[Related citations](#)

1051. [Paraquat leads to dopaminergic neural vulnerability in organotypic midbrain culture.](#)

Shimizu K, Matsubara K, Ohtaki K, Shiono H.

Neurosci Res. 2003 Aug;46(4):523-32.

PMID: 12871774 [PubMed - indexed for MEDLINE]

[Related citations](#)

1052. [Circadian rhythms of oxidative phosphorylation: effects of rotenone and melatonin on isolated rat brain mitochondria.](#)

Simon N, Papa K, Vidal J, Boulamery A, Bruguerolle B.

Chronobiol Int. 2003 May;20(3):451-61.

PMID: 12868540 [PubMed - indexed for MEDLINE]

[Related citations](#)

1053. [Critical role for microglial NADPH oxidase in rotenone-induced degeneration of dopaminergic neurons.](#)

Gao HM, Liu B, Hong JS.

J Neurosci. 2003 Jul 16;23(15):6181-7.

PMID: 12867501 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

1054. [Effect of fraxetin and myricetin on rotenone-induced cytotoxicity in SH-SY5Y cells: comparison with N-acetylcysteine.](#)

Molina-Jimenez MF, Sanchez-Reus MI, Benedi J.

Eur J Pharmacol. 2003 Jul 4;472(1-2):81-7.

PMID: 12860476 [PubMed - indexed for MEDLINE]

[Related citations](#)

1055. [Nuclear localization of alpha-synuclein and its interaction with histones.](#)

Goers J, Manning-Bog AB, McCormack AL, Millett IS, Doniach S, Di Monte DA, Uversky VN, Fink AL.

Biochemistry. 2003 Jul 22;42(28):8465-71.

PMID: 12859192 [PubMed - indexed for MEDLINE]

[Related citations](#)

1056. [Molecular mechanisms of dopaminergic neurodegeneration: genetic and environmental basis.](#)

Imam SZ.

Ann N Y Acad Sci. 2003 May;993:377; discussion 387-93. No abstract available.

PMID: 12853331 [PubMed - indexed for MEDLINE]

[Related citations](#)

1057. [Mitochondria as a target for neurotoxins and neuroprotective agents.](#)

Bachurin SO, Shevtsova EP, Kireeva EG, Oxenkrug GF, Sablin SO.

Ann N Y Acad Sci. 2003 May;993:334-44; discussion 345-9.

PMID: 12853325 [PubMed - indexed for MEDLINE]

[Related citations](#)

1058. [The rotenone model of Parkinson's disease.](#)

Perier C, Bové J, Vila M, Przedborski S.

Trends Neurosci. 2003 Jul;26(7):345-6. No abstract available.

PMID: 12850429 [PubMed - indexed for MEDLINE]

[Related citations](#)

1059. [Caspase-dependent and -independent cell death pathways in primary cultures of mesencephalic dopaminergic neurons after neurotoxin treatment.](#)

Han BS, Hong HS, Choi WS, Markelonis GJ, Oh TH, Oh YJ.

J Neurosci. 2003 Jun 15;23(12):5069-78.

PMID: 12832530 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

1060. [Parkinson's disease and exposure to infectious agents and pesticides and the occurrence of brain injuries: role of neuroinflammation.](#)

Liu B, Gao HM, Hong JS.

Environ Health Perspect. 2003 Jun;111(8):1065-73. Review.

PMID: 12826478 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

1061. [Models of Parkinson's disease.](#)

Orth M, Tabrizi SJ.

Mov Disord. 2003 Jul;18(7):729-37. Review.

PMID: 12815651 [PubMed - indexed for MEDLINE]

[Related citations](#)

1062. [Alpha-synuclein protects naive but not dbcAMP-treated dopaminergic cell types from 1-methyl-4-phenylpyridinium toxicity.](#)

Jensen PJ, Alter BJ, O'Malley KL.

J Neurochem. 2003 Jul;86(1):196-209.

PMID: 12807439 [PubMed - indexed for MEDLINE]

[Related citations](#)

1063. [Pesticides and Parkinson's disease.](#)

Sherer TB, Betarbet R, Greenamyre JT.  
ScientificWorldJournal. 2001 May  
1;1:207-8. Review.

PMID: 12805673 [PubMed - indexed for  
MEDLINE] **Free Article**

[Related citations](#)

1064. [Paraquat induces long-lasting dopamine overflow through the excitotoxic pathway in the striatum of freely moving rats.](#)

Shimizu K, Matsubara K, Ohtaki K,  
Fujimaru S, Saito O, Shiono H.

Brain Res. 2003 Jun 27;976(2):243-52.

PMID: 12763259 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1065. [Ca<sup>2+</sup>-induced oxidative stress in brain mitochondria treated with the respiratory chain inhibitor rotenone.](#)

Sousa SC, Maciel EN, Vercesi AE,  
Castilho RF.

FEBS Lett. 2003 May 22;543(1-3):179-  
83.

PMID: 12753929 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1066. [Polymorphism in the P-glycoprotein drug transporter MDR1 gene: a possible link between environmental and genetic factors in Parkinson's disease.](#)

Drożdżik M, Białecka M, Myśliwiec K,  
Honczarenko K, Stankiewicz J, Sych Z.

Pharmacogenetics. 2003 May;13(5):259-  
63.

PMID: 12724617 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1067. [\[Parkinson s disease risk factors\].](#)

Allam MF, del Castillo AS, Navajas RF.

Rev Neurol. 2003 Apr 16-30;36(8):749-  
55. Review. Spanish.

PMID: 12717655 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

1068. [Alpha-synuclein overexpression protects against paraquat-induced neurodegeneration.](#)

Manning-Bog AB, McCormack AL, Purisai MG, Bolin LM, Di Monte DA.

J Neurosci. 2003 Apr 15;23(8):3095-9.

PMID: 12716914 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

1069. [Increased synaptosomal dopamine content and brain concentration of paraquat produced by selective dithiocarbamates.](#)

Barlow BK, Thiruchelvam MJ, Bennice L, Cory-Slechta DA, Ballatori N, Richfield EK.

J Neurochem. 2003 May;85(4):1075-86.

PMID: 12716439 [PubMed - indexed for MEDLINE]

[Related citations](#)

1070. [Dependence on electron transport chain function and intracellular signaling of genomic responses in SH-SY5Y cells to the mitochondrial neurotoxin MPP\(+\).](#)

Brill LB 2nd, Bennett JP Jr.

Exp Neurol. 2003 May;181(1):25-38.

PMID: 12710931 [PubMed - indexed for MEDLINE]

[Related citations](#)

1071. [Update on Parkinson disease.](#)

Siderowf A, Stern M.

Ann Intern Med. 2003 Apr 15;138(8):651-8. Review.

PMID: 12693888 [PubMed - indexed for MEDLINE]

[Related citations](#)

1072. [Genetics and environmental factors of](#)

[Parkinson disease\].](#)

Broussolle E, Thobois S.

Rev Neurol (Paris). 2002 Dec;158 Spec no 1:S11-23. Review. French.

PMID: 12690660 [PubMed - indexed for MEDLINE]

[Related citations](#)

1073. [\[Genetic and environmental factors of Parkinson's disease\]](#)

Broussolle E, Thobois S.

Rev Neurol (Paris). 2002;158(122):11-23. French.

PMID: 12690311 [PubMed - as supplied by publisher]

[Related citations](#)

1074. [Selective microglial activation in the rat rotenone model of Parkinson's disease.](#)

Sherer TB, Betarbet R, Kim JH, Greenamyre JT.

Neurosci Lett. 2003 May 1;341(2):87-90.

PMID: 12686372 [PubMed - indexed for MEDLINE]

[Related citations](#)

1075. [Dextromethorphan protects dopaminergic neurons against inflammation-mediated degeneration through inhibition of microglial activation.](#)

Liu Y, Qin L, Li G, Zhang W, An L, Liu B, Hong JS.

J Pharmacol Exp Ther. 2003 Apr;305(1):212-8.

PMID: 12649371 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

1076. [Transient and reversible parkinsonism after acute organophosphate poisoning.](#)

Arima H, Sobue K, So M, Morishima T, Ando H, Katsuya H.

J Toxicol Clin Toxicol. 2003;41(1):67-70.

PMID: 12645970 [PubMed - indexed for MEDLINE]

[Related citations](#)

1077. [Tetrahydrobiopterin precursor sepiapterin provides protection against neurotoxicity of 1-methyl-4-phenylpyridinium in nigral slice cultures.](#)

Madsen JT, Jansen P, Hesslinger C, Meyer M, Zimmer J, Gramsbergen JB.

J Neurochem. 2003 Apr;85(1):214-23.

PMID: 12641743 [PubMed - indexed for MEDLINE]

[Related citations](#)

1078. [Effects of L-dopa and other amino acids against paraquat-induced nigrostriatal degeneration.](#)

McCormack AL, Di Monte DA.

J Neurochem. 2003 Apr;85(1):82-6.

PMID: 12641729 [PubMed - indexed for MEDLINE]

[Related citations](#)

1079. [Neuroprotective effect of vasoactive intestinal peptide \(VIP\) in a mouse model of Parkinson's disease by blocking microglial activation.](#)

Delgado M, Ganea D.

FASEB J. 2003 May;17(8):944-6. Epub 2003 Mar 5.

PMID: 12626429 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

1080. [Non-steroidal anti-inflammatory drug sodium salicylate, but not diclofenac or celecoxib, protects against 1-methyl-4-phenyl pyridinium-induced dopaminergic neurotoxicity in rats.](#)

Sairam K, Saravanan KS, Banerjee R, Mohanakumar KP.

Brain Res. 2003 Mar 21;966(2):245-52.  
PMID: 12618347 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1081. [Neurodegenerative diseases and exposure to pesticides in the elderly.](#)  
Baldi I, Lebailly P, Mohammed-Brahim B, Letenneur L, Dartigues JF, Brochard P.  
Am J Epidemiol. 2003 Mar 1;157(5):409-14.  
PMID: 12615605 [PubMed - indexed for MEDLINE] **Free Article**  
[Related citations](#)
1082. [Synergistic dopaminergic neurotoxicity of the pesticide rotenone and inflammogen lipopolysaccharide: relevance to the etiology of Parkinson's disease.](#)  
Gao HM, Hong JS, Zhang W, Liu B.  
J Neurosci. 2003 Feb 15;23(4):1228-36.  
PMID: 12598611 [PubMed - indexed for MEDLINE] **Free Article**  
[Related citations](#)
1083. [Parkinsonian mimetics induce aspects of unfolded protein response in death of dopaminergic neurons.](#)  
Holtz WA, O'Malley KL.  
J Biol Chem. 2003 May 23;278(21):19367-77. Epub 2003 Feb 21.  
PMID: 12598533 [PubMed - indexed for MEDLINE] **Free Article**  
[Related citations](#)
1084. [The role of glycolysis and gluconeogenesis in the cytoprotection of neuroblastoma cells against 1-methyl 4-phenylpyridinium ion toxicity.](#)  
Mazzio E, Soliman KF.  
Neurotoxicology. 2003 Jan;24(1):137-47.



PMID: 12564389 [PubMed - indexed for MEDLINE]

[Related citations](#)

1085. [Regulation of alpha-synuclein by bFGF in cultured ventral midbrain dopaminergic neurons.](#)

Rideout HJ, Dietrich P, Savalle M, Dauer WT, Stefanis L.

J Neurochem. 2003 Feb;84(4):803-13.

PMID: 12562524 [PubMed - indexed for MEDLINE]

[Related citations](#)

1086. [Manganese ethylene-bis-dithiocarbamate and selective dopaminergic neurodegeneration in rat: a link through mitochondrial dysfunction.](#)

Zhang J, Fitsanakis VA, Gu G, Jing D, Ao M, Amarnath V, Montine TJ.

J Neurochem. 2003 Jan;84(2):336-46.

PMID: 12558996 [PubMed - indexed for MEDLINE]

[Related citations](#)

1087. [Chronic systemic complex I inhibition induces a hypokinetic multisystem degeneration in rats.](#)

Höglinger GU, Féger J, Prigent A, Michel PP, Parain K, Champy P, Ruberg M, Oertel WH, Hirsch EC.

J Neurochem. 2003 Feb;84(3):491-502.

PMID: 12558969 [PubMed - indexed for MEDLINE]

[Related citations](#)

1088. [Evaluation of risk of Parkinson's disease in a cohort of licensed pesticide users.](#)

Vanacore N, Nappo A, Gentile M, Brustolin A, Palange S, Liberati A, Di Rezze S, Caldora G, Gasparini M, Benedetti F, Bonifati V, Forastiere F, Quercia A, Meco G.

Neurol Sci. 2002 Sep;23 Suppl 2:S119-20.

PMID: 12548372 [PubMed - indexed for MEDLINE]

[Related citations](#)

1089. [S18Y polymorphism in the UCH-L1 gene and Parkinson's disease: evidence for an age-dependent relationship.](#)

Elbaz A, Levecque C, Clavel J, Vidal JS, Richard F, Corrèze JR, Delemotte B, Amouyel P, Alperovitch A, Chartier-Harlin MC, Tzourio C.

Mov Disord. 2003 Feb;18(2):130-7.

PMID: 12539205 [PubMed - indexed for MEDLINE]

[Related citations](#)

1090. [Subtoxic concentration of manganese synergistically potentiates 1-methyl-4-phenylpyridinium-induced neurotoxicity in PC12 cells.](#)

Wang RG, Zhu XZ.

Brain Res. 2003 Jan 24;961(1):131-8.

PMID: 12535785 [PubMed - indexed for MEDLINE]

[Related citations](#)

1091. [An inflammatory review of Parkinson's disease.](#)

Orr CF, Rowe DB, Halliday GM.

Prog Neurobiol. 2002 Dec;68(5):325-40. Review.

PMID: 12531233 [PubMed - indexed for MEDLINE]

[Related citations](#)

1092. [Pyruvic acid cytoprotection against 1-methyl-4-phenylpyridinium, 6-hydroxydopamine and hydrogen peroxide toxicities in vitro.](#)

Mazzio E, Soliman KF.

Neurosci Lett. 2003 Feb 6;337(2):77-80.

PMID: 12527392 [PubMed - indexed for MEDLINE]

[Related citations](#)

1093. [1-Methyl-4-phenylpyridinium \(MPP+\)-induced apoptosis and mitochondrial oxidant generation: role of transferrin-receptor-dependent iron and hydrogen peroxide.](#)

Kalivendi SV, Kotamraju S, Cunningham S, Shang T, Hillard CJ, Kalyanaraman B.

Biochem J. 2003 Apr 1;371(Pt 1):151-64.

PMID: 12523938 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

1094. [1-methyl-4-phenylpyridinium \(MPP+\) decreases mitochondrial oxidation-reduction \(REDOX\) activity and membrane potential \(Deltapsi\(m\)\) in rat striatum.](#)

Nakai M, Mori A, Watanabe A, Mitsumoto Y.

Exp Neurol. 2003 Jan;179(1):103-10.

PMID: 12504872 [PubMed - indexed for MEDLINE]

[Related citations](#)

1095. [Mitochondrial complex inhibitors preferentially damage substantia nigra dopamine neurons in rat brain slices.](#)

Bywood PT, Johnson SM.

Exp Neurol. 2003 Jan;179(1):47-59.

PMID: 12504867 [PubMed - indexed for MEDLINE]

[Related citations](#)

1096. [Neurotrophic and neuroprotective effects of tripchlorolide, an extract of Chinese herb Tripterygium wilfordii Hook F, on dopaminergic neurons.](#)

Li FQ, Cheng XX, Liang XB, Wang XH, Xue B, He QH, Wang XM, Han JS.

Exp Neurol. 2003 Jan;179(1):28-37.

PMID: 12504865 [PubMed - indexed for MEDLINE]

[Related citations](#)

1097. [Subcutaneous rotenone exposure causes highly selective dopaminergic degeneration and alpha-synuclein aggregation.](#)  
Sherer TB, Kim JH, Betarbet R, Greenamyre JT.  
Exp Neurol. 2003 Jan;179(1):9-16.  
PMID: 12504863 [PubMed - indexed for MEDLINE]

[Related citations](#)

1098. [Rotenone neurotoxicity: a new window on environmental causes of Parkinson's disease and related brain amyloidoses.](#)  
Trojanowski JQ.  
Exp Neurol. 2003 Jan;179(1):6-8. No abstract available.  
PMID: 12504862 [PubMed - indexed for MEDLINE]

[Related citations](#)

1099. [Effects of green tea polyphenols on dopamine uptake and on MPP+ -induced dopamine neuron injury.](#)  
Pan T, Fei J, Zhou X, Jankovic J, Le W.  
Life Sci. 2003 Jan 17;72(9):1073-83.  
PMID: 12495785 [PubMed - indexed for MEDLINE]

[Related citations](#)

1100. [Catalysis of catechol oxidation by metal-dithiocarbamate complexes in pesticides.](#)  
Fitsanakis VA, Amarnath V, Moore JT, Montine KS, Zhang J, Montine TJ.  
Free Radic Biol Med. 2002 Dec 15;33(12):1714-23.  
PMID: 12488139 [PubMed - indexed for MEDLINE]

[Related citations](#)

1101. [Endoplasmic reticulum stress and the unfolded protein response in cellular models of Parkinson's disease.](#)

Ryu EJ, Harding HP, Angelastro JM,  
Vitolo OV, Ron D, Greene LA.

J Neurosci. 2002 Dec 15;22(24):10690-8.

PMID: 12486162 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

1102. [Quantitative relationship between inhibition of respiratory complexes and formation of reactive oxygen species in isolated nerve terminals.](#)

Sipos I, Tretter L, Adam-Vizi V.

J Neurochem. 2003 Jan;84(1):112-8.

PMID: 12485407 [PubMed - indexed for MEDLINE]

[Related citations](#)

1103. [In vivo evaluation of \[<sup>11</sup>C\]-3-\[2-\[\(3-methoxyphenylamino\)carbonyl\]ethenyl\]-4,6-dichloroindole-2-carboxylic acid \(\[<sup>11</sup>C\]3MPICA\) as a PET radiotracer for the glycine site of the NMDA ion channel.](#)

Waterhouse RN, Sultana A, Laruelle M.

Nucl Med Biol. 2002 Nov;29(8):791-4.

PMID: 12453587 [PubMed - indexed for MEDLINE]

[Related citations](#)

1104. [Tubuloside B from Cistanche salsa rescues the PC12 neuronal cells from 1-methyl-4-phenylpyridinium ion-induced apoptosis and oxidative stress.](#)

Sheng G, Pu X, Lei L, Tu P, Li C.

Planta Med. 2002 Nov;68(11):966-70.

PMID: 12451484 [PubMed - indexed for MEDLINE]

[Related citations](#)

1105. [Prostaglandin A1 inhibits rotenone-induced apoptosis in SH-SY5Y cells.](#)

Wang X, Qin ZH, Leng Y, Wang Y, Jin X, Chase TN, Bennett MC.

J Neurochem. 2002 Dec;83(5):1094-102.

PMID: 12437580 [PubMed - indexed for MEDLINE]

[Related citations](#)

1106. [Plantation work and risk of Parkinson disease in a population-based longitudinal study.](#)

Petrovitch H, Ross GW, Abbott RD, Sanderson WT, Sharp DS, Tanner CM, Masaki KH, Blanchette PL, Popper JS, Foley D, Launer L, White LR.

Arch Neurol. 2002 Nov;59(11):1787-92.

PMID: 12433267 [PubMed - indexed for MEDLINE]

[Related citations](#)

1107. [Developmental exposure to the pesticides paraquat and maneb and the Parkinson's disease phenotype.](#)

Thiruchelvam M, Richfield EK, Goodman BM, Baggs RB, Cory-Slechta DA.

Neurotoxicology. 2002 Oct;23(4-5):621-33.

PMID: 12428734 [PubMed - indexed for MEDLINE]

[Related citations](#)

1108. [Conformational behavior of human alpha-synuclein is modulated by familial Parkinson's disease point mutations A30P and A53T.](#)

Li J, Uversky VN, Fink AL.

Neurotoxicology. 2002 Oct;23(4-5):553-67.

PMID: 12428728 [PubMed - indexed for MEDLINE]

[Related citations](#)

1109. [Selective effects of insecticides on nigrostriatal dopaminergic nerve pathways.](#)

Bloomquist JR, Barlow RL, Gillette JS, Li W, Kirby ML.

Neurotoxicology. 2002 Oct;23(4-5):537-

44.

PMID: 12428726 [PubMed - indexed for MEDLINE]

[Related citations](#)

1110. [Synergistic effects of pesticides and metals on the fibrillation of alpha-synuclein: implications for Parkinson's disease.](#)

Uversky VN, Li J, Bower K, Fink AL.  
Neurotoxicology. 2002 Oct;23(4-5):527-36.

PMID: 12428725 [PubMed - indexed for MEDLINE]

[Related citations](#)

1111. [Environmental factors in Parkinson's disease.](#)

Di Monte DA, Lavasani M, Manning-Bog AB.  
Neurotoxicology. 2002 Oct;23(4-5):487-502. Review.

PMID: 12428721 [PubMed - indexed for MEDLINE]

[Related citations](#)

1112. [Identification of brain proteins that interact with 2-methylnorharman. An analog of the parkinsonian-inducing toxin, MPP+.](#)

Gearhart DA, Toole PF, Warren Beach J.

Neurosci Res. 2002 Nov;44(3):255-65.

PMID: 12413654 [PubMed - indexed for MEDLINE]

[Related citations](#)

1113. [Overexpression of midbrain-specific transcription factor Nurr1 modifies susceptibility of mouse neural stem cells to neurotoxins.](#)

Lee MA, Lee HS, Lee HS, Cho KG, Jin BK, Sohn S, Lee YS, Ichinose H, Kim SU.

Neurosci Lett. 2002 Nov 15;333(1):74-

8.

PMID: 12401563 [PubMed - indexed for MEDLINE]

[Related citations](#)

1114. [Possible involvement of both mitochondria- and endoplasmic reticulum-dependent caspase pathways in rotenone-induced apoptosis in human neuroblastoma SH-SY5Y cells.](#)

Kitamura Y, Inden M, Miyamura A, Kakimura J, Taniguchi T, Shimohama S. Neurosci Lett. 2002 Nov 15;333(1):25-8.

PMID: 12401552 [PubMed - indexed for MEDLINE]

[Related citations](#)

1115. [Rotenone destroys dopaminergic neurons and induces parkinsonian symptoms in rats.](#)

Alam M, Schmidt WJ.

Behav Brain Res. 2002 Oct 17;136(1):317-24.

PMID: 12385818 [PubMed - indexed for MEDLINE]

[Related citations](#)

1116. [\[Pesticide exposure and Parkinson's syndrome - the epidemiological and experimental evidence\].](#)

Vierregge P.

Nervenarzt. 2002 Oct;73(10):982-9. Review. German.

PMID: 12376887 [PubMed - indexed for MEDLINE]

[Related citations](#)

1117. [Resistance of alpha -synuclein null mice to the parkinsonian neurotoxin MPTP.](#)

Dauer W, Kholodilov N, Vila M, Trillat AC, Goodchild R, Larsen KE, Staal R, Tieu K, Schmitz Y, Yuan CA, Rocha M, Jackson-Lewis V, Hersch S, Sulzer D, Przedborski S, Burke R, Hen R.



Proc Natl Acad Sci U S A. 2002 Oct 29;99(22):14524-9. Epub 2002 Oct 10.  
PMID: 12376616 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

1118. [Methylpyridinium \(MPP\(+\)\)- and nerve growth factor-induced changes in pro- and anti-apoptotic signaling pathways in SH-SY5Y neuroblastoma cells.](#)

Halvorsen EM, Dennis J, Keeney P, Sturgill TW, Tuttle JB, Bennett JB Jr.  
Brain Res. 2002 Oct 11;952(1):98-110.  
PMID: 12363409 [PubMed - indexed for MEDLINE]

[Related citations](#)

1119. [Regulation of hydrogen peroxide production by brain mitochondria by calcium and Bax.](#)

Starkov AA, Polster BM, Fiskum G.  
J Neurochem. 2002 Oct;83(1):220-8.  
PMID: 12358746 [PubMed - indexed for MEDLINE]

[Related citations](#)

1120. [Pesticide-Parkinson link explored.](#)

Bonetta L.  
Nat Med. 2002 Oct;8(10):1050. No abstract available.  
PMID: 12357226 [PubMed - indexed for MEDLINE]

[Related citations](#)

1121. [Pesticide exposure, host susceptibility factors and risk of Parkinson's disease: an introduction to a work in progress.](#)

Greenlee AR, Burmester JK, Hiner BC.  
WMJ. 2002;101(5):20-4. No abstract available. Erratum in: WMJ 2002;101(6):5.  
PMID: 12239976 [PubMed - indexed for MEDLINE]

[Related citations](#)

1122. [Neuroprotective effect of estradiol and phytoestrogens on MPP+-induced cytotoxicity in neuronal PC12 cells.](#)  
Gélinas S, Martinoli MG.  
J Neurosci Res. 2002 Oct 1;70(1):90-6.  
PMID: 12237867 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1123. [Protective effect of verbascoside on 1-methyl-4-phenylpyridinium ion-induced neurotoxicity in PC12 cells.](#)  
Sheng GQ, Zhang JR, Pu XP, Ma J, Li CL.  
Eur J Pharmacol. 2002 Sep 13;451(2):119-24.  
PMID: 12231380 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1124. [Selective destruction of dopaminergic neurons by low concentrations of 6-OHDA and MPP+: protection by acetylsalicylic acid aspirin.](#)  
Carrasco E, Werner P.  
Parkinsonism Relat Disord. 2002 Sep;8(6):407-11.  
PMID: 12217628 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1125. [Further evidence for an association of the paraoxonase 1 \(PON1\) Met-54 allele with Parkinson's disease.](#)  
Carmine A, Buervenich S, Sydow O, Anvret M, Olson L.  
Mov Disord. 2002 Jul;17(4):764-6.  
PMID: 12210872 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1126. [Activation of adenosine triphosphate-sensitive potassium channels confers protection against rotenone-induced cell death: therapeutic implications for](#)

[Parkinson's disease.](#)

Tai KK, Truong DD.

J Neurosci Res. 2002 Aug 15;69(4):559-66.

PMID: 12210849 [PubMed - indexed for MEDLINE]

[Related citations](#)

1127. [NMDA sensitization and stimulation by peroxy nitrite, nitric oxide, and organic solvents as the mechanism of chemical sensitivity in multiple chemical sensitivity.](#)

Pall ML.

FASEB J. 2002 Sep;16(11):1407-17.

PMID: 12205032 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

1128. [Dopamine efflux by MPTP and hydroxyl radical generation.](#)

Obata T.

J Neural Transm. 2002 Sep;109(9):1159-80. Review.

PMID: 12203043 [PubMed - indexed for MEDLINE]

[Related citations](#)

1129. [MPTP: insights into parkinsonian neurodegeneration.](#)

Speciale SG.

Neurotoxicol Teratol. 2002 Sep-Oct;24(5):607-20. Review.

PMID: 12200192 [PubMed - indexed for MEDLINE]

[Related citations](#)

1130. [Apoptotic molecules and MPTP-induced cell death.](#)

Nicotra A, Parvez S.

Neurotoxicol Teratol. 2002 Sep-Oct;24(5):599-605. Review.

PMID: 12200191 [PubMed - indexed for MEDLINE]

[Related citations](#)

1131. [Potential neurotoxic "agents provocateurs" in Parkinson's disease.](#)  
Collins MA, Neafsey EJ.  
Neurotoxicol Teratol. 2002 Sep-Oct;24(5):571-7. Review.  
PMID: 12200188 [PubMed - indexed for MEDLINE]

[Related citations](#)

1132. [An in vitro model of Parkinson's disease: linking mitochondrial impairment to altered alpha-synuclein metabolism and oxidative damage.](#)  
Sherer TB, Betarbet R, Stout AK, Lund S, Baptista M, Panov AV, Cookson MR, Greenamyre JT.  
J Neurosci. 2002 Aug 15;22(16):7006-15.  
PMID: 12177198 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

1133. [Expression of mutant alpha-synucleins enhances dopamine transporter-mediated MPP+ toxicity in vitro.](#)  
Lehmensiek V, Tan EM, Schwarz J, Storch A.  
Neuroreport. 2002 Jul 19;13(10):1279-83.  
PMID: 12151787 [PubMed - indexed for MEDLINE]

[Related citations](#)

1134. [Modifying effects of dietary capsaicin and rotenone on 4-nitroquinoline 1-oxide-induced rat tongue carcinogenesis.](#)  
Tanaka T, Kohno H, Sakata K, Yamada Y, Hirose Y, Sugie S, Mori H.  
Carcinogenesis. 2002 Aug;23(8):1361-7.  
PMID: 12151355 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

1135. [Environmental risk factors of young onset Parkinson's disease: a case-control study.](#)

Tsai CH, Lo SK, See LC, Chen HZ, Chen RS, Weng YH, Chang FC, Lu CS.

Clin Neurol Neurosurg. 2002 Sep;104(4):328-33.

PMID: 12140099 [PubMed - indexed for MEDLINE]

[Related citations](#)

1136. [Estradiol protects dopaminergic neurons in a MPP+Parkinson's disease model.](#)

Sawada H, Ibi M, Kihara T, Honda K, Nakamizo T, Kanki R, Nakanishi M, Sakka N, Akaike A, Shimohama S.

Neuropharmacology. 2002 Jun;42(8):1056-64.

PMID: 12128007 [PubMed - indexed for MEDLINE]

[Related citations](#)

1137. [Environmental risk factors and Parkinson's disease: selective degeneration of nigral dopaminergic neurons caused by the herbicide paraquat.](#)

McCormack AL, Thiruchelvam M, Manning-Bog AB, Thiffault C, Langston JW, Cory-Slechta DA, Di Monte DA.

Neurobiol Dis. 2002 Jul;10(2):119-27.

PMID: 12127150 [PubMed - indexed for MEDLINE]

[Related citations](#)

1138. [Pergolide protects dopaminergic neurons in primary culture under stress conditions.](#)

Gille G, Rausch WD, Hung ST, Moldzio R, Janetzky B, Hundemer HP, Kolter T, Reichmann H.

J Neural Transm. 2002 May;109(5-6):633-43.

PMID: 12111455 [PubMed - indexed for

MEDLINE]

[Related citations](#)

1139. [Differential regulation of glutamic acid decarboxylase mRNA and tyrosine hydroxylase mRNA expression in the aged manganese-treated rats.](#)

Tomás-Camardiel M, Herrera AJ, Venero JL, Cruz Sánchez-Hidalgo M, Cano J, Machado A.

Brain Res Mol Brain Res. 2002 Jun 30;103(1-2):116-29.

PMID: 12106697 [PubMed - indexed for MEDLINE]

[Related citations](#)

1140. [Age-environment and gene-environment interactions in the pathogenesis of Parkinson's disease.](#)

Le Couteur DG, Muller M, Yang MC, Mellick GD, McLean AJ.

Rev Environ Health. 2002 Jan-Mar;17(1):51-64. Review.

PMID: 12088093 [PubMed - indexed for MEDLINE]

[Related citations](#)

1141. [Age-related alteration in hepatic disposition of the neurotoxin 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine and pesticides.](#)

Yang MC, McLean AJ, Le Couteur DG.

Pharmacol Toxicol. 2002 Apr;90(4):203-7.

PMID: 12076315 [PubMed - indexed for MEDLINE]

[Related citations](#)

1142. [Protection of dopaminergic neurons in primary culture by lisuride.](#)

Gille G, Rausch WD, Hung ST, Moldzio R, Ngyuen A, Janetzky B, Engfer A, Reichmann H.

J Neural Transm. 2002 Feb;109(2):157-69.

PMID: 12075855 [PubMed - indexed for MEDLINE]

[Related citations](#)

1143. [Coenzyme Q cytoprotective mechanisms for mitochondrial complex I cytopathies involves NAD\(P\)H: quinone oxidoreductase 1\(NQO1\).](#)

Chan TS, Teng S, Wilson JX, Galati G, Khan S, O'Brien PJ.

Free Radic Res. 2002 Apr;36(4):421-7.

PMID: 12069106 [PubMed - indexed for MEDLINE]

[Related citations](#)

1144. [MPP+ increases alpha-synuclein expression and ERK/MAP-kinase phosphorylation in human neuroblastoma SH-SY5Y cells.](#)

Gómez-Santos C, Ferrer I, Reiriz J, Viñals F, Barrachina M, Ambrosio S.

Brain Res. 2002 May 10;935(1-2):32-9.

PMID: 12062470 [PubMed - indexed for MEDLINE]

[Related citations](#)

1145. [Environment, mitochondria, and Parkinson's disease.](#)

Sherer TB, Betarbet R, Greenamyre JT.

Neuroscientist. 2002 Jun;8(3):192-7.

Review.

PMID: 12061498 [PubMed - indexed for MEDLINE]

[Related citations](#)

1146. [Role of hydroxyl radical formation in neurotoxicity as revealed by in vivo free radical trapping.](#)

Obata T.

Toxicol Lett. 2002 Jun 14;132(2):83-93.

Review.

PMID: 12044541 [PubMed - indexed for MEDLINE]

[Related citations](#)

1147. [Effect of the catechol-O-methyltransferase inhibitor entacapone on the steady-state pharmacokinetics and pharmacodynamics of warfarin.](#)

Dingemans J, Meyerhoff C, Schadrack J.

Br J Clin Pharmacol. 2002 May;53(5):485-91.

PMID: 11994054 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

1148. [Melatonin attenuates MPP+-induced neurodegeneration and glutathione impairment in the nigrostriatal dopaminergic pathway.](#)

Chen ST, Chuang JI, Hong MH, Li EI.

J Pineal Res. 2002 May;32(4):262-9.

PMID: 11982797 [PubMed - indexed for MEDLINE]

[Related citations](#)

1149. [\[Human GDNF cDNA-engineered SH-SY5Y cells' neurotrophic and protective effect on primary dopaminergic neurons of rat\].](#)

Zhang W, Wang X, Yang Y.

Zhonghua Yi Xue Za Zhi. 2001 Nov 25;81(22):1384-6. Chinese.

PMID: 11930634 [PubMed - indexed for MEDLINE]

[Related citations](#)

1150. [\[Elucidation of paraquat poisoning mechanism and development of the neuronal death model\].](#)

Fukushima T.

Nihon Eiseigaku Zasshi. 2002 Apr;57(1):83-6. Review. Japanese. No abstract available.

PMID: 11928321 [PubMed - indexed for MEDLINE]

[Related citations](#)

1151. [Paraquat- and diquat-induced oxygen](#)



[radical generation and lipid peroxidation in rat brain microsomes.](#)

Yumino K, Kawakami I, Tamura M, Hayashi T, Nakamura M.

J Biochem. 2002 Apr;131(4):565-70.

PMID: 11926994 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

1152. [Caspase inhibitors attenuate 1-methyl-4-phenylpyridinium toxicity in primary cultures of mesencephalic dopaminergic neurons.](#)

Bilsland J, Roy S, Xanthoudakis S, Nicholson DW, Han Y, Grimm E, Hefti F, Harper SJ.

J Neurosci. 2002 Apr 1;22(7):2637-49.

PMID: 11923429 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

1153. [Familial and environmental risk factors in Parkinson's disease: a case-control study in north-east Italy.](#)

Zorzon M, Capus L, Pellegrino A, Cazzato G, Zivadinov R.

Acta Neurol Scand. 2002 Feb;105(2):77-82.

PMID: 11903115 [PubMed - indexed for MEDLINE]

[Related citations](#)

1154. [Evaluation of the protective effect of oestradiol against toxicity induced by 6-hydroxydopamine and 1-methyl-4-phenylpyridinium ion \(Mpp+\) towards dopaminergic mesencephalic neurones in primary culture.](#)

Callier S, Le Saux M, Lhiaubet AM, Di Paolo T, Rostène W, Pelaprat D.

J Neurochem. 2002 Jan;80(2):307-16.

PMID: 11902121 [PubMed - indexed for MEDLINE]

[Related citations](#)

1155. [Neuroprotection by adenosine A2A receptor blockade in experimental models of Parkinson's disease.](#)  
Ikeda K, Kurokawa M, Aoyama S, Kuwana Y.  
J Neurochem. 2002 Jan;80(2):262-70.  
PMID: 11902116 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1156. [Thioredoxin suppresses 1-methyl-4-phenylpyridinium-induced neurotoxicity in rat PC12 cells.](#)  
Bai J, Nakamura H, Hattori I, Tanito M, Yodoi J.  
Neurosci Lett. 2002 Mar 15;321(1-2):81-4.  
PMID: 11872262 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1157. [Neurotoxicity of MPTP.](#)  
Fukuda T.  
Neuropathology. 2001 Dec;21(4):323-32. Review.  
PMID: 11837540 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1158. [Inhibition by R\(+\) or S\(-\) pramipexole of caspase activation and cell death induced by methylpyridinium ion or beta amyloid peptide in SH-SY5Y neuroblastoma.](#)  
Abramova NA, Cassarino DS, Khan SM, Painter TW, Bennett JP Jr.  
J Neurosci Res. 2002 Feb 15;67(4):494-500.  
PMID: 11835316 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1159. [Selected presentations and general discussion: session IX summary and research needs.](#)

Aschner M, Seegal RF.  
Neurotoxicology. 2001 Dec;22(6):849-52. No abstract available.  
PMID: 11829420 [PubMed - indexed for MEDLINE]

[Related citations](#)

1160. [Distinct role for microglia in rotenone-induced degeneration of dopaminergic neurons.](#)

Gao HM, Hong JS, Zhang W, Liu B.  
J Neurosci. 2002 Feb 1;22(3):782-90.  
PMID: 11826108 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

1161. [Stimulation of non-alpha7 nicotinic receptors partially protects dopaminergic neurons from 1-methyl-4-phenylpyridinium-induced toxicity in culture.](#)

Jeyarasasingam G, Tompkins L, Quik M.  
Neuroscience. 2002;109(2):275-85.  
PMID: 11801364 [PubMed - indexed for MEDLINE]

[Related citations](#)

1162. [Dietary folate deficiency and elevated homocysteine levels endanger dopaminergic neurons in models of Parkinson's disease.](#)

Duan W, Ladenheim B, Cutler RG, Kruman II, Cadet JL, Mattson MP.  
J Neurochem. 2002 Jan;80(1):101-10.  
PMID: 11796748 [PubMed - indexed for MEDLINE]

[Related citations](#)

1163. [Tyrosine-hydroxylase immunoreactive cells in the rat striatum following treatment with MPP+.](#)

O'Byrne MB, Bolam JP, Hanley JJ, Tipton KF.  
Adv Exp Med Biol. 2000;483:369-74.

PMID: 11787621 [PubMed - indexed for MEDLINE]

[Related citations](#)

1164. [Paraquat in developing countries.](#)

Wesseling C, van Wendel de Joode B, Ruepert C, León C, Monge P, Hermosillo H, Partanen TJ.

Int J Occup Environ Health. 2001 Oct-Dec;7(4):275-86. Review.

PMID: 11783857 [PubMed - indexed for MEDLINE]

[Related citations](#)

1165. [Epidemiologic study of 203 sibling pairs with Parkinson's disease: the GenePD study.](#)

Maher NE, Golbe LI, Lazzarini AM, Mark MH, Currie LJ, Wooten GF, Saint-Hilaire M, Wilk JB, Volcjak J, Maher JE, Feldman RG, Guttman M, Lew M, Waters CH, Schuman S, Suchowersky O, Lafontaine AL, Labelle N, Vieregge P, Pramstaller PP, Klein C, Hubble J, Reider C, Growdon J, Watts R, Montgomery E, Baker K, Singer C, Stacy M, Myers RH.

Neurology. 2002 Jan 8;58(1):79-84. Erratum in: Neurology. 2002 Apr 9;58(7):1136.

PMID: 11781409 [PubMed - indexed for MEDLINE]

[Related citations](#)

1166. [Optimism pervades Parkinson's conference.](#)

Booker SM.

Environ Health Perspect. 2001 Dec;109(12):A580-1. No abstract available.

PMID: 11748020 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

1167. [Dieldrin-induced oxidative stress and](#)

[neurochemical changes contribute to apoptotic cell death in dopaminergic cells.](#)

Kitazawa M, Anantharam V,  
Kanthasamy AG.

Free Radic Biol Med. 2001 Dec  
1;31(11):1473-85.

PMID: 11728820 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1168. [Substantia nigra neuromelanin: structure, synthesis, and molecular behaviour.](#)

Zecca L, Tampellini D, Gerlach M,  
Riederer P, Fariello RG, Sulzer D.

Mol Pathol. 2001 Dec;54(6):414-8.  
Review.

PMID: 11724917 [PubMed - indexed for  
MEDLINE] **Free PMC Article**

[Related citations](#)

1169. [Formation and removal of alpha-synuclein aggregates in cells exposed to mitochondrial inhibitors.](#)

Lee HJ, Shin SY, Choi C, Lee YH, Lee  
SJ.

J Biol Chem. 2002 Feb 15;277(7):5411-  
7. Epub 2001 Nov 27.

PMID: 11724769 [PubMed - indexed for  
MEDLINE] **Free Article**

[Related citations](#)

1170. [The herbicide paraquat causes up-regulation and aggregation of alpha-synuclein in mice: paraquat and alpha-synuclein.](#)

Manning-Bog AB, McCormack AL, Li  
J, Uversky VN, Fink AL, Di Monte DA.

J Biol Chem. 2002 Jan 18;277(3):1641-  
4. Epub 2001 Nov 13.

PMID: 11707429 [PubMed - indexed for  
MEDLINE] **Free Article**

[Related citations](#)

1171. [Impairment of the neuronal dopamine](#)

[transporter activity in MPP\(+\)-treated rat was not prevented by treatments with nitric oxide synthase or poly\(ADP-ribose\) polymerase inhibitors.](#)

Barc S, Page G, Barrier L, Piriou A, Fauconneau B.

Neurosci Lett. 2001 Nov 13;314(1-2):82-6.

PMID: 11698152 [PubMed - indexed for MEDLINE]

[Related citations](#)

1172. [Caspase-3 activation induced by inhibition of mitochondrial complex I is facilitated by glycogen synthase kinase-3beta and attenuated by lithium.](#)

King TD, Bijur GN, Jope RS.

Brain Res. 2001 Nov 16;919(1):106-14.

PMID: 11689167 [PubMed - indexed for MEDLINE]

[Related citations](#)

1173. [Warfarin and ropinirole interaction.](#)

Bair JD, Oppelt TF.

Ann Pharmacother. 2001

Oct;35(10):1202-4.

PMID: 11675845 [PubMed - indexed for MEDLINE]

[Related citations](#)

1174. [Nicotine administration reduces striatal MPP+ levels in mice.](#)

Quik M, Di Monte DA.

Brain Res. 2001 Nov 2;917(2):219-24.

PMID: 11640907 [PubMed - indexed for MEDLINE]

[Related citations](#)

1175. [Pathogenesis of Parkinson's disease.](#)

Sherer TB, Betarbet R, Greenamyre JT.

Curr Opin Investig Drugs. 2001

May;2(5):657-62. Review.

PMID: 11569943 [PubMed - indexed for MEDLINE]

[Related citations](#)

1176. [1-Methyl-4-phenyl-pyridinium increases S-adenosyl-L-methionine dependent phospholipid methylation.](#)

Lee ES, Charlton CG.

Pharmacol Biochem Behav. 2001

Sep;70(1):105-14.

PMID: 11566147 [PubMed - indexed for MEDLINE]

[Related citations](#)

1177. [Parkinson disease: etiology, pathogenesis and future of gene therapy.](#)

Shastri BS.

Neurosci Res. 2001 Sep;41(1):5-12.

Review.

PMID: 11535288 [PubMed - indexed for MEDLINE]

[Related citations](#)

1178. [Parkinsonism and occupational exposure to pesticides.](#)

Engel LS, Checkoway H, Keifer MC, Seixas NS, Longstreth WT Jr, Scott KC, Hudnell K, Anger WK, Camicioli R.

Occup Environ Med. 2001

Sep;58(9):582-9.

PMID: 11511745 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

1179. [Epidemiology of multiple system atrophy. ESGAP Consortium. European Study Group on Atypical Parkinsonisms.](#)

Vanacore N, Bonifati V, Fabbrini G, Colosimo C, De Michele G, Marconi R, Nicholl D, Locuratolo N, Talarico G, Romano S, Stocchi F, Bonuccelli U, De Mari M, Vieregge P, Meco G; European Study Group on Atypical Parkinsonism (ESGAP).

Neurol Sci. 2001 Feb;22(1):97-9.

PMID: 11487219 [PubMed - indexed for MEDLINE]

[Related citations](#)

1180. [Pesticides directly accelerate the rate of alpha-synuclein fibril formation: a possible factor in Parkinson's disease.](#)  
Uversky VN, Li J, Fink AL.  
FEBS Lett. 2001 Jul 6;500(3):105-8.  
PMID: 11445065 [PubMed - indexed for MEDLINE]

[Related citations](#)

1181. [Environmental risk factors and Parkinson's disease: a metaanalysis.](#)  
Priyadarshi A, Khuder SA, Schaub EA, Priyadarshi SS.  
Environ Res. 2001 Jun;86(2):122-7.  
PMID: 11437458 [PubMed - indexed for MEDLINE]

[Related citations](#)

1182. [GAPDH knockdown rescues mesencephalic dopaminergic neurons from MPP+ -induced apoptosis.](#)  
Fukuhara Y, Takeshima T, Kashiwaya Y, Shimoda K, Ishitani R, Nakashima K.  
Neuroreport. 2001 Jul 3;12(9):2049-52.  
PMID: 11435944 [PubMed - indexed for MEDLINE]

[Related citations](#)

1183. [Release of dopamine by perfusion with 1-methyl-4-phenylpyridinium ion \(MPP\(+\)\) into the striatum is associated with hydroxyl free radical generation.](#)  
Obata T, Yamanaka Y, Kinemuchi H, Oreland L.  
Brain Res. 2001 Jul 6;906(1-2):170-5.  
PMID: 11430875 [PubMed - indexed for MEDLINE]

[Related citations](#)

1184. [Autism and Parkinson's disease.](#)  
Woodward G.  
Med Hypotheses. 2001 Feb;56(2):246-9.  
PMID: 11425297 [PubMed - indexed for



MEDLINE]

[Related citations](#)

1185. [Decreased expression of the NADH:ubiquinone oxidoreductase \(complex I\) subunit 4 in 1-methyl-4-phenylpyridinium -treated human neuroblastoma SH-SY5Y cells.](#)  
Conn KJ, Ullman MD, Eisenhauer PB, Fine RE, Wells JM.  
Neurosci Lett. 2001 Jun 29;306(3):145-8.  
PMID: 11406316 [PubMed - indexed for MEDLINE]

[Related citations](#)

1186. [Effect of antioxidants on L-glutamate and N-methyl-4-phenylpyridinium ion induced-neurotoxicity in PC12 cells.](#)  
Mazzio E, Huber J, Darling S, Harris N, Soliman KF.  
Neurotoxicology. 2001 Apr;22(2):283-8.  
PMID: 11405259 [PubMed - indexed for MEDLINE]

[Related citations](#)

1187. [Allopurinol suppresses para-nonylphenol and 1-methyl-4-phenylpyridinium ion \(MPP\(+\)\)-induced hydroxyl radical generation in rat striatum.](#)  
Obata T, Kubota S, Yamanaka Y.  
Neurosci Lett. 2001 Jun 22;306(1-2):9-12.  
PMID: 11403945 [PubMed - indexed for MEDLINE]

[Related citations](#)

1188. [Parkinsonism after glycine-derivate exposure.](#)  
Barbosa ER, Leiros da Costa MD, Bacheschi LA, Scaff M, Leite CC.  
Mov Disord. 2001 May;16(3):565-8.  
PMID: 11391760 [PubMed - indexed for MEDLINE]

[Related citations](#)

1189. [Nitric oxide enhances MPP\(+\)-induced hydroxyl radical generation via depolarization activated nitric oxide synthase in rat striatum.](#)  
Obata T, Yamanaka Y.  
Brain Res. 2001 Jun 1;902(2):223-8.  
PMID: 11384616 [PubMed - indexed for MEDLINE]

[Related citations](#)

1190. [A case-control study of Parkinson's disease in urban population of southern Israel.](#)  
Herishanu YO, Medvedovski M, Goldsmith JR, Kordysh E.  
Can J Neurol Sci. 2001 May;28(2):144-7.  
PMID: 11383940 [PubMed - indexed for MEDLINE]

[Related citations](#)

1191. [Parkinson's disease, pesticides and mitochondrial dysfunction.](#)  
Jenner P.  
Trends Neurosci. 2001 May;24(5):245-7. Review.  
PMID: 11311359 [PubMed - indexed for MEDLINE]

[Related citations](#)

1192. [Strain-dependent susceptibility to MPTP and MPP\(+\)-induced parkinsonism is determined by glia.](#)  
Smeyne M, Goloubeva O, Smeyne RJ.  
Glia. 2001 Apr 15;34(2):73-80.  
PMID: 11307156 [PubMed - indexed for MEDLINE]

[Related citations](#)

1193. [Selective dopaminergic vulnerability: 3,4-dihydroxyphenylacetaldehyde targets mitochondria.](#)  
Kristal BS, Conway AD, Brown AM,

Jain JC, Ulluci PA, Li SW, Burke WJ.  
Free Radic Biol Med. 2001 Apr  
15;30(8):924-31.  
PMID: 11295535 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1194. [Neurotoxicity of the organochlorine insecticide heptachlor to murine striatal dopaminergic pathways.](#)

Kirby ML, Barlow RL, Bloomquist JR.  
Toxicol Sci. 2001 May;61(1):100-6.  
PMID: 11294980 [PubMed - indexed for  
MEDLINE] **Free Article**

[Related citations](#)

1195. [Prosaptide D5, a retro-inverso 11-mer peptidomimetic, rescued dopaminergic neurons in a model of Parkinson's disease.](#)

Liu J, Wang CY, O'Brien JS.  
FASEB J. 2001 Apr;15(6):1080-2. No  
abstract available.  
PMID: 11292674 [PubMed - indexed for  
MEDLINE] **Free Article**

[Related citations](#)

1196. [L-Deprenyl prevents the cell hypoxia induced by dopaminergic neurotoxins, MPP\(+\) and beta-carbolinium: a microdialysis study in rats.](#)

Matsubara K, Senda T, Uezono T,  
Awaya T, Ogawa S, Chiba K, Shimizu  
K, Hayase N, Kimura K.  
Neurosci Lett. 2001 Apr 20;302(2-3):65-  
8.  
PMID: 11290388 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1197. [Attenuation of paraquat-induced dopaminergic toxicity on the substantia nigra by \(-\)-deprenyl in vivo.](#)

Liou HH, Chen RC, Chen TH, Tsai YF,  
Tsai MC.

Toxicol Appl Pharmacol. 2001 Apr  
1;172(1):37-43.

PMID: 11264021 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1198. [Is Bax a mitochondrial mediator in apoptotic death of dopaminergic neurons in Parkinson's disease?](#)

Hartmann A, Michel PP, Troadec JD,  
Mouatt-Prigent A, Faucheux BA,  
Ruberg M, Agid Y, Hirsch EC.

J Neurochem. 2001 Mar;76(6):1785-93.

PMID: 11259496 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1199. [\[Parkinsonism induced by MPTP and free radical generation\].](#)

Obata T, Yamanaka Y.

Nihon Yakurigaku Zasshi. 2001  
Feb;117(2):105-10. Review. Japanese.

PMID: 11233301 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

- 1200 [Low concentrations of 1-methyl-4-phenylpyridinium ion induce caspase-mediated apoptosis in human SH-SY5Y neuroblastoma cells.](#)

Gómez C, Reiriz J, Piqué M, Gil J,  
Ferrer I, Ambrosio S.

J Neurosci Res. 2001 Mar 1;63(5):421-  
8.

PMID: 11223917 [PubMed - indexed  
for MEDLINE]

[Related citations](#)

1201. [Rats and risk.](#)

Morris S, Powell D.

Lancet. 2001 Jan 27;357(9252):309-10.  
No abstract available.

PMID: 11214155 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1202. [Neuroscience. Pesticide causes Parkinson's in rats.](#)

Helmuth L.

Science. 2000 Nov 10;290(5494):1068.

No abstract available.

PMID: 11184997 [PubMed - indexed for MEDLINE]

[Related citations](#)

1203. [Dopaminergic cell death induced by MPP\(+\), oxidant and specific neurotoxins shares the common molecular mechanism.](#)

Chun HS, Gibson GE, DeGiorgio LA, Zhang H, Kidd VJ, Son JH.

J Neurochem. 2001 Feb;76(4):1010-21.

PMID: 11181820 [PubMed - indexed for MEDLINE]

[Related citations](#)

1204. [Effect of the overexpression of wild-type or mutant alpha-synuclein on cell susceptibility to insult.](#)

Lee M, Hyun D, Halliwell B, Jenner P.

J Neurochem. 2001 Feb;76(4):998-1009.

PMID: 11181819 [PubMed - indexed for MEDLINE]

[Related citations](#)

1205. [Inhibition of the cyclooxygenase isoenzymes COX-1 and COX-2 provide neuroprotection in the MPTP-mouse model of Parkinson's disease.](#)

Teismann P, Ferger B.

Synapse. 2001 Feb;39(2):167-74.

PMID: 11180504 [PubMed - indexed for MEDLINE]

[Related citations](#)

1206. [Chronic reduction in complex I function alters calcium signaling in SH-SY5Y neuroblastoma cells.](#)

Sherer TB, Trimmer PA, Borland K,

Parks JK, Bennett JP Jr, Tuttle JB.  
Brain Res. 2001 Feb 9;891(1-2):94-105.  
PMID: 11164812 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1207. [Pesticides and parkinsonism: is there an etiological link?](#)

Lockwood AH.  
Curr Opin Neurol. 2000 Dec;13(6):687-90. Review.  
PMID: 11148671 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1208. [Mitochondria deficient in complex I activity are depolarized by hydrogen peroxide in nerve terminals: relevance to Parkinson's disease.](#)

Chinopoulos C, Adam-Vizi V.  
J Neurochem. 2001 Jan;76(1):302-6.  
PMID: 11146003 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1209. [Hepatic disposition of neurotoxins and pesticides.](#)

Yang MC, McLean AJ, Rivory LP, Le Couteur DG.  
Pharmacol Toxicol. 2000  
Dec;87(6):286-91.  
PMID: 11140828 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1210. [CGP 3466 protects dopaminergic neurons in lesion models of Parkinson's disease.](#)

Waldmeier PC, Spooren WP, Hengerer B.  
Naunyn Schmiedebergs Arch  
Pharmacol. 2000 Dec;362(6):526-37.  
PMID: 11138845 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1211. [The neurobehavioral effects of subchronic manganese exposure in the presence and absence of pre-parkinsonism.](#)  
Witholt R, Gwiazda RH, Smith DR.  
Neurotoxicol Teratol. 2000 Nov-Dec;22(6):851-61.  
PMID: 11120391 [PubMed - indexed for MEDLINE]

[Related citations](#)

1212. [Increased striatal dopamine turnover following acute administration of rotenone to mice.](#)  
Thiffault C, Langston JW, Di Monte DA.  
Brain Res. 2000 Dec 8;885(2):283-8.  
PMID: 11102582 [PubMed - indexed for MEDLINE]

[Related citations](#)

1213. [Chronic systemic pesticide exposure reproduces features of Parkinson's disease.](#)  
Betarbet R, Sherer TB, MacKenzie G, Garcia-Osuna M, Panov AV, Greenamyre JT.  
Nat Neurosci. 2000 Dec;3(12):1301-6.  
PMID: 11100151 [PubMed - indexed for MEDLINE]

[Related citations](#)

1214. [A new link between pesticides and Parkinson's disease.](#)  
Giasson BI, Lee VM.  
Nat Neurosci. 2000 Dec;3(12):1227-8.  
No abstract available.  
PMID: 11100135 [PubMed - indexed for MEDLINE]

[Related citations](#)

1215. [Pesticide use linked to Parkinson's disease.](#)

Adam D.

Nature. 2000 Nov 9;408(6809):125. No abstract available.

PMID: 11089940 [PubMed - indexed for MEDLINE]

[Related citations](#)

1216. [The antioxidant ebselen prevents neurotoxicity and clinical symptoms in a primate model of Parkinson's disease.](#)

Moussaoui S, Obinu MC, Daniel N, Reibaud M, Blanchard V, Imperato A.

Exp Neurol. 2000 Dec;166(2):235-45.

PMID: 11085889 [PubMed - indexed for MEDLINE]

[Related citations](#)

1217. [In vivo labeling of mitochondrial complex I \(NADH:ubiquinone oxidoreductase\) in rat brain using \[\(3\)H\]dihydrorotenone.](#)

Talpade DJ, Greene JG, Higgins DS Jr, Greenamyre JT.

J Neurochem. 2000 Dec;75(6):2611-21.

PMID: 11080215 [PubMed - indexed for MEDLINE]

[Related citations](#)

1218. [Protective effects of riluzole on dopamine neurons: involvement of oxidative stress and cellular energy metabolism.](#)

Storch A, Burkhardt K, Ludolph AC, Schwarz J.

J Neurochem. 2000 Dec;75(6):2259-69.

PMID: 11080177 [PubMed - indexed for MEDLINE]

[Related citations](#)

1219. [Parkinson's disease linked with pesticide](#)

Berger A.

BMJ. 2000 Nov 11;321(7270):1175A.

No abstract available.

PMID: 11073503 [PubMed - as supplied]



by publisher] **Free PMC Article**

[Related citations](#)

1220. [Effect of 1,25-dihydroxyvitamin D\(3\) on cultured mesencephalic dopaminergic neurons to the combined toxicity caused by L-buthionine sulfoximine and 1-methyl-4-phenylpyridine.](#)

Shinpo K, Kikuchi S, Sasaki H, Moriwaka F, Tashiro K.

J Neurosci Res. 2000 Nov 1;62(3):374-82.

PMID: 11054806 [PubMed - indexed for MEDLINE]

[Related citations](#)

1221. [Paraoxonase polymorphisms, pesticide exposure and Parkinson's disease in a Caucasian population.](#)

Taylor MC, Le Couteur DG, Mellick GD, Board PG.

J Neural Transm. 2000;107(8-9):979-83.

PMID: 11041276 [PubMed - indexed for MEDLINE]

[Related citations](#)

1222. [Prevention of 1-methyl-4-phenylpyridinium- and 6-hydroxydopamine-induced nitration of tyrosine hydroxylase and neurotoxicity by EUK-134, a superoxide dismutase and catalase mimetic, in cultured dopaminergic neurons.](#)

Pong K, Doctrow SR, Baudry M.

Brain Res. 2000 Oct 27;881(2):182-9.

PMID: 11036157 [PubMed - indexed for MEDLINE]

[Related citations](#)

1223. [A meta-analysis of Parkinson's disease and exposure to pesticides.](#)

Priyadarshi A, Khuder SA, Schaub EA, Shrivastava S.

Neurotoxicology. 2000 Aug;21(4):435-40.

PMID: 11022853 [PubMed - indexed for MEDLINE]

[Related citations](#)

1224. [Agricultural work and the risk of Parkinson's disease in Denmark, 1981-1993.](#)

Tüchsen F, Jensen AA.

Scand J Work Environ Health. 2000 Aug;26(4):359-62.

PMID: 10994803 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

1225. [Extracellular accumulation of nitric oxide, hydrogen peroxide, and glutamate in astrocytic cultures following glutathione depletion, complex I inhibition, and/or lipopolysaccharide-induced activation.](#)

McNaught KS, Jenner P.

Biochem Pharmacol. 2000 Oct 1;60(7):979-88.

PMID: 10974207 [PubMed - indexed for MEDLINE]

[Related citations](#)

1226. [Disrupted mitochondrial electron transport function increases expression of anti-apoptotic bcl-2 and bcl-X\(L\) proteins in SH-SY5Y neuroblastoma and in Parkinson disease cybrid cells through oxidative stress.](#)

Veech GA, Dennis J, Keeney PM, Fall CP, Swerdlow RH, Parker WD Jr, Bennett JP Jr.

J Neurosci Res. 2000 Sep 15;61(6):693-700.

PMID: 10972966 [PubMed - indexed for MEDLINE]

[Related citations](#)

1227. [The parkinsonism-inducing drug 1-methyl-4-phenylpyridinium triggers intracellular dopamine oxidation. A](#)

[novel mechanism of toxicity.](#)

Lotharius J, O'Malley KL.

J Biol Chem. 2000 Dec  
8;275(49):38581-8.

PMID: 10969076 [PubMed - indexed for  
MEDLINE] **Free Article**

[Related citations](#)

1228. [MPP\(+\) increases the vulnerability to oxidative stress rather than directly mediating oxidative damage in human neuroblastoma cells.](#)

Lee HS, Park CW, Kim YS.

Exp Neurol. 2000 Sep;165(1):164-71.

PMID: 10964495 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1229. [Protective effect of melatonin against the 1-methyl-4-phenylpyridinium-induced inhibition of complex I of the mitochondrial respiratory chain.](#)

Absi E, Ayala A, Machado A, Parrado J.

J Pineal Res. 2000 Aug;29(1):40-7.

PMID: 10949539 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1230. [Potentiated and preferential effects of combined paraquat and maneb on nigrostriatal dopamine systems: environmental risk factors for Parkinson's disease?](#)

Thiruchelvam M, Brockel BJ, Richfield  
EK, Baggs RB, Cory-Slechta DA.

Brain Res. 2000 Aug 11;873(2):225-34.

PMID: 10930548 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1231. [The selective toxicity of 1-methyl-4-phenylpyridinium to dopaminergic neurons: the role of mitochondrial complex I and reactive oxygen species revisited.](#)

Nakamura K, Bindokas VP, Marks JD, Wright DA, Frim DM, Miller RJ, Kang UJ.

Mol Pharmacol. 2000 Aug;58(2):271-8.

PMID: 10908294 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

1232. [Ethylenebisdithiocarbamate enhances MPTP-induced striatal dopamine depletion in mice.](#)

McGrew DM, Irwin I, Langston JW.

Neurotoxicology. 2000 Jun;21(3):309-12.

PMID: 10894120 [PubMed - indexed for MEDLINE]

[Related citations](#)

1233. [Dopamine transporter function assessed by antisense knockdown in the rat: protection from dopamine neurotoxicity.](#)

Van Kampen JM, McGeer EG, Stoessl AJ.

Synapse. 2000 Sep 1;37(3):171-8.

PMID: 10881039 [PubMed - indexed for MEDLINE]

[Related citations](#)

1234. [Exposure to home pesticides linked to Parkinson disease.](#)

Stephenson J.

JAMA. 2000 Jun 21;283(23):3055-6. No abstract available.

PMID: 10865282 [PubMed - indexed for MEDLINE]

[Related citations](#)

1235. [Effect of MAO-B inhibitors on MPP+ toxicity in Vivo.](#)

Wu RM, Chen RC, Chiueh CC.

Ann N Y Acad Sci. 2000;899:255-61.

PMID: 10863544 [PubMed - indexed for MEDLINE]

[Related citations](#)

1236. [3,4-Dihydroxyphenylacetaldehyde potentiates the toxic effects of metabolic stress in PC12 cells.](#)

Lamensdorf I, Eisenhofer G, Harvey-White J, Nechustan A, Kirk K, Kopin IJ. Brain Res. 2000 Jun 23;868(2):191-201. PMID: 10854571 [PubMed - indexed for MEDLINE]

[Related citations](#)

1237. [Manganese: brain transport and emerging research needs.](#)

Aschner M.

Environ Health Perspect. 2000 Jun;108 Suppl 3:429-32. Review.

PMID: 10852840 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

1238. [Estrogen reduces acute striatal dopamine responses in vivo to the neurotoxin MPP+ in female, but not male rats.](#)

Disshon KA, Dluzen DE.

Brain Res. 2000 Jun 16;868(1):95-104.

PMID: 10841892 [PubMed - indexed for MEDLINE]

[Related citations](#)

1239. [6-Hydroxydopamine toxicity towards human SH-SY5Y dopaminergic neuroblastoma cells: independent of mitochondrial energy metabolism.](#)

Storch A, Kaftan A, Burkhardt K, Schwarz J.

J Neural Transm. 2000;107(3):281-93.

PMID: 10821437 [PubMed - indexed for MEDLINE]

[Related citations](#)

1240. [Inhibition of neuronal nitric oxide synthase protects against MPTP toxicity.](#)

Klivenyi P, Andreassen OA, Ferrante RJ, Lancelot E, Reif D, Beal MF.

Neuroreport. 2000 Apr 27;11(6):1265-8.

PMID: 10817604 [PubMed - indexed for MEDLINE]

[Related citations](#)

1241. [Parkinson's disease mortality and pesticide exposure in California 1984-1994.](#)

Ritz B, Yu F.

Int J Epidemiol. 2000 Apr;29(2):323-9.

PMID: 10817132 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

1242. [D-beta-hydroxybutyrate protects neurons in models of Alzheimer's and Parkinson's disease.](#)

Kashiwaya Y, Takeshima T, Mori N, Nakashima K, Clarke K, Veech RL.

Proc Natl Acad Sci U S A. 2000 May 9;97(10):5440-4.

PMID: 10805800 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

1243. [Enhanced vulnerability to oxidative stress by alpha-synuclein mutations and C-terminal truncation.](#)

Kanda S, Bishop JF, Eglitis MA, Yang Y, Mouradian MM.

Neuroscience. 2000;97(2):279-84.

PMID: 10799759 [PubMed - indexed for MEDLINE]

[Related citations](#)

1244. [Metabolic stress in PC12 cells induces the formation of the endogenous dopaminergic neurotoxin, 3,4-dihydroxyphenylacetaldehyde.](#)

Lamensdorf I, Eisenhofer G, Harvey-White J, Hayakawa Y, Kirk K, Kopin IJ.

J Neurosci Res. 2000 May 15;60(4):552-8.

PMID: 10797558 [PubMed - indexed for MEDLINE]

[Related citations](#)

1245. [Vulnerability to pesticide neurotoxicity is a lifetime issue.](#)

Weiss B.

Neurotoxicology. 2000 Feb-Apr;21(1-2):67-73. Review.

PMID: 10794386 [PubMed - indexed for MEDLINE]

[Related citations](#)

1246. [Vasoactive intestinal peptide \(VIP\) prevents neurotoxicity in neuronal cultures: relevance to neuroprotection in Parkinson's disease.](#)

Offen D, Sherki Y, Melamed E, Fridkin M, Breneman DE, Gozes I.

Brain Res. 2000 Jan 31;854(1-2):257-62.

PMID: 10784133 [PubMed - indexed for MEDLINE]

[Related citations](#)

1247. [\[Pesticide poisoning\].](#)

Harry P.

Rev Prat. 2000 Feb 15;50(4):372-6.

French.

PMID: 10748667 [PubMed - indexed for MEDLINE]

[Related citations](#)

1248. [Interaction among mitochondria, mitogen-activated protein kinases, and nuclear factor-kappaB in cellular models of Parkinson's disease.](#)

Cassarino DS, Halvorsen EM, Swerdlow RH, Abramova NN, Parker WD Jr, Sturgill TW, Bennett JP Jr.

J Neurochem. 2000 Apr;74(4):1384-92.

PMID: 10737593 [PubMed - indexed for MEDLINE]

[Related citations](#)

1249. [Effect of MPTP on brain mitochondrial H2O2 and ATP production and on dopamine and DOPAC in the striatum.](#)

Fabre E, Monserrat J, Herrero A, Barja G, Leret ML.  
J Physiol Biochem. 1999 Dec;55(4):325-31.  
PMID: 10731084 [PubMed - indexed for MEDLINE]

[Related citations](#)

1250. [The protective effect of riluzole in the MPTP model of Parkinson's disease in mice is not due to a decrease in MPP\(+\) accumulation.](#)

Boireau A, Dubedat P, Bordier F, Imperato A, Moussaoui S.  
Neuropharmacology. 2000 Apr 3;39(6):1016-20.  
PMID: 10727711 [PubMed - indexed for MEDLINE]

[Related citations](#)

1251. [Potassium chloride depolarization enhances MPP+-induced hydroxyl radical generation in the rat striatum.](#)

Obata T, Aomine M, Yamanaka Y.  
Brain Res. 2000 Jan 10;852(2):488-91.  
PMID: 10678780 [PubMed - indexed for MEDLINE]

[Related citations](#)

1252. [Organochlorine insecticides in substantia nigra in Parkinson's disease.](#)

Corrigan FM, Wienburg CL, Shore RF, Daniel SE, Mann D.  
J Toxicol Environ Health A. 2000 Feb 25;59(4):229-34.  
PMID: 10706031 [PubMed - indexed for MEDLINE]

[Related citations](#)

1253. [MPP\(+\)-induced mitochondrial dysfunction is potentiated by dopamine.](#)

Boada J, Cutillas B, Roig T, Bermúdez J, Ambrosio S.  
Biochem Biophys Res Commun. 2000 Feb 24;268(3):916-20.



PMID: 10679305 [PubMed - indexed for MEDLINE]

[Related citations](#)

1254. [1-Methyl-6,7-dihydroxy-1,2,3,4-tetrahydroisoquinoline \(salsolinol\) is toxic to dopaminergic neuroblastoma SH-SY5Y cells via impairment of cellular energy metabolism.](#)

Storch A, Kaftan A, Burkhardt K, Schwarz J.

Brain Res. 2000 Feb 7;855(1):67-75.

PMID: 10650131 [PubMed - indexed for MEDLINE]

[Related citations](#)

1255. [The nigrostriatal dopaminergic system as a preferential target of repeated exposures to combined paraquat and maneb: implications for Parkinson's disease.](#)

Thiruchelvam M, Richfield EK, Baggs RB, Tank AW, Cory-Slechta DA.

J Neurosci. 2000 Dec 15;20(24):9207-14.

PMID: 11124998 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

1256. [Pesticide study aids Parkinson research.](#)

Friedrich MJ.

JAMA. 1999 Dec 15;282(23):2200. No abstract available.

PMID: 10605962 [PubMed - indexed for MEDLINE]

[Related citations](#)

1257. [The D-loop structure of human mtDNA is destabilized directly by 1-methyl-4-phenylpyridinium ion \(MPP+\), a parkinsonism-causing toxin.](#)

Umeda S, Muta T, Ohsato T, Takamatsu C, Hamasaki N, Kang D.

Eur J Biochem. 2000 Jan;267(1):200-6.

PMID: 10601867 [PubMed - indexed for

MEDLINE] **Free Article**

[Related citations](#)

1258. [Environmental risk factors in Parkinson's disease.](#)

Kuopio AM, Marttila RJ, Helenius H, Rinne UK.

Mov Disord. 1999 Nov;14(6):928-39.

PMID: 10584666 [PubMed - indexed for MEDLINE]

[Related citations](#)

1259. [Environmental, medical, and family history risk factors for Parkinson's disease: a New England-based case control study.](#)

Taylor CA, Saint-Hilaire MH, Cupples LA, Thomas CA, Burchard AE, Feldman RG, Myers RH.

Am J Med Genet. 1999 Dec 15;88(6):742-9.

PMID: 10581500 [PubMed - indexed for MEDLINE]

[Related citations](#)

1260. [Altered glial function causes neuronal death and increases neuronal susceptibility to 1-methyl-4-phenylpyridinium- and 6-hydroxydopamine-induced toxicity in astrocytic/ventral mesencephalic co-cultures.](#)

McNaught KS, Jenner P.

J Neurochem. 1999 Dec;73(6):2469-76.

PMID: 10582607 [PubMed - indexed for MEDLINE]

[Related citations](#)

1261. [Local striatal infusion of MPP+ does not result in increased hydroxylation after systemic administration of 4-hydroxybenzoate.](#)

Ste-Marie L, Vachon L, Bémour C, Lambert J, Montgomery J.

Free Radic Biol Med. 1999 Nov;27(9-

10):997-1007.

PMID: 10569632 [PubMed - indexed for MEDLINE]

[Related citations](#)

1262. [1-Methyl-4-phenyl-2,3-dihydropyridinium is transformed by ubiquinone to the selective nigrostriatal toxin 1-methyl-4-phenylpyridinium.](#)

Shi H, Noguchi N, Xu Y, Niki E.

FEBS Lett. 1999 Nov 19;461(3):196-200.

PMID: 10567696 [PubMed - indexed for MEDLINE]

[Related citations](#)

1263. [Multiple antioxidants in the prevention and treatment of Parkinson's disease.](#)

Prasad KN, Cole WC, Kumar B.

J Am Coll Nutr. 1999 Oct;18(5):413-23. Review.

PMID: 10511322 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

1264. [Inhibitors of mitochondrial respiration, iron \(II\), and hydroxyl radical evoke release and extracellular hydrolysis of glutathione in rat striatum and substantia nigra: potential implications to Parkinson's disease.](#)

Han J, Cheng FC, Yang Z, Dryhurst G.

J Neurochem. 1999 Oct;73(4):1683-95.

PMID: 10501216 [PubMed - indexed for MEDLINE]

[Related citations](#)

1265. [Heptachlor alters expression and function of dopamine transporters.](#)

Miller GW, Kirby ML, Levey AI, Bloomquist JR.

Neurotoxicology. 1999 Aug;20(4):631-7.

PMID: 10499361 [PubMed - indexed for MEDLINE]

[Related citations](#)

1266. [Genetics, drugs and environmental factors in Parkinson's disease. A case-control study.](#)  
Werneck AL, Alvarenga H.  
Arq Neuropsiquiatr. 1999 Jun;57(2B):347-55.  
PMID: 10450337 [PubMed - indexed for MEDLINE]

[Related citations](#)

1267. [Absence of effect of seven functional mutations in the CYP2D6 gene in Parkinson's disease.](#)  
Joost O, Taylor CA, Thomas CA, Cupples LA, Saint-Hilaire MH, Feldman RG, Baldwin CT, Myers RH.  
Mov Disord. 1999 Jul;14(4):590-5.  
PMID: 10435495 [PubMed - indexed for MEDLINE]

[Related citations](#)

1268. [The non-NMDA glutamate receptor antagonists 6-cyano-7-nitroquinoxaline-2,3-dione and 2,3-dihydroxy-6-nitro-7-sulfamoylbenzo\(f\)quinoxaline, but not NMDA antagonists, block the intrastriatal neurotoxic effect of MPP+.](#)  
Merino M, Vizuete ML, Cano J, Machado A.  
J Neurochem. 1999 Aug;73(2):750-7.  
PMID: 10428073 [PubMed - indexed for MEDLINE]

[Related citations](#)

1269. [Oxidative stress induced by MPTP and MPP\(+\): selective vulnerability of cultured mouse astrocytes.](#)  
Wong SS, Li RH, Stadlin A.  
Brain Res. 1999 Jul 31;836(1-2):237-44.  
PMID: 10415427 [PubMed - indexed for MEDLINE]

[Related citations](#)

1270. [Dietary restriction and 2-deoxyglucose administration improve behavioral outcome and reduce degeneration of dopaminergic neurons in models of Parkinson's disease.](#)  
Duan W, Mattson MP.  
J Neurosci Res. 1999 Jul 15;57(2):195-206.  
PMID: 10398297 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1271. [MPP+ inhibits proliferation of PC12 cells by a p21\(WAF1/Cip1\)-dependent pathway and induces cell death in cells lacking p21\(WAF1/Cip1\).](#)  
Soldner F, Weller M, Haid S, Beinroth S, Miller SW, Wüllner U, Davis RE, Dichgans J, Klockgether T, Schulz JB.  
Exp Cell Res. 1999 Jul 10;250(1):75-85.  
PMID: 10388522 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1272. [Depolarization of in situ mitochondria due to hydrogen peroxide-induced oxidative stress in nerve terminals: inhibition of alpha-ketoglutarate dehydrogenase.](#)  
Chinopoulos C, Tretter L, Adam-Vizi V.  
J Neurochem. 1999 Jul;73(1):220-8.  
PMID: 10386974 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1273. [Studies on the pyrrolinone metabolites derived from the tobacco alkaloid 1-methyl-2-\(3-pyridinyl\)pyrrole \(beta-nicotyrine\).](#)  
Liu X, Zang L, Van der Schyf CJ, Igarashi K, Castagnoli K, Castagnoli N Jr.  
Chem Res Toxicol. 1999 Jun;12(6):508-12.

PMID: 10368313 [PubMed - indexed for MEDLINE]

[Related citations](#)

1274. [Pesticides and Parkinson's disease.](#)

Le Couteur DG, McLean AJ, Taylor MC, Woodham BL, Board PG.

Biomed Pharmacother. 1999 Apr;53(3):122-30. Review.

PMID: 10349500 [PubMed - indexed for MEDLINE]

[Related citations](#)

1275. [Reserpine prevents hydroxyl radical formation by MPP+ in rat striatum.](#)

Obata T.

Brain Res. 1999 May 15;828(1-2):68-73.

PMID: 10320725 [PubMed - indexed for MEDLINE]

[Related citations](#)

1276. [Poly\(ADP-ribose\) polymerase activation mediates 1-methyl-4-phenyl-1, 2,3,6-tetrahydropyridine \(MPTP\)-induced parkinsonism.](#)

Mandir AS, Przedborski S, Jackson-Lewis V, Wang ZQ, Simbulan-Rosenthal CM, Smulson ME, Hoffman BE, Guastella DB, Dawson VL, Dawson TM.

Proc Natl Acad Sci U S A. 1999 May 11;96(10):5774-9.

PMID: 10318960 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

1277. [Epidemiologic approaches to the study of Parkinson's disease etiology.](#)

Checkoway H, Nelson LM.

Epidemiology. 1999 May;10(3):327-36. Review.

PMID: 10230846 [PubMed - indexed for MEDLINE]

[Related citations](#)

1278. [Acute and reversible parkinsonism due to organophosphate pesticide intoxication: five cases.](#)  
Bhatt MH, Elias MA, Mankodi AK.  
Neurology. 1999 Apr 22;52(7):1467-71.  
PMID: 10227636 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1279. [Creatine and cyclocreatine attenuate MPTP neurotoxicity.](#)  
Matthews RT, Ferrante RJ, Klivenyi P, Yang L, Klein AM, Mueller G, Kaddurah-Daouk R, Beal MF.  
Exp Neurol. 1999 May;157(1):142-9.  
PMID: 10222117 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1280. [Influence of MPP+ on the state of tubulin polymerisation in NGF-differentiated PC12 cells.](#)  
Cappelletti G, Maggioni MG, Maci R.  
J Neurosci Res. 1999 Apr 1;56(1):28-35.  
PMID: 10213472 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1281. [Paraquat induced activation of transcription factor AP-1 and apoptosis in PC12 cells.](#)  
Li X, Sun AY.  
J Neural Transm. 1999;106(1):1-21.  
PMID: 10195331 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1282. [Paraquat elicited neurobehavioral syndrome caused by dopaminergic neuron loss.](#)  
Brooks AI, Chadwick CA, Gelbard HA, Cory-Slechta DA, Federoff HJ.  
Brain Res. 1999 Mar 27;823(1-2):1-10.  
PMID: 10095006 [PubMed - indexed for

MEDLINE]

[Related citations](#)

1283. [Health effects of chronic high exposure to hexachlorobenzene in a general population sample.](#)

Sala M, Sunyer J, Otero R, Santiago-Silva M, Ozalla D, Herrero C, To-Figueras J, Kogevinas M, Anto JM, Camps C, Grimalt J.

Arch Environ Health. 1999 Mar-Apr;54(2):102-9.

PMID: 10094287 [PubMed - indexed for MEDLINE]

[Related citations](#)

1284. [Characterization and time course of MPP+ -induced apoptosis in human SH-SY5Y neuroblastoma cells.](#)

Fall CP, Bennett JP Jr.

J Neurosci Res. 1999 Mar 1;55(5):620-8.

PMID: 10082084 [PubMed - indexed for MEDLINE]

[Related citations](#)

1285. [Transient severe parkinsonism after acute organophosphate poisoning.](#)

Müller-Vahl KR, Kolbe H, Dengler R.

J Neurol Neurosurg Psychiatry. 1999 Feb;66(2):253-4. No abstract available.

PMID: 10071118 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

1286. [Gene-toxicant link to Parkinson's disease.](#)

[No authors listed]

Environ Health Perspect. 1999 Jan;107(1):A14-5. No abstract available.

PMID: 10068289 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

1287. [Biosynthesis of a parkinsonism-preventing substance, 1-methyl-1,2,3,4-](#)



[tetrahydroisoquinoline, is inhibited by parkinsonism-inducing compounds in rat brain mitochondrial fraction.](#)

Yamakawa T, Ohta S.

Neurosci Lett. 1999 Jan 15;259(3):157-60.

PMID: 10025582 [PubMed - indexed for MEDLINE]

[Related citations](#)

1288. [Glutathione transferase polymorphism and Parkinson's disease.](#)

Paolini M, Biagi GL, Cantelli-Forti G.

Lancet. 1999 Jan 2;353(9146):71-2. No abstract available.

PMID: 10023978 [PubMed - indexed for MEDLINE]

[Related citations](#)

1289. [Alternative sulfonylurea receptor expression defines metabolic sensitivity of K-ATP channels in dopaminergic midbrain neurons.](#)

Liss B, Bruns R, Roeper J.

EMBO J. 1999 Feb 15;18(4):833-46.

PMID: 10022826 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

1290. [The parkinsonian neurotoxin MPP+ opens the mitochondrial permeability transition pore and releases cytochrome c in isolated mitochondria via an oxidative mechanism.](#)

Cassarino DS, Parks JK, Parker WD Jr, Bennett JP Jr.

Biochim Biophys Acta. 1999 Jan 6;1453(1):49-62.

PMID: 9989245 [PubMed - indexed for MEDLINE]

[Related citations](#)

1291. [Distinct mechanisms underlie neurotoxin-mediated cell death in cultured dopaminergic neurons.](#)

Lotharius J, Dugan LL, O'Malley KL.  
J Neurosci. 1999 Feb 15;19(4):1284-93.  
PMID: 9952406 [PubMed - indexed for  
MEDLINE] **Free Article**

[Related citations](#)

1292. [Aggregate exposures under the Food Quality Protection Act: An approach using chlorpyrifos.](#)  
Shurdut BA, Barraji L, Francis M.  
Regul Toxicol Pharmacol. 1998  
Oct;28(2):165-77. Review.  
PMID: 9927565 [PubMed - indexed for  
MEDLINE]  
[Related citations](#)
1293. [Multiple system atrophy: the putative causative role of environmental toxins.](#)  
Hanna PA, Jankovic J, Kirkpatrick JB.  
Arch Neurol. 1999 Jan;56(1):90-4.  
Review.  
PMID: 9923766 [PubMed - indexed for  
MEDLINE]  
[Related citations](#)
1294. [Nutritional and occupational factors influencing the risk of Parkinson's disease: a case-control study in southeastern Sweden.](#)  
Fall PA, Fredrikson M, Axelson O,  
Granérus AK.  
Mov Disord. 1999 Jan;14(1):28-37.  
PMID: 9918341 [PubMed - indexed for  
MEDLINE]  
[Related citations](#)
1295. [Caspase-3-like proteases and 6-hydroxydopamine induced neuronal cell death.](#)  
Dodel RC, Du Y, Bales KR, Ling Z,  
Carvey PM, Paul SM.  
Brain Res Mol Brain Res. 1999 Jan  
22;64(1):141-8.  
PMID: 9889353 [PubMed - indexed for

MEDLINE]

[Related citations](#)

1296. [Genetic epidemiology of Parkinson's disease.](#)

Payami H, Zarepars S.

J Geriatr Psychiatry Neurol. 1998  
Summer;11(2):98-106. Review.

PMID: 9877530 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1297. [\[Delayed effects of organochlorine pesticides in man\].](#)

Nunes MV, Tajara EH.

Rev Saude Publica. 1998  
Aug;32(4):372-82. Review. Portuguese.

PMID: 9876430 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1298. [Conformationally restricted analogues of nicotine and anabasine.](#)

Vernier JM, Holsenback H, Cosford ND,  
Whitten JP, Menzaghi F, Reid R, Rao  
TS, Sacaan AI, Lloyd GK, Suto CM,  
Chavez-Noriega LE, Washburn MS,  
Urrutia A, McDonald IA.

Bioorg Med Chem Lett. 1998 Aug  
18;8(16):2173-8.

PMID: 9873508 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1299. [Neuroprotection and neuronal differentiation studies using substantia nigra dopaminergic cells derived from transgenic mouse embryos.](#)

Son JH, Chun HS, Joh TH, Cho S, Conti  
B, Lee JW.

J Neurosci. 1999 Jan 1;19(1):10-20.

PMID: 9870933 [PubMed - indexed for  
MEDLINE] **Free Article**

[Related citations](#)

1300. [Mice deficient in group IV cytosolic phospholipase A2 are resistant to MPTP neurotoxicity.](#)  
Klivenyi P, Beal MF, Ferrante RJ, Andreassen OA, Wermer M, Chin MR, Bonventre JV.  
J Neurochem. 1998 Dec;71(6):2634-7.  
PMID: 9832165 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1301. [Paraquat-induced cell death in PC12 cells.](#)  
Yang WL, Sun AY.  
Neurochem Res. 1998 Nov;23(11):1387-94.  
PMID: 9814549 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1302. [Genetic and environmental risk factors for Parkinson's disease in a Chinese population.](#)  
Chan DK, Woo J, Ho SC, Pang CP, Law LK, Ng PW, Hung WT, Kwok T, Hui E, Orr K, Leung MF, Kay R.  
J Neurol Neurosurg Psychiatry. 1998 Nov;65(5):781-4.  
PMID: 9810958 [PubMed - indexed for MEDLINE] **Free PMC Article**  
[Related citations](#)
1303. [\[Neurosomnology: in the cutting-edge of neurology\].](#)  
Culebras A.  
Neurologia. 1998 Aug-Sep;13(7):335-48. Spanish.  
PMID: 9810796 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1304. [Parkinson's disease, pesticides, and glutathione transferase polymorphisms.](#)  
Menegon A, Board PG, Blackburn AC,

Mellick GD, Le Couteur DG.  
Lancet. 1998 Oct 24;352(9137):1344-6.  
PMID: 9802272 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1305. [Parkinson's disease: nature meets  
nurture.](#)

Golbe L.

Lancet. 1998 Oct 24;352(9137):1328-9.  
No abstract available.

PMID: 9802266 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1306. [Cyclosporin inhibition of apoptosis  
induced by mitochondrial complex I  
toxins.](#)

Seaton TA, Cooper JM, Schapira AH.

Brain Res. 1998 Oct 26;809(1):12-7.

PMID: 9795106 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1307. [The epidemiology of Parkinson's disease  
in an Australian population.](#)

McCann SJ, LeCouteur DG, Green AC,  
Brayne C, Johnson AG, Chan D,  
McManus ME, Pond SM.

Neuroepidemiology. 1998;17(6):310-7.

PMID: 9778597 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1308. [Paraquat: a useful tool for the in vivo  
study of mechanisms of neuronal cell  
death.](#)

Corasaniti MT, Strongoli MC, Rotiroti  
D, Bagetta G, Nisticò G.

Pharmacol Toxicol. 1998 Jul;83(1):1-7.  
Review.

PMID: 9764419 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1309. [Epidemiology versus genetics in Parkinson's disease: progress in resolving an age-old debate.](#)  
Langston JW.  
Ann Neurol. 1998 Sep;44(3 Suppl 1):S45-52. Review.  
PMID: 9749572 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1310. [A case-control study of occupational and environmental risk factors for Parkinson's disease in the Emilia-Romagna region of Italy.](#)  
Smargiassi A, Mutti A, De Rosa A, De Palma G, Negrotti A, Calzetti S.  
Neurotoxicology. 1998 Aug-Oct;19(4-5):709-12.  
PMID: 9745932 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1311. [Micronuclei analysis in lymphocytes of pesticide sprayers from Concepción, Chile.](#)  
Venegas W, Zapata I, Carbonell E, Marcos R.  
Teratog Carcinog Mutagen. 1998;18(3):123-9.  
PMID: 9728796 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1312. [Catechol is the major product of salicylate hydroxylation in 1-methyl-4-phenylpyridinium ion treated rats.](#)  
Sam E, Sarre S, Michotte Y, Verbeke N.  
Eur J Drug Metab Pharmacokinet. 1998 Apr-Jun;23(2):137-42.  
PMID: 9725471 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1313. [7-Nitroindazole prevents dopamine depletion caused by low concentrations](#)

[of MPP+ in rat striatal slices.](#)

Cutillas B, Espejo M, Ambrosio S.  
Neurochem Int. 1998 Jul;33(1):35-40.  
PMID: 9694040 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1314. [L1 neural cell adhesion molecule is a survival factor for fetal dopaminergic neurons.](#)

Hulley P, Schachner M, Lübbert H.  
J Neurosci Res. 1998 Jul 15;53(2):129-34.  
PMID: 9671969 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1315. [Structural significance of azaheterocyclic amines related to Parkinson's disease for dopamine transporter.](#)

Matsubara K, Senda T, Uezono T,  
Fukushima S, Ohta S, Igarashi K, Naoi  
M, Yamashita Y, Ohtaki K, Hayase N,  
Akutsu S, Kimura K.  
Eur J Pharmacol. 1998 May  
1;348(1):77-84.  
PMID: 9650834 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1316. [Pramipexole reduces reactive oxygen species production in vivo and in vitro and inhibits the mitochondrial permeability transition produced by the parkinsonian neurotoxin methylpyridinium ion.](#)

Cassarino DS, Fall CP, Smith TS,  
Bennett JP Jr.  
J Neurochem. 1998 Jul;71(1):295-301.  
PMID: 9648878 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1317. [Genetic and environmental risk factors](#)

[in Parkinson's disease.](#)

Veldman BA, Wijn AM, Knoers N,  
Praamstra P, Horstink MW.

Clin Neurol Neurosurg. 1998  
Mar;100(1):15-26. Review.

PMID: 9637199 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1318. [Melatonin protects nigral dopaminergic neurons from 1-methyl-4-phenylpyridinium \(MPP+\) neurotoxicity in rats.](#)

Jin BK, Shin DY, Jeong MY, Gwag MR,  
Baik HW, Yoon KS, Cho YH, Joo WS,  
Kim YS, Baik HH.

Neurosci Lett. 1998 Apr 3;245(2):61-4.

PMID: 9605485 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1319. [A case-referent study of extrapyramidal signs \(preparkinsonism\) in rural communities of Israel.](#)

Herishanu YO, Kordysh E, Goldsmith  
JR.

Can J Neurol Sci. 1998 May;25(2):127-  
33.

PMID: 9604134 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1320. [The risk of Parkinson's disease with exposure to pesticides, farming, well water, and rural living.](#)

Gorell JM, Johnson CC, Rybicki BA,  
Peterson EL, Richardson RJ.

Neurology. 1998 May;50(5):1346-50.

PMID: 9595985 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1321. [Gene-toxin interaction as a putative risk factor for Parkinson's disease with dementia.](#)



Hubble JP, Kurth JH, Glatt SL, Kurth MC, Schellenberg GD, Hassanein RE, Lieberman A, Koller WC.  
Neuroepidemiology. 1998;17(2):96-104.  
PMID: 9592786 [PubMed - indexed for MEDLINE]

[Related citations](#)

1322. [\[Delayed health effects of pesticides: review of current epidemiological knowledge\].](#)

Baldi I, Mohammed-Brahim B, Brochard P, Dartigues JF, Salamon R.  
Rev Epidemiol Sante Publique. 1998 Mar;46(2):134-42. Review. French.  
PMID: 9592856 [PubMed - indexed for MEDLINE]

[Related citations](#)

1323. [The neurotoxin 1-methyl-4-phenylpyridinium is sequestered within neurons that contain the vesicular monoamine transporter.](#)

Speciale SG, Liang CL, Sonsalla PK, Edwards RH, German DC.  
Neuroscience. 1998 Jun;84(4):1177-85.  
PMID: 9578404 [PubMed - indexed for MEDLINE]

[Related citations](#)

1324. [Calbindin-D28k buffers intracellular calcium and promotes resistance to degeneration in PC12 cells.](#)

McMahon A, Wong BS, Iacopino AM, Ng MC, Chi S, German DC.  
Brain Res Mol Brain Res. 1998 Feb;54(1):56-63.  
PMID: 9526044 [PubMed - indexed for MEDLINE]

[Related citations](#)

1325. [Paraquat-induced free radical reaction in mouse brain microsomes.](#)

Yang W, Sun AY.  
Neurochem Res. 1998 Jan;23(1):47-53.

PMID: 9482266 [PubMed - indexed for MEDLINE]

[Related citations](#)

1326. [The role of glutathione in dopaminergic neuronal survival.](#)

Nakamura K, Wang W, Kang UJ.  
J Neurochem. 1997 Nov;69(5):1850-8.  
PMID: 9349527 [PubMed - indexed for MEDLINE]

[Related citations](#)

1327. [Quantitative study of mitochondrial complex I in platelets of parkinsonian patients.](#)

Blandini F, Nappi G, Greenamyre JT.  
Mov Disord. 1998 Jan;13(1):11-5.  
PMID: 9452319 [PubMed - indexed for MEDLINE]

[Related citations](#)

1328. [Metabolic inhibition enhances selective toxicity of L-DOPA toward mesencephalic dopamine neurons in vitro.](#)

Nakao N, Nakai K, Itakura T.  
Brain Res. 1997 Nov 28;777(1-2):202-9.  
PMID: 9449429 [PubMed - indexed for MEDLINE]

[Related citations](#)

1329. [Free radical scavengers protect dopaminergic cell lines from apoptosis induced by complex I inhibitors.](#)

Seaton TA, Cooper JM, Schapira AH.  
Brain Res. 1997 Nov 28;777(1-2):110-8.  
PMID: 9449419 [PubMed - indexed for MEDLINE]

[Related citations](#)

1330. [Environmental risk factors for Parkinson's disease in an urban multiethnic community.](#)

Marder K, Logroscino G, Alfaro B, Mejia H, Halim A, Louis E, Cote L,

Mayeux R.

Neurology. 1998 Jan;50(1):279-81.

PMID: 9443493 [PubMed - indexed for MEDLINE]

[Related citations](#)

1331. [Comparison of key steps in 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine \(MPTP\) neurotoxicity in rodents.](#)

Sundström E, Samuelsson EB.

Pharmacol Toxicol. 1997

Nov;81(5):226-31.

PMID: 9396088 [PubMed - indexed for MEDLINE]

[Related citations](#)

1332. [Rescue of mesencephalic dopamine neurons by anticancer drug cytosine arabinoside.](#)

Michel PP, Ruberg M, Agid Y.

J Neurochem. 1997 Oct;69(4):1499-507.

PMID: 9326279 [PubMed - indexed for MEDLINE]

[Related citations](#)

1333. [Estrogen as a neuromodulator of MPTP-induced neurotoxicity: effects upon striatal dopamine release.](#)

Disshon KA, Dluzen DE.

Brain Res. 1997 Aug 1;764(1-2):9-16.

PMID: 9295188 [PubMed - indexed for MEDLINE]

[Related citations](#)

1334. [Environmental risk factors and Parkinson's disease: a case-control study in Taiwan.](#)

Liou HH, Tsai MC, Chen CJ, Jeng JS, Chang YC, Chen SY, Chen RC.

Neurology. 1997 Jun;48(6):1583-8.

PMID: 9191770 [PubMed - indexed for MEDLINE]

[Related citations](#)

1335. [1-Methyl-4-phenyl-1,2,3,6-](#)

[tetrahydropyridine \(MPTP\) decreases glutamate uptake in cultured astrocytes.](#)

Hazell AS, Itzhak Y, Liu H, Norenberg MD.

J Neurochem. 1997 May;68(5):2216-9.

PMID: 9109551 [PubMed - indexed for MEDLINE]

[Related citations](#)

1336. [Neurotoxic effects of papaverine, tetrahydropapaverine and dimethoxyphenylethylamine on dopaminergic neurons in ventral mesencephalic-striatal co-culture.](#)

Goto K, Mochizuki H, Hattori T, Nakamura N, Mizuno Y.

Brain Res. 1997 Apr 18;754(1-2):260-8.

PMID: 9134983 [PubMed - indexed for MEDLINE]

[Related citations](#)

1337. [The content of intracellular mitochondrial DNA is decreased by 1-methyl-4-phenylpyridinium ion \(MPP+\).](#)

Miyako K, Kai Y, Irie T, Takeshige K, Kang D.

J Biol Chem. 1997 Apr

11;272(15):9605-8.

PMID: 9092484 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

1338. [Systemic administration of rotenone produces selective damage in the striatum and globus pallidus, but not in the substantia nigra.](#)

Ferrante RJ, Schulz JB, Kowall NW, Beal MF.

Brain Res. 1997 Apr 4;753(1):157-62.

PMID: 9125443 [PubMed - indexed for MEDLINE]

[Related citations](#)

1339. [The epidemiology of Parkinson's disease.](#)

Ben-Shlomo Y.  
Baillieres Clin Neurol. 1997  
Apr;6(1):55-68. Review.  
PMID: 9426868 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1340. [Mitochondrial dysfunction in neurodegeneration.](#)

Cooper JM, Schapira AH.  
J Bioenerg Biomembr. 1997  
Apr;29(2):175-83. Review.  
PMID: 9239542 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1341. [Basic toxicology of pesticides.](#)

Costa LG.  
Occup Med. 1997 Apr-Jun;12(2):251-  
68. Review.  
PMID: 9220485 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1342. [Protein from chromaffin granules promotes survival of mesencephalic dopaminergic neurons by an EGF-receptor ligand-mediated mechanism.](#)

Krieglstein K, Unsicker K.  
J Neurosci Res. 1997 Apr 1;48(1):18-30.  
PMID: 9086178 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1343. [Altered calcium homeostasis in cells transformed by mitochondria from individuals with Parkinson's disease.](#)

Sheehan JP, Swerdlow RH, Parker WD,  
Miller SW, Davis RE, Tuttle JB.  
J Neurochem. 1997 Mar;68(3):1221-33.  
PMID: 9048769 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1344. [Alterations in the distribution of](#)

[glutathione in the substantia nigra in Parkinson's disease.](#)

Pearce RK, Owen A, Daniel S, Jenner P, Marsden CD.

J Neural Transm. 1997;104(6-7):661-77.

PMID: 9444566 [PubMed - indexed for MEDLINE]

[Related citations](#)

1345. [Apoptosis in neurodegenerative disorders.](#)

Mochizuki H, Mori H, Mizuno Y.

J Neural Transm Suppl. 1997;50:125-40.

PMID: 9120413 [PubMed - indexed for MEDLINE]

[Related citations](#)

1346. [Transgenic murine dopaminergic neurons expressing human Cu/Zn superoxide dismutase exhibit increased density in culture, but no resistance to methylphenylpyridinium-induced degeneration.](#)

Sanchez-Ramos JR, Song S, Facca A, Basit A, Epstein CJ.

J Neurochem. 1997 Jan;68(1):58-67.

PMID: 8978710 [PubMed - indexed for MEDLINE]

[Related citations](#)

1347. [L-deprenyl fails to protect mesencephalic dopamine neurons and PC12 cells from the neurotoxic effect of 1-methyl-4-phenylpyridinium ion.](#)

Vaglini F, Pardini C, Cavalletti M, Maggio R, Corsini GU.

Brain Res. 1996 Nov 25;741(1-2):68-74.

PMID: 9001706 [PubMed - indexed for MEDLINE]

[Related citations](#)

1348. [Mechanism of resistance to NO-induced neurotoxicity in cultured rat dopaminergic neurons.](#)

Sawada H, Shimohama S, Kawamura T, Akaike A, Kitamura Y, Taniguchi T, Kimura J.

J Neurosci Res. 1996 Nov 15;46(4):509-18.

PMID: 8950711 [PubMed - indexed for MEDLINE]

[Related citations](#)

1349. [In vitro assessment of neurotrophic activity from the striatum of aging rats.](#)

Kasello PA, Lis A, Asada H, Barone TA, Plunkett RJ.

Neurosci Lett. 1996 Nov 8;218(3):157-60.

PMID: 8945752 [PubMed - indexed for MEDLINE]

[Related citations](#)

1350. [Identification of the major transport pathway for the parkinsonism-inducing neurotoxin 1-methyl-4-phenylpyridinium.](#)

Dunigan CD, Shamo AE.

Neuroscience. 1996 Nov;75(1):37-41.

PMID: 8923521 [PubMed - indexed for MEDLINE]

[Related citations](#)

1351. [Origin and functional consequences of the complex I defect in Parkinson's disease.](#)

Swerdlow RH, Parks JK, Miller SW, Tuttle JB, Trimmer PA, Sheehan JP, Bennett JP Jr, Davis RE, Parker WD Jr.

Ann Neurol. 1996 Oct;40(4):663-71.

PMID: 8871587 [PubMed - indexed for MEDLINE]

[Related citations](#)

1352. [Nigral cell loss produced by infusion of isoquinoline derivatives structurally related to 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine.](#)

McNaught KS, Thull U, Carrupt PA,

Altomare C, Cellamare S, Carotti A,  
Testa B, Jenner P, Marsden CD.  
Neurodegeneration. 1996 Sep;5(3):265-  
74.

PMID: 8910905 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1353. [Neurodegenerative diseases:  
occupational occurrence and potential  
risk factors, 1982 through 1991.](#)

Schulte PA, Burnett CA, Boeniger MF,  
Johnson J.

Am J Public Health. 1996  
Sep;86(9):1281-8.

PMID: 8806381 [PubMed - indexed for  
MEDLINE] **Free PMC Article**

[Related citations](#)

1354. [Suppression of hydroxyl radical  
formation and protection of nigral  
neurons by l-deprenyl \(selegiline\).](#)

Wu RM, Murphy DL, Chiueh CC.

Ann N Y Acad Sci. 1996 Jun  
15;786:379-90.

PMID: 8687036 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1355. [\[3H\]dihydrorotenone binding to NADH:  
ubiquinone reductase \(complex I\) of the  
electron transport chain: an  
autoradiographic study.](#)

Higgins DS Jr, Greenamyre JT.

J Neurosci. 1996 Jun 15;16(12):3807-16.

PMID: 8656275 [PubMed - indexed for  
MEDLINE] **Free Article**

[Related citations](#)

1356. [Catecholamine transporters and 1-  
methyl-4-phenyl-1,2,3,6-  
tetrahydropyridine neurotoxicity: studies  
comparing the cloned human  
noradrenaline and human dopamine  
transporter.](#)



Pifl C, Hornykiewicz O, Giros B, Caron MG.

J Pharmacol Exp Ther. 1996  
Jun;277(3):1437-43.

PMID: 8667208 [PubMed - indexed for MEDLINE]

[Related citations](#)

1357. [Possible environmental, occupational, and other etiologic factors for Parkinson's disease: a case-control study in Germany.](#)

Seidler A, Hellenbrand W, Robra BP, Vieregge P, Nischan P, Joerg J, Oertel WH, Ulm G, Schneider E.

Neurology. 1996 May;46(5):1275-84.

PMID: 8628466 [PubMed - indexed for MEDLINE]

[Related citations](#)

1358. [Effect of active immunization with a serotonin-protein conjugate on development of experimental Parkinson's syndrome.](#)

Kryzhanovskii GN, Trekova NA, Basharova LA, Vetril  LA, Evseev VA.

Biull Eksp Biol Med. 1996  
Apr;121(4):392-5. Russian. No abstract available.

PMID: 8829448 [PubMed - indexed for MEDLINE]

[Related citations](#)

1359. [Glutathione depletion potentiates MPTP and MPP+ toxicity in nigral dopaminergic neurones.](#)

W llner U, L schmann PA, Schulz JB, Schmid A, Dringen R, Eblen F, Turski L, Klockgether T.

Neuroreport. 1996 Mar 22;7(4):921-3.

PMID: 8724674 [PubMed - indexed for MEDLINE]

[Related citations](#)

1360. [Toxicity to PC12 cells of isoquinoline](#)

[derivatives structurally related to 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine.](#)

McNaught KS, Thull U, Carrupt PA, Altomare C, Cellamare S, Carotti A, Testa B, Jenner P, Marsden CD.

Neurosci Lett. 1996 Mar 8;206(1):37-40.

PMID: 8848276 [PubMed - indexed for MEDLINE]

[Related citations](#)

1361. [Herbicide regulation: a case study of Michigan.](#)

Barber KR, House P.

J Public Health Manag Pract. 1995 Fall;1(4):95-101.

PMID: 10186648 [PubMed - indexed for MEDLINE]

[Related citations](#)

1362. [Cell-mediated delivery of brain-derived neurotrophic factor enhances dopamine levels in an MPP+ rat model of substantia nigra degeneration.](#)

Galpern WR, Frim DM, Tatter SB, Altar CA, Beal MF, Isacson O.

Cell Transplant. 1996 Mar-Apr;5(2):225-32.

PMID: 8689033 [PubMed - indexed for MEDLINE]

[Related citations](#)

1363. [Increase in bax expression in substantia nigra following 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine \(MPTP\) treatment of mice.](#)

Hassouna I, Wickert H, Zimmermann M, Gillardon F.

Neurosci Lett. 1996 Feb 2;204(1-2):85-8.

PMID: 8929984 [PubMed - indexed for MEDLINE]

[Related citations](#)

1364. [Environment: seeking clues to](#)

[Parkinson's disease.](#)

Butterfield PG.

Reflections. 1996;22(3):14-5. No abstract available.

PMID: 9256779 [PubMed - indexed for MEDLINE]

[Related citations](#)

1365. [Deprenyl in the treatment of Parkinson's disease: clinical effects and speculations on mechanism of action.](#)

Olanow CW.

J Neural Transm Suppl. 1996;48:75-84. Review.

PMID: 8988463 [PubMed - indexed for MEDLINE]

[Related citations](#)

1366. [Methylphenylpyridium ion \(MPP+\) enhances glutamate-induced cytotoxicity against dopaminergic neurons in cultured rat mesencephalon.](#)

Sawada H, Shimohama S, Tamura Y, Kawamura T, Akaike A, Kimura J.

J Neurosci Res. 1996 Jan 1;43(1):55-62.

PMID: 8838574 [PubMed - indexed for MEDLINE]

[Related citations](#)

1367. [Uptake of 1-methyl-4-phenylpyridinium ion \(MPP+\) and ATP content in synaptosomes.](#)

Matsunaga M, Shirane Y, Aiuchi T, Nakamura Y, Nakaya K.

Biol Pharm Bull. 1996 Jan;19(1):29-33.

PMID: 8820906 [PubMed - indexed for MEDLINE]

[Related citations](#)

1368. [Glial cell line-derived neurotrophic factor exerts neurotrophic effects on dopaminergic neurons in vitro and promotes their survival and regrowth after damage by 1-methyl-4-phenylpyridinium.](#)

Hou JG, Lin LF, Mytilineou C.  
J Neurochem. 1996 Jan;66(1):74-82.  
PMID: 8522992 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1369. [beta-Carbolinium cations, endogenous MPP+ analogs, in the lumbar cerebrospinal fluid of patients with Parkinson's disease.](#)

Matsubara K, Kobayashi S, Kobayashi Y, Yamashita K, Koide H, Hatta M, Iwamoto K, Tanaka O, Kimura K.  
Neurology. 1995 Dec;45(12):2240-5.  
PMID: 8848200 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1370. [Trophic and protective effects of growth/differentiation factor 5, a member of the transforming growth factor-beta superfamily, on midbrain dopaminergic neurons.](#)

Krieglstein K, Suter-Crazzolara C, Hötten G, Pohl J, Unsicker K.  
J Neurosci Res. 1995 Dec;42(5):724-32.  
PMID: 8600306 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1371. [Chronic effects of single intrastriatal injections of 6-hydroxydopamine or 1-methyl-4-phenylpyridinium studied by microdialysis in freely moving rats.](#)

Espino A, Cutillas B, Tortosa A, Ferrer I, Bartrons R, Ambrosio S.  
Brain Res. 1995 Oct 16;695(2):151-7.  
PMID: 8556325 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1372. [Radical formation site of cerebral complex I and Parkinson's disease.](#)

Fukushima T, Tawara T, Isobe A, Hojo N, Shiwaku K, Yamane Y.

J Neurosci Res. 1995 Oct 15;42(3):385-90.

PMID: 8583507 [PubMed - indexed for MEDLINE]

[Related citations](#)

1373. [Comparison of cytotoxicity of a quaternary pyridinium metabolite of haloperidol \(HP+\) with neurotoxin N-methyl-4-phenylpyridinium \(MPP+\) towards cultured dopaminergic neuroblastoma cells.](#)

Fang J, Zuo D, Yu PH.

Psychopharmacology (Berl). 1995 Oct;121(3):373-8.

PMID: 8584620 [PubMed - indexed for MEDLINE]

[Related citations](#)

1374. [Assay of \[3H\]dihydrorotenone binding to complex I in intact human platelets.](#)

Blandini F, Greenamyre JT.

Anal Biochem. 1995 Sep 1;230(1):16-9.

PMID: 8585613 [PubMed - indexed for MEDLINE]

[Related citations](#)

1375. [Survival of and 1-methyl-4-phenylpyridinium \(MPP+\) neurotoxicity against dopaminergic neurons in coculture of rat mesencephalon with their target on non-target regions.](#)

Akaneya Y, Takahashi M, Hatanaka H.

Neurosci Res. 1995 Aug;23(1):55-63.

PMID: 7501301 [PubMed - indexed for MEDLINE]

[Related citations](#)

1376. [A morphometric analysis of bipolar and multipolar TH-IR neurons treated with the neurotoxin MPP+ in co-cultures from mesencephalon and striatum of embryonic C57BL/6 mice.](#)

Koutsilieri E, Chen TS, Kruzik P, Rausch WD.

J Neurosci Res. 1995 Jun 1;41(2):197-205.

PMID: 7650755 [PubMed - indexed for MEDLINE]

[Related citations](#)

1377. [Inhibition of alpha-ketoglutarate dehydrogenase by isoquinoline derivatives structurally related to 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine \(MPTP\).](#)

McNaught KS, Altomare C, Cellamare S, Carotti A, Thull U, Carrupt PA, Testa B, Jenner P, Marsden CD.

Neuroreport. 1995 May 30;6(8):1105-8.

PMID: 7662887 [PubMed - indexed for MEDLINE]

[Related citations](#)

1378. [Effects of agricultural work and other proxy-derived case-control data on Parkinson's disease risk estimates.](#)

Semchuk KM, Love EJ.

Am J Epidemiol. 1995 Apr 15;141(8):747-54.

PMID: 7709917 [PubMed - indexed for MEDLINE]

[Related citations](#)

1379. [The use of plants for environmental monitoring and assessment.](#)

Wang W, Freemark K.

Ecotoxicol Environ Saf. 1995 Apr;30(3):289-301. Review.

PMID: 7541343 [PubMed - indexed for MEDLINE]

[Related citations](#)

1380. [Methyl-beta-carbolinium analogs of MPP+ cause nigrostriatal toxicity after substantia nigra injections in rats.](#)

Neafsey EJ, Albores R, Gearhart D, Kindel G, Raikoff K, Tamayo F, Collins MA.

Brain Res. 1995 Mar 27;675(1-2):279-

88.

PMID: 7796140 [PubMed - indexed for MEDLINE]

[Related citations](#)

1381. [Biphasic effects of MPP+, a possible parkinsonism inducer, on dopamine content and tyrosine hydroxylase mRNA expression in PC12 cells.](#)

Itano Y, Kitamura Y, Nomura Y.

Neurochem Int. 1995 Feb;26(2):165-71.

PMID: 7599536 [PubMed - indexed for MEDLINE]

[Related citations](#)

1382. [Cerebrospinal dopamine metabolites in rats after intrastriatal administration of 6-hydroxydopamine or 1-methyl-4-phenylpyridinium ion.](#)

Espino A, Llorens J, Calopa M, Bartrons R, Rodriguez-Farré E, Ambrosio S.

Brain Res. 1995 Jan 9;669(1):19-25.

PMID: 7712161 [PubMed - indexed for MEDLINE]

[Related citations](#)

1383. [MPP+ selectively affects calcium homeostasis in mesencephalic cell cultures from embryonal C57/Bl6 mice.](#)

Chen TS, Koutsilieri E, Rausch WD.

J Neural Transm Gen Sect. 1995;100(2):153-63.

PMID: 8962685 [PubMed - indexed for MEDLINE]

[Related citations](#)

1384. [1-Trichloromethyl-1,2,3,4-tetrahydro-beta-carboline, a new inhibitor of complex I.](#)

Janetzky B, God R, Bringmann G, Reichmann H.

J Neural Transm Suppl. 1995;46:265-73.

PMID: 8821063 [PubMed - indexed for MEDLINE]

[Related citations](#)

1385. [Cyclic AMP promotes the survival of dopaminergic neurons in vitro and protects them from the toxic effects of MPP+](#).  
Hulley P, Hartikka J, Lübbert H.  
J Neural Transm Suppl. 1995;46:217-28.  
PMID: 8821058 [PubMed - indexed for MEDLINE]

[Related citations](#)

1386. [Neuronal protective and rescue effects of deprenyl against MPP+ dopaminergic toxicity.](#)  
Wu RM, Murphy DL, Chiueh CC.  
J Neural Transm Gen Sect.  
1995;100(1):53-61.  
PMID: 8748663 [PubMed - indexed for MEDLINE]

[Related citations](#)

1387. [Synthesis of \(2-\[11C\]methoxy\)rotenone, a marker of mitochondrial complex I activity.](#)  
Charalambous A, Mangner TJ, Kilbourn MR.  
Nucl Med Biol. 1995 Jan;22(1):65-9.  
PMID: 7735172 [PubMed - indexed for MEDLINE]

[Related citations](#)

1388. [Antioxidant mechanism and protection of nigral neurons against MPP+ toxicity by deprenyl \(selegiline\).](#)  
Wu RM, Mohanakumar KP, Murphy DL, Chiueh CC.  
Ann N Y Acad Sci. 1994 Nov 17;738:214-21. Review.  
PMID: 7832430 [PubMed - indexed for MEDLINE]

[Related citations](#)

1389. [Complex I inhibitors induce dose-dependent apoptosis in PC12 cells:](#)



[relevance to Parkinson's disease.](#)

Hartley A, Stone JM, Heron C, Cooper JM, Schapira AH.

J Neurochem. 1994 Nov;63(5):1987-90.

PMID: 7931358 [PubMed - indexed for MEDLINE]

[Related citations](#)

1390. [1-Methyl-4-phenylpyridinium \(MPP+\)-induced cell death in PC12 cells: inhibitory effects of several drugs.](#)

Itano Y, Kitamura Y, Nomura Y.

Neurochem Int. 1994 Nov;25(5):419-24.

PMID: 7849570 [PubMed - indexed for MEDLINE]

[Related citations](#)

1391. [Features of the parkinsonian syndrome induced experimentally by a deficit of nigrostriatal dopamine and stimulation of cholinergic neurons of the caudate nuclei.](#)

Kryzhanovskii GN, Atadzhanov MA, Voronina TA, Nerobkova LN.

Neurosci Behav Physiol. 1994 Nov-Dec;24(6):485-8. No abstract available.

PMID: 7715769 [PubMed - indexed for MEDLINE]

[Related citations](#)

1392. [Riluzole and experimental parkinsonism: partial antagonism of MPP\(+\)-induced increase in striatal extracellular dopamine in rats in vivo.](#)

Boireau A, Miquet JM, Dubédat P, Meunier M, Doble A.

Neuroreport. 1994 Oct 27;5(16):2157-60.

PMID: 7865766 [PubMed - indexed for MEDLINE]

[Related citations](#)

1393. [Pesticide registration in the United States: overview and new directions.](#)

Culleen LE.  
Qual Assur. 1994 Sep;3(3):291-9.  
PMID: 7804650 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1394. [Suspected paediatric pesticide poisoning in the UK. I--Home Accident Surveillance System 1982-1988.](#)

Casey PB, Thompson JP, Vale JA.  
Hum Exp Toxicol. 1994 Aug;13(8):529-33.  
PMID: 7946506 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1395. [Parkinsonism after chronic exposure to the fungicide maneb \(manganese ethylene-bis-dithiocarbamate\).](#)

Meco G, Bonifati V, Vanacore N,  
Fabrizio E.  
Scand J Work Environ Health. 1994  
Aug;20(4):301-5.  
PMID: 7801076 [PubMed - indexed for  
MEDLINE] **Free Article**

[Related citations](#)

1396. [Psychological characteristics and subjective intolerance for xenobiotic agents of normal young adults with trait shyness and defensiveness. A parkinsonian-like personality type?](#)

Bell IR, Schwartz GE, Amend D,  
Peterson JM, Kaszniak AW, Miller CS.  
J Nerv Ment Dis. 1994 Jul;182(7):367-74.  
PMID: 8021635 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1397. [Reliability of environmental and occupational exposure data provided by surrogate respondents in a case-control study of Parkinson's disease.](#)

Wang FL, Semchuk KM, Love EJ.

J Clin Epidemiol. 1994 Jul;47(7):797-807.

PMID: 7722593 [PubMed - indexed for MEDLINE]

[Related citations](#)

1398. [Parkinson's disease and brain levels of organochlorine pesticides.](#)

Fleming L, Mann JB, Bean J, Briggie T, Sanchez-Ramos JR.

Ann Neurol. 1994 Jul;36(1):100-3.

PMID: 7517654 [PubMed - indexed for MEDLINE]

[Related citations](#)

1399. [Implanted fibroblasts genetically engineered to produce brain-derived neurotrophic factor prevent 1-methyl-4-phenylpyridinium toxicity to dopaminergic neurons in the rat.](#)

Frim DM, Uhler TA, Galpern WR, Beal MF, Breakefield XO, Isacson O.

Proc Natl Acad Sci U S A. 1994 May 24;91(11):5104-8.

PMID: 8197193 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

- 1400 [In brown Norway rats, MPP+ is accumulated in the nigrostriatal dopaminergic terminals but it is not neurotoxic: a model of natural resistance to MPTP toxicity.](#)

Zuddas A, Fascetti F, Corsini GU, Piccardi MP.

Exp Neurol. 1994 May;127(1):54-61.

PMID: 8200437 [PubMed - indexed for MEDLINE]

[Related citations](#)

1401. [Differential cytotoxicities of N-methyl-beta-carbolinium analogues of MPP+ in PC12 cells: insights into potential neurotoxicants in Parkinson's disease.](#)

Cobuzzi RJ Jr, Neafsey EJ, Collins MA.

J Neurochem. 1994 Apr;62(4):1503-10.  
PMID: 8133278 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1402. [Risk-factors for Parkinson's disease:  
case-control study in the province of  
Cáceres, Spain.](#)

Morano A, Jiménez-Jiménez FJ, Molina  
JA, Antolín MA.

Acta Neurol Scand. 1994  
Mar;89(3):164-70. Review.

PMID: 8030397 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1403. [A case-control study of Parkinson's  
disease in a horticultural region of  
British Columbia.](#)

Hertzman C, Wiens M, Snow B, Kelly  
S, Calne D.

Mov Disord. 1994 Jan;9(1):69-75.

PMID: 8139607 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1404. [Glutamatergic drugs in Parkinson's  
disease.](#)

Lange KW, Riederer P.

Life Sci. 1994;55(25-26):2067-75.  
Review.

PMID: 7997066 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1405. [Neurotrophin-4/5 is a survival factor for  
embryonic midbrain dopaminergic  
neurons in enriched cultures.](#)

Hynes MA, Poulsen K, Armanini M,  
Berkemeier L, Phillips H, Rosenthal A.

J Neurosci Res. 1994 Jan;37(1):144-54.

PMID: 7908342 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1406. [\[Serotonin antibodies and their possible role in parkinsonism\]](#).

Kryzhanovskii GN, Man'kovskii NB, Karaban' IN, Magaeva SV, Trekova NA, Vetrilé LA, Basharova LA, Atadzhanov MA, Golubev KM.

Zh Nevrol Psikhiatr Im S S Korsakova. 1994;94(5):21-6. Russian.

PMID: 7900444 [PubMed - indexed for MEDLINE]

[Related citations](#)

1407. [Cerebrospinal monoamine metabolites and amino acid content in patients with parkinsonian syndrome and rats lesioned with MPP+](#).

Espino A, Ambrosio S, Bartrons R, Bendahan G, Calopa M.

J Neural Transm Park Dis Dement Sect. 1994;7(3):167-76.

PMID: 7710669 [PubMed - indexed for MEDLINE]

[Related citations](#)

1408. [Dopamine transporter expression confers cytotoxicity to low doses of the parkinsonism-inducing neurotoxin 1-methyl-4-phenylpyridinium.](#)

Pifl C, Giros B, Caron MG.

J Neurosci. 1993 Oct;13(10):4246-53.

PMID: 8410185 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

1409. [Advances in our understanding of the mechanisms of the neurotoxicity of MPTP and related compounds.](#)

Tipton KF, Singer TP.

J Neurochem. 1993 Oct;61(4):1191-206. Review. No abstract available.

PMID: 8376979 [PubMed - indexed for MEDLINE]

[Related citations](#)

1410. [Acetylcholinesterase inhibition by 1-](#)

[methyl-4-phenylpyridinium ion, a bioactivated metabolite of MPTP.](#)

Zang LY, Misra HP.

Mol Cell Biochem. 1993 Sep  
22;126(2):93-100.

PMID: 8302294 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1411. [Risk factors for Parkinson's disease.](#)

Hubble JP, Cao T, Hassanein RE,  
Neuberger JS, Koller WC.

Neurology. 1993 Sep;43(9):1693-7.

PMID: 8414014 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1412. [Risk factors in young-onset Parkinson's disease.](#)

Golbe LI.

Neurology. 1993 Sep;43(9):1641-3. No  
abstract available.

PMID: 8414005 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1413. [Dopamine transporter mutants selectively enhance MPP+ transport.](#)

Kitayama S, Wang JB, Uhl GR.

Synapse. 1993 Sep;15(1):58-62.

PMID: 8310426 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1414. [Neurotoxicity of nicotinamide derivatives: their role in the aetiology of Parkinson's disease.](#)

Willets JM, Lunec J, Williams AC,  
Griffiths HR.

Biochem Soc Trans. 1993 Aug;21 ( Pt  
3)(3):299S. No abstract available.

PMID: 8224447 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1415. [Parkinson's disease: a test of the multifactorial etiologic hypothesis.](#)  
Semchuk KM, Love EJ, Lee RG.  
Neurology. 1993 Jun;43(6):1173-80.  
PMID: 8170564 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1416. [Environmental antecedents of young-onset Parkinson's disease.](#)  
Butterfield PG, Valanis BG, Spencer PS, Lindeman CA, Nutt JG.  
Neurology. 1993 Jun;43(6):1150-8.  
PMID: 8170560 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1417. [\[Role of the striatal serotonergic apparatus in Parkinsonian syndrome\].](#)  
Kryzanovskii GN, Magaeva SV, Trekova NA, Vetril  LA, Basharova LA, Atadzhanov MA.  
Biull Eksp Biol Med. 1993 May;115(5):466-9. Russian.  
PMID: 8043821 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1418. [NMDA antagonists partially protect against MPTP induced neurotoxicity in mice.](#)  
Brouillet E, Beal MF.  
Neuroreport. 1993 Apr;4(4):387-90.  
PMID: 8499594 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1419. [Metabolic aspects of the behavior of MPTP and some analogues.](#)  
Tipton KF, McCrodden JM, Sullivan JP.  
Adv Neurol. 1993;60:186-93. Review.  
No abstract available.  
PMID: 8420134 [PubMed - indexed for MEDLINE]

[Related citations](#)

1420. [\[The characteristics of a parkinsonian syndrome induced in an experiment by a deficiency of nigrostriatal dopamine and by stimulation of the cholinergic neurons of the caudate nucleus\].](#)

Kryzhanovskii GN, Atadzhanov MA, Voronina TA, Nerobkova LN.

Zh Nevrol Psikhiatr Im S S Korsakova. 1993;93(6):3-7. Russian.

PMID: 8160497 [PubMed - indexed for MEDLINE]

[Related citations](#)

1421. [Uptake and accumulation of 1-methyl-4-phenylpyridinium by rat liver mitochondria measured using an ion-selective electrode.](#)

Davey GP, Tipton KF, Murphy MP.

Biochem J. 1992 Dec 1;288 ( Pt 2):439-43.

PMID: 1463448 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

1422. [Gene transfer of a reserpine-sensitive mechanism of resistance to N-methyl-4-phenylpyridinium.](#)

Liu Y, Roghani A, Edwards RH.

Proc Natl Acad Sci U S A. 1992 Oct 1;89(19):9074-8.

PMID: 1409604 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

1423. [A cDNA that suppresses MPP+ toxicity encodes a vesicular amine transporter.](#)

Liu Y, Peter D, Roghani A, Schuldiner S, Privé GG, Eisenberg D, Brecha N, Edwards RH.

Cell. 1992 Aug 21;70(4):539-51.

PMID: 1505023 [PubMed - indexed for MEDLINE]

[Related citations](#)



1424. [Quantitative autoradiography of dihydrorotenone binding to complex I of the electron transport chain.](#)

Greenamyre JT, Higgins DS, Eller RV.

J Neurochem. 1992 Aug;59(2):746-9.

PMID: 1629744 [PubMed - indexed for MEDLINE]

[Related citations](#)

1425. [MK-801 prevents 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine-induced parkinsonism in primates.](#)

Zuddas A, Oberto G, Vaglini F, Fascetti F, Fornai F, Corsini GU.

J Neurochem. 1992 Aug;59(2):733-9.

PMID: 1629743 [PubMed - indexed for MEDLINE]

[Related citations](#)

1426. [Parkinsonism-inducing neurotoxin MPP+: uptake and toxicity in nonneuronal COS cells expressing dopamine transporter cDNA.](#)

Kitayama S, Shimada S, Uhl GR.

Ann Neurol. 1992 Jul;32(1):109-11.

PMID: 1642464 [PubMed - indexed for MEDLINE]

[Related citations](#)

1427. [Parkinson's disease and exposure to agricultural work and pesticide chemicals.](#)

Semchuk KM, Love EJ, Lee RG.

Neurology. 1992 Jul;42(7):1328-35.

PMID: 1620342 [PubMed - indexed for MEDLINE]

[Related citations](#)

1428. [Mitochondrial mechanisms of neurotoxicity.](#)

Nicklas WJ, Saporito M, Basma A, Geller HM, Heikkila RE.

Ann N Y Acad Sci. 1992 May 11;648:28-36. Review. No abstract

available.

PMID: 1637057 [PubMed - indexed for MEDLINE]

[Related citations](#)

1429. [Life-style and dietary factors early and late in Parkinson's disease.](#)

Vieregge P, von Maravic C, Friedrich HJ.

Can J Neurol Sci. 1992 May;19(2):170-3.

PMID: 1623441 [PubMed - indexed for MEDLINE]

[Related citations](#)

1430. [Transgenic mice with increased Cu/Zn-superoxide dismutase activity are resistant to N-methyl-4-phenyl-1,2,3,6-tetrahydropyridine-induced neurotoxicity.](#)

Przedborski S, Kostic V, Jackson-Lewis V, Naini AB, Simonetti S, Fahn S, Carlson E, Epstein CJ, Cadet JL.

J Neurosci. 1992 May;12(5):1658-67.

PMID: 1578260 [PubMed - indexed for MEDLINE] **Free Article**

[Related citations](#)

1431. [1-Methyl-4-phenylpyridinium \(MPP+\) but not 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine \(MPTP\) serves as methyl donor for dopamine: a possible mechanism of action.](#)

Charlton CG.

J Geriatr Psychiatry Neurol. 1992 Apr-Jun;5(2):114-8.

PMID: 1590912 [PubMed - indexed for MEDLINE]

[Related citations](#)

1432. [Search for neurotoxins structurally related to 1-methyl-4-phenylpyridine \(MPP+\) in the pathogenesis of Parkinson's disease.](#)

Ikeda H, Markey CJ, Markey SP.

Brain Res. 1992 Mar 20;575(2):285-98.  
PMID: 1571786 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1433. [The relationships between aging, monoamine oxidase, striatal dopamine and the effects of MPTP in C57BL/6 mice: a critical reassessment.](#)

Irwin I, Finnegan KT, Delanney LE, Di Monte D, Langston JW.

Brain Res. 1992 Feb 14;572(1-2):224-31.

PMID: 1611516 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1434. [Irreversible inhibition of mitochondrial complex I by 1-methyl-4-phenylpyridinium: evidence for free radical involvement.](#)

Cleeter MW, Cooper JM, Schapira AH.  
J Neurochem. 1992 Feb;58(2):786-9.

PMID: 1729421 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1435. [Acute and persistent parkinsonism after use of diquat.](#)

Sechi GP, Agnetti V, Piredda M, Canu M, Deserra F, Omar HA, Rosati G.

Neurology. 1992 Jan;42(1):261-3. No  
abstract available.

PMID: 1734316 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1436. [Exposure to well water and pesticides in Parkinson's disease: a case-control study in the Madrid area.](#)

Jiménez-Jiménez FJ, Mateo D,  
Giménez-Roldán S.

Mov Disord. 1992;7(2):149-52.

PMID: 1584237 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1437. [Mitochondrial complex I and II activities of lymphocytes and platelets in Parkinson's disease.](#)

Yoshino H, Nakagawa-Hattori Y, Kondo T, Mizuno Y.

J Neural Transm Park Dis Dement Sect. 1992;4(1):27-34.

PMID: 1347219 [PubMed - indexed for MEDLINE]

[Related citations](#)

1438. [Therapy of Morbus Parkinson and radical-induced neurotoxicity in the rat--in vivo voltammetric studies.](#)

Wesemann W.

J Neural Transm Suppl. 1992;38:45-53.

PMID: 1283403 [PubMed - indexed for MEDLINE]

[Related citations](#)

1439. [Dopaminergic neurotoxicity in vivo and inhibition of mitochondrial respiration in vitro by possible endogenous pyridinium-like substances.](#)

Sayre LM, Wang FJ, Arora PK, Riachi NJ, Harik SI, Hoppel CL.

J Neurochem. 1991 Dec;57(6):2106-15.

PMID: 1940917 [PubMed - indexed for MEDLINE]

[Related citations](#)

1440. [Dehydration is the first step in the bioactivation of haloperidol to its pyridinium metabolite.](#)

Fang J, Gorrod JW.

Toxicol Lett. 1991 Dec;59(1-3):117-23.

PMID: 1755019 [PubMed - indexed for MEDLINE]

[Related citations](#)

1441. [Selective and nonselective effects of 1-methyl-4-phenylpyridinium on oxygen consumption in rat striatal and](#)

[hippocampal slices.](#)

Martin FR, Sanchez-Ramos J, Rosenthal M.

J Neurochem. 1991 Oct;57(4):1340-6.

PMID: 1895108 [PubMed - indexed for MEDLINE]

[Related citations](#)

1442. [The epidemiology of Parkinson's disease. A case-control study of young-onset and old-onset patients.](#)

Stern M, Dulaney E, Gruber SB, Golbe L, Bergen M, Hurtig H, Gollomp S, Stolley P.

Arch Neurol. 1991 Sep;48(9):903-7.

PMID: 1953412 [PubMed - indexed for MEDLINE]

[Related citations](#)

1443. [No relevance to Parkinson's.](#)

Hefti F, Denton TL, Beck KD, Michel PP.

Nature. 1991 Aug 15;352(6336):573. No abstract available.

PMID: 1830925 [PubMed - indexed for MEDLINE]

[Related citations](#)

1444. [Finger tremor after carbon disulfide-based pesticide exposures.](#)

Chapman LJ, Sauter SL, Henning RA, Levine RL, Matthews CG, Peters HA.

Arch Neurol. 1991 Aug;48(8):866-70.

PMID: 1898265 [PubMed - indexed for MEDLINE]

[Related citations](#)

1445. [A redox reaction between MPP+ and MPDP+ to produce superoxide radicals does not impair mitochondrial function.](#)

Walker MJ, Jenner P, Marsden CD.

Biochem Pharmacol. 1991 Jul 25;42(4):913-9.

PMID: 1651082 [PubMed - indexed for

MEDLINE]

[Related citations](#)

1446. [Pesticide poisoning surveillance through regional poison control centers.](#)

Olson DK, Sax L, Gunderson P, Sioris L.

Am J Public Health. 1991 Jun;81(6):750-3.

PMID: 2029045 [PubMed - indexed for MEDLINE] **Free PMC Article**

[Related citations](#)

1447. [Interaction of 1-methyl-4-phenylpyridinium ion \(MPP+\) and its analogs with the rotenone/piericidin binding site of NADH dehydrogenase.](#)

Ramsay RR, Krueger MJ, Youngster SK, Gluck MR, Casida JE, Singer TP.

J Neurochem. 1991 Apr;56(4):1184-90.

PMID: 2002336 [PubMed - indexed for MEDLINE]

[Related citations](#)

1448. [Environmental risk factors in siblings with Parkinson's disease.](#)

Wong GF, Gray CS, Hassanein RS, Koller WC.

Arch Neurol. 1991 Mar;48(3):287-9.

PMID: 2001187 [PubMed - indexed for MEDLINE]

[Related citations](#)

1449. [Protection of substantia nigra from MPP+ neurotoxicity by N-methyl-D-aspartate antagonists.](#)

Turski L, Bressler K, Rettig KJ, Löschmann PA, Wachtel H.

Nature. 1991 Jan 31;349(6308):414-8.

PMID: 1846943 [PubMed - indexed for MEDLINE]

[Related citations](#)

1450. [Pyridine derivatives: structure-activity relationships causing parkinsonism-like](#)

[symptoms.](#)

Bachurin SO, Tkachenko SE,  
Lermontova NN.

Rev Environ Contam Toxicol.  
1991;122:1-36. Review.

PMID: 1771272 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1451. [\[Parkinson's disease and environmental factors\].](#)

Zuber M, Alperovitch A.

Rev Epidemiol Sante Publique.  
1991;39(4):373-87. Review. French.

PMID: 1754703 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1452. [A pilot study of occupational and environmental risk factors for Parkinson's disease.](#)

Wechsler LS, Checkoway H, Franklin  
GM, Costa LG.

Neurotoxicology. 1991 Fall;12(3):387-  
92.

PMID: 1745430 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1453. [\[Clinical and biochemical parameters of parkinsonism induced by 1-methyl-4-phenyl-1,2,2,6-tetrahydropyridine and its methyl-phenyl and methoxy-phenyl derivatives in C57Bl/6 mice\].](#)

Lermontova NN, Soliakov LS, Bachurin  
SO, Serkova TP, Petrova LN, Dranyĭ  
OA, Tkachenko SE, Kalashnikov VV.

Biull Eksp Biol Med. 1990  
Oct;110(10):397-9. Russian.

PMID: 2279092 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1454. [1-Methyl-4-phenylpyridinium \(MPP+\) does not exhibit paraquat-like](#)

[immunoreactivity.](#)

Houzé P, Chappey O, Gallons H,  
Scherrmann JM.

Toxicol Lett. 1990 Oct;53(3):339-42.

PMID: 2237940 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1455. [Environmental risk factors in  
Parkinson's disease.](#)

Koller W, Vetere-Overfield B, Gray C,  
Alexander C, Chin T, Dolezal J,  
Hassanein R, Tanner C.

Neurology. 1990 Aug;40(8):1218-21.

PMID: 2381528 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1456. [\[Environmental factors in the etiology of  
Parkinson's disease\].](#)

Zayed J, Ducic S, Campanella G,  
Panisset JC, André P, Masson H, Roy  
M.

Can J Neurol Sci. 1990 Aug;17(3):286-  
91. French.

PMID: 2207882 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1457. [Toxicity of 6-hydroxydopamine and  
dopamine for dopaminergic neurons in  
culture.](#)

Michel PP, Hefti F.

J Neurosci Res. 1990 Aug;26(4):428-35.

PMID: 1977925 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1458. [Potential environmental neurotoxins  
related to 1-methyl-4-phenylpyridinium:  
selective toxicity of 1-methyl-4-\(4'-  
acetamidophenyl\)-pyridinium and 1-  
methyl-4-cyclohexylpyridinium for  
dopaminergic neurons in culture.](#)



Michel PP, Dandapani BK, Efang SM, Hefti F.

Exp Neurol. 1990 May;108(2):141-50.

PMID: 2335192 [PubMed - indexed for MEDLINE]

[Related citations](#)

1459. [Parkinson's disease.](#)

Marsden CD.

Lancet. 1990 Apr 21;335(8695):948-52.  
Review. No abstract available.

PMID: 1691427 [PubMed - indexed for MEDLINE]

[Related citations](#)

1460. [Change of tyrosine hydroxylase in the parkinsonian brain and in the brain of MPTP-treated mice as revealed by homospecific activity.](#)

Nagatsu T.

Neurochem Res. 1990 Apr;15(4):425-9.

PMID: 1975089 [PubMed - indexed for MEDLINE]

[Related citations](#)

1461. [Dopamine uptake inhibitory capacities of beta-carboline and 3,4-dihydro-beta-carboline analogs of N-methyl-4-phenyl-1,2,3,6-tetrahydropyridine \(MPTP\) oxidation products.](#)

Drucker G, Raikoff K, Neafsey EJ, Collins MA.

Brain Res. 1990 Feb 12;509(1):125-33.

PMID: 2137718 [PubMed - indexed for MEDLINE]

[Related citations](#)

1462. [Neuromelanin synthesis in rat and human substantia nigra.](#)

Rabey JM, Hefti F.

J Neural Transm Park Dis Dement Sect. 1990;2(1):1-14.

PMID: 2357268 [PubMed - indexed for MEDLINE]

[Related citations](#)

1463. [MPTP, MPDP+ and MPP+ cause decreases in dopamine content in mouse brain slices.](#)

Wilson JA, Doyle TJ, Lau YS.

Neurosci Lett. 1990 Jan 1;108(1-2):213-8.

PMID: 2304632 [PubMed - indexed for MEDLINE]

[Related citations](#)

1464. [Follow-up study of early-life protective and risk factors in Parkinson's disease.](#)

Golbe LI, Farrell TM, Davis PH.

Mov Disord. 1990;5(1):66-70.

PMID: 2296261 [PubMed - indexed for MEDLINE]

[Related citations](#)

1465. [Experimental hemiparkinsonism in the rat following chronic unilateral infusion of MPP+ into the nigrostriatal dopamine pathway--III. Reversal by embryonic nigral dopamine grafts.](#)

Sirinathsinghji DJ, Dunnett SB, Northrop AJ, Morris BJ.

Neuroscience. 1990;37(3):757-66.

PMID: 2247221 [PubMed - indexed for MEDLINE]

[Related citations](#)

1466. [Poisoning by some insecticides, herbicides and fungicides.](#)

Mahieu P, Lauwerys R, Dive A, Hantson P.

Acta Clin Belg Suppl. 1990;13:75-85. Review.

PMID: 2239069 [PubMed - indexed for MEDLINE]

[Related citations](#)

1467. [Aspects of pesticide toxicology.](#)

Blain PG.

Adverse Drug React Acute Poisoning

Rev. 1990 Spring;9(1):37-68. Review.  
PMID: 2190453 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1468. [Visualization of interleukin-2-like molecules in MPP\(+\)-lesioned rat brain.](#)

Liang SM, Liang CM, Chiueh CC.  
Biochem Biophys Res Commun. 1989  
Dec 29;165(3):1312-8.  
PMID: 2610695 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1469. [Striatal dopaminergic toxicity following intranigral injection in rats of 2-methylnorharman, a beta-carbolinium analog of N-methyl-4-phenylpyridinium ion \(MPP+\).](#)

Neafsey EJ, Drucker G, Raikoff K,  
Collins MA.  
Neurosci Lett. 1989 Nov 6;105(3):344-  
9.  
PMID: 2594220 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1470. [The effect of prenatal treatment with MPTP or MPP+ on the development of dopamine-mediated behaviors in rats.](#)

Weissman EM, Norman AB, Calderon  
SF, Zubrycki EM, el-Etri MM, Shipley  
MT, Sanberg PR.  
Pharmacol Biochem Behav. 1989  
Nov;34(3):545-51.  
PMID: 2623012 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1471. [Epidemiologic study of Parkinson's disease in Hong Kong.](#)

Ho SC, Woo J, Lee CM.  
Neurology. 1989 Oct;39(10):1314-8.  
PMID: 2797455 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1472. [Gardening and young onset Parkinson disease.](#)  
Martinelli P, Gabellini AS, Martinelli A, Contin M.  
Ital J Neurol Sci. 1989 Aug;10(4):465-6.  
No abstract available.  
PMID: 2793422 [PubMed - indexed for MEDLINE]

[Related citations](#)

1473. [Interactions of manganese with human brain glutathione-S-transferase.](#)  
Vescovi A, Gebbia M, Cappelletti G, Parati EA, Santagostino A.  
Toxicology. 1989 Jul 17;57(2):183-91.  
PMID: 2787543 [PubMed - indexed for MEDLINE]

[Related citations](#)

1474. [\[Evaluation of the capability of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine and pyridine derivatives to evoke parkinsonism\].](#)  
Lermontova NN, Soliakov LS, Bachurin SO, Tkachenko SE, Serkova TP.  
Biull Eksp Biol Med. 1989 Jun;107(6):699-701. Russian.  
PMID: 2790166 [PubMed - indexed for MEDLINE]

[Related citations](#)

1475. [Parkinson disease in farm workers.](#)  
Stefano E, Casali C, Caporali M, Sancesario G, Morocutti C.  
Ital J Neurol Sci. 1989 Jun;10(3):379.  
No abstract available.  
PMID: 2767946 [PubMed - indexed for MEDLINE]

[Related citations](#)

1476. [Intracerebral microdialysis neurotoxicity studies of quinoline and isoquinoline derivatives related to MPTP/MPP+.](#)

Booth RG, Castagnoli N Jr, Rollema H.  
Neurosci Lett. 1989 May 22;100(1-3):306-12.

PMID: 2788253 [PubMed - indexed for MEDLINE]

[Related citations](#)

1477. [1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine inhibits proton motive force in energized liver mitochondria.](#)

Singh Y, Bhatnagar R, Sidhu GS, Batra JK, Krishna G.

Arch Biochem Biophys. 1989 May 15;271(1):217-22.

PMID: 2540715 [PubMed - indexed for MEDLINE]

[Related citations](#)

1478. [MPP+-induced pathophysiology demonstrates advantages of neurotoxicology studies in brain slices.](#)

Hollinden GE, Sanchez-Ramos JR, Sick TJ, Rosenthal M.

J Neurosci Methods. 1989 May;28(1-2):51-7.

PMID: 2786117 [PubMed - indexed for MEDLINE]

[Related citations](#)

1479. [Enhancement by tetraphenylboron of the interaction of the 1-methyl-4-phenylpyridinium ion \(MPP+\) with mitochondria.](#)

Ramsay RR, Mehlhorn RJ, Singer TP.

Biochem Biophys Res Commun. 1989 Mar 31;159(3):983-90.

PMID: 2784681 [PubMed - indexed for MEDLINE]

[Related citations](#)

1480. [\[Clinico-electroencephalographic indices of the parkinsonian syndrome induced by MPP+ in rats\].](#)

Kryzhanovskii GN, Atadzhanov MA,

Voronina TA, Nerobkova LN,  
Zagorevski VA.  
Biull Eksp Biol Med. 1989  
Feb;107(2):147-50. Russian.  
PMID: 2784332 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1481. [\[Lipid peroxidation in the caudate nuclei in experimental parkinsonian syndrome\].](#)

Kucherianu VG, Atadzhanov MA,  
Nikushkin EV, Zagorevskiĭ VA,  
Sharkova LM.

Biull Eksp Biol Med. 1989  
Jan;107(1):39-41. Russian.  
PMID: 2783652 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1482. [A sheep model for MPTP induced Parkinson-like symptoms.](#)

Hammock BD, Beale AM, Work T, Gee  
SJ, Gunther R, Higgins RJ, Shinka T,  
Castagnoli N Jr.

Life Sci. 1989;45(17):1601-8.  
PMID: 2586222 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1483. [MPP+-induced increases in extracellular potassium ion activity in rat striatal slices suggest that consequences of MPP+ neurotoxicity are spread beyond dopaminergic terminals.](#)

Hollinden GE, Sanchez-Ramos JR, Sick  
TJ, Rosenthal M.

Brain Res. 1988 Dec 20;475(2):283-90.  
PMID: 3265070 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1484. [Characteristics of the transport of the quaternary ammonium 1-methyl-4-phenylpyridinium by chromaffin granules.](#)

Darchen F, Scherman D, Desnos C, Henry JP.  
Biochem Pharmacol. 1988 Nov  
15;37(22):4381-7.  
PMID: 3264161 [PubMed - indexed for MEDLINE]

[Related citations](#)

1485. [\[No Parkinsonian syndrome following acute paraquat poisoning\].](#)  
Zilker T, Fogt F, von Clarmann M.  
Klin Wochenschr. 1988 Nov  
15;66(22):1138-41. German.  
PMID: 2907065 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1486. [Susceptibility in Parkinson's disease. 'Of mice and men'.](#)  
Borm PJ, Van Vliet C.  
Med Hypotheses. 1988 Nov;27(3):205-7.  
PMID: 3211016 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1487. [Autoradiography of \[<sup>14</sup>C\]paraquat or \[<sup>14</sup>C\]diquat in frogs and mice: accumulation in neuromelanin.](#)  
Lindquist NG, Larsson BS, Lydén-Sokolowski A.  
Neurosci Lett. 1988 Oct 31;93(1):1-6.  
PMID: 3264893 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1488. [Experimental hemiparkinsonism in the rat following chronic unilateral infusion of MPP+ into the nigrostriatal dopamine pathway--II. Differential localization of dopamine and cholecystinin receptors.](#)  
Beresford IJ, Davenport AP, Sirinathsinghji DJ, Hall MD, Hill RG, Hughes J.  
Neuroscience. 1988 Oct;27(1):129-43.

PMID: 3264392 [PubMed - indexed for MEDLINE]

[Related citations](#)

1489. [Experimental hemiparkinsonism in the rat following chronic unilateral infusion of MPP+ into the nigrostriatal dopamine pathway--I. Behavioural, neurochemical and histological characterization of the lesion.](#)

Sirinathsinghi DJ, Heavens RP, Richards SJ, Beresford IJ, Hall MD.

Neuroscience. 1988 Oct;27(1):117-28.

PMID: 3264391 [PubMed - indexed for MEDLINE]

[Related citations](#)

1490. [Melanized dopaminergic neurons are differentially susceptible to degeneration in Parkinson's disease.](#)

Hirsch E, Graybiel AM, Agid YA.

Nature. 1988 Jul 28;334(6180):345-8.

PMID: 2899295 [PubMed - indexed for MEDLINE]

[Related citations](#)

1491. [1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine metabolism and 1-methyl-4-phenylpyridinium uptake in dissociated cell cultures from the embryonic mesencephalon.](#)

Schinelli S, Zuddas A, Kopin IJ, Barker JL, di Porzio U.

J Neurochem. 1988 Jun;50(6):1900-7.

PMID: 3259619 [PubMed - indexed for MEDLINE]

[Related citations](#)

1492. [Chronic exposure to the fungicide maneb may produce symptoms and signs of CNS manganese intoxication.](#)

Ferraz HB, Bertolucci PH, Pereira JS, Lima JG, Andrade LA.

Neurology. 1988 Apr;38(4):550-3.

PMID: 3352909 [PubMed - indexed for



MEDLINE]

[Related citations](#)

1493. [Mechanism of the neurotoxicity of 1-methyl-4-phenylpyridinium \(MPP+\), the toxic bioactivation product of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine \(MPTP\).](#)

Singer TP, Ramsay RR, McKeown K, Trevor A, Castagnoli NE Jr.

Toxicology. 1988 Apr;49(1):17-23.

Review.

PMID: 3287690 [PubMed - indexed for MEDLINE]

[Related citations](#)

1494. [Effects of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine \(MPTP\), cyperquat \(MPP+\) and paraquat on isolated mitochondria from rat striatum, cortex and liver.](#)

Thakar JH, Hassan MN.

Life Sci. 1988;43(2):143-9.

PMID: 3260653 [PubMed - indexed for MEDLINE]

[Related citations](#)

1495. [1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine \(MPTP\), its metabolite cyperquat \(MPP+\) and energy transduction in mitochondria from rat striatum and liver.](#)

Thakar JH, Hassan MN, Grimes JD.

Prog Neuropsychopharmacol Biol Psychiatry. 1988;12(2-3):355-62.

PMID: 3260387 [PubMed - indexed for MEDLINE]

[Related citations](#)

1496. [Intracerebroventricular administration of 1-methyl-4-phenylpyridinium ion in mice: effects of simultaneously administered nomifensine, deprenyl, and 1-t-butyl-4,4-diphenylpiperidine.](#)

Mihatsch W, Russ H, Przuntek H.

J Neural Transm. 1988;71(3):177-88.  
PMID: 3128644 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1497. [Paraquat and Parkinson's disease.](#)

Rajput AH, Uitti RJ.  
Neurology. 1987 Nov;37(11):1820-1.  
No abstract available.  
PMID: 3670622 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1498. [MPTP: an industrial chemical and  
contaminant of illicit narcotics  
stimulates a new era in research on  
Parkinson's disease.](#)

Kopin IJ.  
Environ Health Perspect. 1987  
Nov;75:45-51. Review.  
PMID: 3319563 [PubMed - indexed for  
MEDLINE] **Free PMC Article**

[Related citations](#)

1499. [Geography, drinking water chemistry,  
pesticides and herbicides and the  
etiology of Parkinson's disease.](#)

Rajput AH, Uitti RJ, Stern W, Lavery  
W, O'Donnell K, O'Donnell D, Yuen  
WK, Dua A.  
Can J Neurol Sci. 1987 Aug;14(3  
Suppl):414-8.  
PMID: 3676917 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1500. [Biochemical events in the development  
of parkinsonism induced by 1-methyl-4-  
phenyl-1,2,3,6-tetrahydropyridine.](#)

Singer TP, Castagnoli N Jr, Ramsay RR,  
Trevor AJ.  
J Neurochem. 1987 Jul;49(1):1-8. No  
abstract available.  
PMID: 3495634 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1501. [Pathophysiology and biochemical mechanisms involved in MPTP-induced parkinsonism.](#)

Poirier J.

J Am Geriatr Soc. 1987 Jul;35(7):660-8.

No abstract available.

PMID: 3108351 [PubMed - indexed for MEDLINE]

[Related citations](#)

1502. [Actions of MPTP and MPP+ on synaptic transmission in guinea-pig hippocampal slices.](#)

Galvan M, Kupsch A, ten Bruggencate G.

Exp Neurol. 1987 May;96(2):289-98.

PMID: 3032664 [PubMed - indexed for MEDLINE]

[Related citations](#)

1503. [Chemically induced Parkinson's disease: intermediates in the oxidation of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine to the 1-methyl-4-phenyl-pyridinium ion.](#)

Chacon JN, Chedekel MR, Land EJ, Truscott TG.

Biochem Biophys Res Commun. 1987 Apr 29;144(2):957-64.

PMID: 3495270 [PubMed - indexed for MEDLINE]

[Related citations](#)

1504. [Paraquat and Parkinson's disease.](#)

Sanchez-Ramos JR, Hefti F, Weiner WJ.

Neurology. 1987 Apr;37(4):728. No abstract available.

PMID: 3561790 [PubMed - indexed for MEDLINE]

[Related citations](#)

1505. [General Referee reports: Committee on Pesticide Formulations and](#)

[Disinfectants.](#)

[No authors listed]

J Assoc Off Anal Chem. 1987 Mar-Apr;70(2):263-7. No abstract available.

PMID: 3571121 [PubMed - indexed for MEDLINE]

[Related citations](#)

1506. [4-Phenylpyridine \(4PP\) and MPTP: the relationship between striatal MPP+ concentrations and neurotoxicity.](#)

Irwin I, Langston JW, DeLanney LE.

Life Sci. 1987 Feb 23;40(8):731-40.

PMID: 3492652 [PubMed - indexed for MEDLINE]

[Related citations](#)

1507. [Parkinsonism and industrial chemicals.](#)

Chapman LJ, Peters HA, Matthews CG, Levine RL.

Lancet. 1987 Feb 7;1(8528):332-3. No abstract available.

PMID: 2880148 [PubMed - indexed for MEDLINE]

[Related citations](#)

1508. [Ecogenetics of Parkinson's disease: prevalence and environmental aspects in rural areas.](#)

Barbeau A, Roy M, Bernier G, Campanella G, Paris S.

Can J Neurol Sci. 1987 Feb;14(1):36-41.

PMID: 3815163 [PubMed - indexed for MEDLINE]

[Related citations](#)

1509. [Parkinson's disease and pesticides.](#)

Hart TB.

Lancet. 1987 Jan 3;1(8523):38. No abstract available.

PMID: 2879110 [PubMed - indexed for MEDLINE]

[Related citations](#)

1510. [Toxins and Parkinson's disease: MPTP parkinsonism in humans and animals.](#)  
Kopin IJ.  
Adv Neurol. 1987;45:137-44. No abstract available.  
PMID: 3493621 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1511. [Inhibition of the tyrosine hydroxylase system by MPTP, 1-methyl-4-phenylpyridinium ion \(MPP+\) and the structurally related compounds in vitro and in vivo.](#)  
Nagatsu T, Hirata Y.  
Eur Neurol. 1987;26 Suppl 1:11-5.  
PMID: 2884110 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1512. [Parkinson's disease and pesticides.](#)  
Bocchetta A, Corsini GU.  
Lancet. 1986 Nov 15;2(8516):1163. No abstract available.  
PMID: 2877313 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1513. [The effects of pyridinium salts, structurally related compounds of 1-methyl-4-phenylpyridinium ion \(MPP+\), on tyrosine hydroxylation in rat striatal tissue slices.](#)  
Hirata Y, Sugimura H, Takei H, Nagatsu T.  
Brain Res. 1986 Nov 12;397(2):341-4.  
PMID: 3099974 [PubMed - indexed for MEDLINE]  
[Related citations](#)
1514. [The pharmacology of the parkinsonian syndrome producing neurotoxin MPTP \(1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine\) and structurally related compounds.](#)

Markey SP, Schmuff NR.  
Med Res Rev. 1986 Oct-Dec;6(4):389-429. Review. No abstract available.  
PMID: 3534484 [PubMed - indexed for MEDLINE]

[Related citations](#)

1515. [Paraquat and two endogenous analogues of the neurotoxic substance N-methyl-4-phenyl-1,2,3,6-tetrahydropyridine do not damage dopaminergic nigrostriatal neurons in the mouse.](#)

Perry TL, Yong VW, Wall RA, Jones K.  
Neurosci Lett. 1986 Sep 12;69(3):285-9.  
PMID: 3489912 [PubMed - indexed for MEDLINE]

[Related citations](#)

1516. [\[Neurobiologic and pharmacologic studies on the pathogenesis of Parkinson disease\].](#)

Brücke T, Riederer P.  
Wien Med Wochenschr. 1986 Aug 31;136(15-16):401-8. German.  
PMID: 2878540 [PubMed - indexed for MEDLINE]

[Related citations](#)

1517. [Paraquat and Parkinson's disease.](#)

Koller WC.  
Neurology. 1986 Aug;36(8):1147. No abstract available.  
PMID: 3736891 [PubMed - indexed for MEDLINE]

[Related citations](#)

1518. [Organophosphate poisoning in office workers.](#)

Hodgson MJ, Block GD, Parkinson DK.  
J Occup Med. 1986 Jun;28(6):434-7.  
PMID: 2425064 [PubMed - indexed for MEDLINE]

[Related citations](#)

1519. [Histochemistry of MPTP oxidation in](#)

[the rat brain: sites of synthesis of the parkinsonism-inducing toxin MPP+](#).

Nakamura S, Vincent SR.

Neurosci Lett. 1986 Apr 24;65(3):321-5.

PMID: 3487052 [PubMed - indexed for MEDLINE]

[Related citations](#)

1520. [MPTP causes a non-reversible depression of synaptic transmission in mouse neostriatal brain slice.](#)

Wilson JA, Wilson JS, Weight FF.

Brain Res. 1986 Mar 19;368(2):357-60.

PMID: 3008929 [PubMed - indexed for MEDLINE]

[Related citations](#)

1521. [N-methyl-4-phenylpyridine \(MMP+\) together with 6-hydroxydopamine or dopamine stimulates Ca<sup>2+</sup> release from mitochondria.](#)

Frei B, Richter C.

FEBS Lett. 1986 Mar 17;198(1):99-102.

PMID: 3082673 [PubMed - indexed for MEDLINE]

[Related citations](#)

1522. [Selectivity of the parkinsonian neurotoxin MPTP: toxic metabolite MPP+ binds to neuromelanin.](#)

D'Amato RJ, Lipman ZP, Snyder SH.

Science. 1986 Feb 28;231(4741):987-9.

PMID: 3080808 [PubMed - indexed for MEDLINE]

[Related citations](#)

1523. [Inhibition of mitochondrial NADH dehydrogenase by pyridine derivatives and its possible relation to experimental and idiopathic parkinsonism.](#)

Ramsay RR, Salach JI, Dadgar J, Singer TP.

Biochem Biophys Res Commun. 1986 Feb 26;135(1):269-75.

PMID: 3485428 [PubMed - indexed for MEDLINE]

[Related citations](#)

1524. [Potential neurotoxicity of NaBH<sub>4</sub> reduced paraquat.](#)

Worobey BL.

J Anal Toxicol. 1986 Jan-Feb;10(1):40.  
No abstract available.

PMID: 3485217 [PubMed - indexed for MEDLINE]

[Related citations](#)

1525. [Neuropharmacological manipulations with MPTP.](#)

Barnes NJ, Bradbury AJ, Costall B, Domeney AM, Kelly ME, Naylor RJ.

J Neural Transm Suppl. 1986;20:47-63.

PMID: 3091761 [PubMed - indexed for MEDLINE]

[Related citations](#)

1526. [L-dopa reverses the effects of MPP+ toxicity.](#)

Wagner GC, Jarvis MF, Rubin JG.

Psychopharmacology (Berl). 1986;88(3):401-2.

PMID: 3083462 [PubMed - indexed for MEDLINE]

[Related citations](#)

1527. [1-Methyl-4-phenyl-pyridinium-induced inhibition of nicotinamide adenosine dinucleotide cytochrome c reductase.](#)

Poirier J, Barbeau A.

Neurosci Lett. 1985 Nov 20;62(1):7-11.

PMID: 3877888 [PubMed - indexed for MEDLINE]

[Related citations](#)

1528. [Clinical trial for Parkinson's disease?](#)

Lewin R.

Science. 1985 Nov 1;230(4725):527-8.  
No abstract available.

PMID: 3931220 [PubMed - indexed for



MEDLINE]

[Related citations](#)

1529. [Comparative behavioral, biochemical and pigmentary effects of MPTP, MPP+ and paraquat in Rana pipiens.](#)

Barbeau A, Dallaire L, Buu NT, Poirier J, Rucinska E.

Life Sci. 1985 Oct 21;37(16):1529-38.

PMID: 3876500 [PubMed - indexed for MEDLINE]

[Related citations](#)

1530. [The neurotoxic actions of 1-methyl-4-phenylpyridine \(MPP+\) are not prevented by deprenyl treatment.](#)

Bradbury AJ, Costall B, Jenner PG, Kelly ME, Marsden CD, Naylor RJ.

Neurosci Lett. 1985 Jul 31;58(2):177-81.

PMID: 2413398 [PubMed - indexed for MEDLINE]

[Related citations](#)

1531. [Parkinson's disease: an environmental cause?](#)

Lewin R.

Science. 1985 Jul 19;229(4710):257-8.

No abstract available.

PMID: 3925554 [PubMed - indexed for MEDLINE]

[Related citations](#)

1532. [New amphibian models for the study of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine \(MPTP\).](#)

Barbeau A, Dallaire L, Buu NT, Veilleux F, Boyer H, de Lanney LE, Irwin I, Langston EB, Langston JW.

Life Sci. 1985 Mar 18;36(11):1125-34.

PMID: 3871891 [PubMed - indexed for MEDLINE]

[Related citations](#)

1533. [\[Significance of chemically noxious agents in the etiology of Parkinson](#)

[syndrome\].](#)

Glass J.

Z Arztl Fortbild (Jena).

1985;79(11):477-9. German. No abstract available.

PMID: 4049941 [PubMed - indexed for MEDLINE]

[Related citations](#)

1534. [The importance of the '4-5' double bond for neurotoxicity in primates of the pyridine derivative MPTP.](#)

Langston JW, Irwin I, Langston EB, Forno LS.

Neurosci Lett. 1984 Sep 7;50(1-3):289-94.

PMID: 6333656 [PubMed - indexed for MEDLINE]

[Related citations](#)

1535. [1-Methyl-4-phenylpyridinium ion \(MPP+\): identification of a metabolite of MPTP, a toxin selective to the substantia nigra.](#)

Langston JW, Irwin I, Langston EB, Forno LS.

Neurosci Lett. 1984 Jul 13;48(1):87-92.

PMID: 6332288 [PubMed - indexed for MEDLINE]

[Related citations](#)

1536. [MPTP-induced parkinsonism in human and non-human primates--clinical and experimental aspects.](#)

Langston JW, Langston EB, Irwin I.

Acta Neurol Scand Suppl. 1984;100:49-54.

PMID: 6333134 [PubMed - indexed for MEDLINE]

[Related citations](#)

1537. [\[Residues of plant protection products and agents for controlling biological processes in drugs of the pharmacopoeia of the GDR, edition 2. 1. General aspects](#)

[of packaging of plant protection products and agents for controlling biological processes in botanical drugs in the GDR\].](#)

Ennet D, Hauschild J, Pank F.  
Pharmazie. 1978 Nov;33(11):697-705.  
German. No abstract available.  
PMID: 751064 [PubMed - indexed for MEDLINE]

[Related citations](#)

1538. [Clinical toxicosis induced by pesticides in livestock.](#)

Buck WB.  
Vet Med Small Anim Clin. 1978 Jun;73(6):810-9. No abstract available.  
PMID: 250338 [PubMed - indexed for MEDLINE]

[Related citations](#)

1539. [\[Neurologic manifestations in the course of pesticide intoxication\].](#)

Prazmo A.  
Neurol Neurochir Pol. 1978 May-Jun;12(3):327-31. Polish. No abstract available.  
PMID: 683438 [PubMed - indexed for MEDLINE]

[Related citations](#)

1540. [Single case study. Possible organophosphate-induced parkinsonism.](#)

Davis KL, Yesavage JA, Berger PA.  
J Nerv Ment Dis. 1978 Mar;166(3):222-5.  
PMID: 641541 [PubMed - indexed for MEDLINE]

[Related citations](#)

1541. [A compendium of inorganic substances used in European pest control before 1850.](#)

Smith AE, Secoy DM.  
J Agric Food Chem. 1976 Nov-

Dec;24(6):1180-6. No abstract available.  
PMID: 794086 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1542. [Mortality in 1969 from pesticides,  
including aerosols.](#)

Hayes WJ.

Arch Environ Health. 1976 Mar-  
Apr;31(2):61-72.

PMID: 1259472 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1543. [\[The problem of toxicologic proof and  
consideration of environmental  
chemicals\].](#)

Lange G.

Schriftenr Ver Wasser Boden Lufthyg.  
1973;40:11-9. German. No abstract  
available.

PMID: 4794779 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1544. [Pesticide legislation in New Zealand.](#)

Thompson FB.

Residue Rev. 1973;49(0):131-51.  
Review. No abstract available.

PMID: 4604895 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1545. [Diphenidol for levodopa induced nausea  
and vomiting.](#)

Duvoisin RC.

JAMA. 1972 Sep 18;221(12):1408. No  
abstract available.

PMID: 5068561 [PubMed - indexed for  
MEDLINE]

[Related citations](#)

1546. [\[Round table discussion: topics on  
neuromuscular disease\].](#)

Satoyashi E, Narabayashi H, Tsubaki T,

Mozai T, Sobue I.

Naika. 1971;28(3):538-52. No abstract available.

PMID: 5097717 [PubMed - indexed for MEDLINE]

[Related citations](#)

1547. [\[Therapy of nervous system intoxications\]](#).

Greif S.

Bibl Psychiatr Neurol. 1969;139:206-32.  
German. No abstract available.

PMID: 4400240 [PubMed - indexed for MEDLINE]

[Related citations](#)



**National Water-Quality Assessment Program**

**Estimation of Annual Agricultural Pesticide Use for  
Counties of the Conterminous United States, 1992–2009**



Scientific Investigation Report 2013–5009

**Cotton bud and blue sky**



**Wheat crop**



**Growing corn**



**Soy bean field**



# **Estimation of Annual Agricultural Pesticide Use for Counties of the Conterminous United States, 1992–2009**

By Gail P. Thelin and Wesley W. Stone

National Water-Quality Assessment Program

Scientific Investigations Report 2013–5009

**U.S. Department of the Interior  
U.S. Geological Survey**



**U.S. Department of the Interior**  
KEN SALAZAR, Secretary

**U.S. Geological Survey**  
Suzette M. Kimball, Acting Director

U.S. Geological Survey, Reston, Virginia: 2013

For more information on the USGS—the Federal source for science about the Earth, its natural and living resources, natural hazards, and the environment, visit <http://www.usgs.gov> or call 1–888–ASK–USGS.

For an overview of USGS information products, including maps, imagery, and publications, visit <http://www.usgs.gov/pubprod>

To order this and other USGS information products, visit <http://store.usgs.gov>

Any use of trade, firm, or product names is for descriptive purposes only and does not imply endorsement by the U.S. Government.

Although this information product, for the most part, is in the public domain, it also may contain copyrighted materials as noted in the text. Permission to reproduce copyrighted items must be secured from the copyright owner.

Suggested citation:

Thelin, G.P., and Stone, W.W., 2013, Estimation of annual agricultural pesticide use for counties of the conterminous United States, 1992–2009: U.S. Geological Survey Scientific Investigations Report 2013-5009, 54 p.

## FOREWORD

The U.S. Geological Survey (USGS) is committed to providing the Nation with reliable scientific information that helps to enhance and protect the overall quality of life and that facilitates effective management of water, biological, energy, and mineral resources (<http://www.usgs.gov/>). Information on the Nation's water resources is critical to ensuring long-term availability of water that is safe for drinking and recreation and is suitable for industry, irrigation, and fish and wildlife. Population growth and increasing demands for water make the availability of that water, measured in terms of quantity and quality, even more essential to the long-term sustainability of our communities and ecosystems.

The USGS implemented the National Water-Quality Assessment (NAWQA) Program in 1991 to support national, regional, State, and local information needs and decisions related to water-quality management and policy (<http://water.usgs.gov/nawqa>). The NAWQA Program is designed to answer: What is the quality of our Nation's streams and groundwater? How are conditions changing over time? How do natural features and human activities affect the quality of streams and groundwater, and where are those effects most pronounced? By combining information on water chemistry, physical characteristics, stream habitat, and aquatic life, the NAWQA Program aims to provide science-based insights for current and emerging water issues and priorities. From 1991 to 2001, the NAWQA Program completed interdisciplinary assessments and established a baseline understanding of water-quality conditions in 51 of the Nation's river basins and aquifers, referred to as Study Units ([http://water.usgs.gov/nawqa/studies/study\\_units.html](http://water.usgs.gov/nawqa/studies/study_units.html)).

National and regional assessments are ongoing in the second decade (2001–2012) of the NAWQA Program as 42 of the 51 Study Units are selectively reassessed. These assessments extend the findings in the Study Units by determining water-quality status and trends at sites that have been consistently monitored for more than a decade, and filling critical gaps in characterizing the quality of surface water and groundwater. For example, increased emphasis has been placed on assessing the quality of source water and finished water associated with many of the Nation's largest community water systems. During the second decade, NAWQA is addressing five national priority topics that build an understanding of how natural features and human activities affect water quality, and establish links between sources of contaminants, the transport of those contaminants through the hydrologic system, and the potential effects of contaminants on humans and aquatic ecosystems. Included are studies on the fate of agricultural chemicals, effects of urbanization on stream ecosystems, bioaccumulation of mercury in stream ecosystems, effects of nutrient enrichment on aquatic ecosystems, and transport of contaminants to public-supply wells. In addition, national syntheses of information on pesticides, volatile organic compounds (VOCs), nutrients, trace elements, and aquatic ecology are continuing.

The USGS aims to disseminate credible, timely, and relevant science information to address practical and effective water-resource management and strategies that protect and restore water quality. We hope this NAWQA publication will provide you with insights and information to meet your needs, and will foster increased citizen awareness and involvement in the protection and restoration of our Nation's waters.

The USGS recognizes that a national assessment by a single program cannot address all water-resource issues of interest. External coordination at all levels is critical for cost-effective management, regulation, and conservation of our Nation's water resources. The NAWQA Program, therefore, depends on advice and information from other agencies—Federal, State, regional, interstate, Tribal, and local—as well as nongovernmental organizations, industry, academia, and other stakeholder groups. Your assistance and suggestions are greatly appreciated.

William H. Werkheiser  
USGS Associate Director for Water

# Contents

Abstract .....	1
Introduction.....	1
Purpose and Scope .....	3
Data Sources .....	3
Pesticide-Use Data.....	3
Harvested-Crop Acreage .....	5
Geospatial Data.....	5
Pesticide-Use Estimates for California .....	7
Methods for Estimating Pesticide Use .....	8
Processing Zero Values .....	9
EPest Crop-Use Rates for Surveyed CRDs .....	9
EPest Use Rates for Unsurveyed CRDs—Tier 1, Tier 2, and Regional Use Rates .....	9
EPest-Low and EPest-High Estimates .....	12
Results .....	12
Comparison of EPest National Estimates with Other Sources.....	13
Comparisons of EPest and NASS State Estimates.....	15
Comparison of State Total-Use Estimates .....	15
Comparison of State Estimates for Individual Pesticide-by-Crop Combinations .....	17
Herbicide Estimate Comparisons between EPest and NASS .....	26
Alachlor .....	27
Atrazine.....	29
Bentazon.....	29
Butylate.....	32
Fluometuron.....	32
Glyphosate .....	32
Corn .....	32
Cotton .....	36
Metolachlor.....	36
Corn .....	36
Soybeans.....	36
Metribuzin .....	40
Nicosulfuron .....	40
S-Metolachlor.....	40
Trifluralin.....	44
Cotton .....	44
Soybeans.....	44
Insecticide Estimate Comparisons between EPest and NASS.....	47
Methomyl .....	47
Methyl Parathion .....	47
Fungicide Estimate Comparisons between EPest and NASS—Propiconazole .....	50
Summary of Comparisons .....	52
Applications of EPest Use Data.....	52

## Contents—Continued

Summary and Conclusions.....	53
References Cited.....	54
Appendix 1. Summary of Epest-Low and Epest-High Annual National Totals by Pesticide and Crop Type.....	54
Appendix 2. Epest-Low and Epest-High Annual National Totals Derived from Epest Surveyed, Tier 1, Tier 2, and Regional Rate Estimates. ....	54

## Figures

1. Graph showing trends in agricultural conventional pesticide use in the conterminous United States, 1992–2009.....	2
2. Map showing Crop Reporting Districts of the conterminous United States.....	4
3. Map showing Crop Reporting District 20060 (Kansas CRD 60) and neighboring tier 1 and tier 2 Crop Reporting Districts.....	7
4. Map showing U.S. Department of Agriculture Farm Resources Regions as subdivided for calculating regional estimated pesticide-use rates.....	8
5. Flowchart showing summary of decision process followed to develop EPest rates.....	10
6. Map showing methods for establishing extrapolated estimates for 2007 S-metolachlor use on corn in the Southern Seaboard-East region for EPest tier 1, tier 2, and regional rates.....	11
7. Graphs showing comparison of EPest-low and EPest-high national total use of selected pesticides with national use estimates from other sources.....	14
8. Boxplots showing distributions of relative error between EPest and National Agricultural Statistics Service use estimates.....	16
9. Boxplots showing distribution of relative error between EPest-low and National Agricultural Statistics Service use estimates.....	18
10. Boxplots showing distribution of relative error between EPest-high and National Agricultural Statistics Service use estimates.....	19
11. Map showing U.S. Department of Agriculture Farm Production Regions.....	27
12. Graphs showing comparison of EPest and National Agricultural Statistics Service state estimates of alachlor use on corn.....	28
13. Graph showing comparison of EPest and National Agricultural Statistics Service state estimates of atrazine use on corn.....	30
14. Graphs showing comparison of EPest and National Agricultural Statistics Service state estimates of bentazon use on corn.....	31
15. Graphs showing comparison of EPest and National Agricultural Statistics Service state estimates of butylate use on corn.....	33
16. Graphs showing comparison of EPest and National Agricultural Statistics Service state estimates of fluometuron use on cotton.....	34
17. Graphs showing comparison of EPest and National Agricultural Statistics Service state estimates of glyphosate use on corn.....	35
18. Graphs showing comparison of EPest and National Agricultural Statistics Service state estimates of glyphosate use on cotton.....	37
19. Graphs showing comparison of EPest and National Agricultural Statistics Service state estimates of metolachlor use on corn.....	38

## Figures—Continued

20. Graphs showing comparison of EPest and National Agricultural Statistics Service state estimates of metolachlor use on soybeans.....	39
21. Graphs showing comparison of EPest and National Agricultural Statistics Service state estimates of metribuzin use on soybeans .....	41
22. Graphs showing comparison of EPest and National Agricultural Statistics Service state estimates of nicosulfuron use on corn.....	42
23. Graphs showing comparison of EPest and National Agricultural Statistics Service state estimates of <i>S</i> -metolachlor use on corn.....	43
24. Graphs showing comparison of EPest and National Agricultural Statistics Service state estimates of trifluralin use on cotton.....	45
25. Graphs showing comparison of EPest and National Agricultural Statistics Service state estimates of trifluralin use on soybeans.....	46
26. Graph showing comparison of EPest and National Agricultural Statistics Service state estimates of methomyl use on cotton .....	48
27. Graph showing comparison of EPest and National Agricultural Statistics Service state estimates of methyl parathion use on cotton.....	49
28. Graphs showing comparison of EPest and National Agricultural Statistics Service state estimates of propiconazole use on winter wheat.....	51

## Tables

1. List of pesticide names and type, for which annual county pesticide-use estimates were calculated .....	3
2. EPest crop name and corresponding U.S. Department of Agriculture Census of Agriculture crop names.....	6
3. Summary of statistics from comparison of EPest-low and National Agricultural Statistics Service pesticide-by-crop estimates .....	20
4. Summary of statistics from comparison of EPest-high and National Agricultural Statistics Service pesticide-by-crop estimates .....	23

## Conversion Factors

### Inch/Pound to SI

<b>Multiply</b>	<b>By</b>	<b>To obtain</b>
Area		
acre	4,047	square meter (m <sup>2</sup> )
acre	0.4047	hectare (ha)
acre	0.4047	square hectometer (hm <sup>2</sup> )
acre	0.004047	square kilometer (km <sup>2</sup> )
square mile (mi <sup>2</sup> )	259.0	hectare (ha)
square mile (mi <sup>2</sup> )	2.590	square kilometer (km <sup>2</sup> )
Mass		
pound, avoirdupois (lb)	0.4536	kilogram (kg)

### SI to Inch/Pound

<b>Multiply</b>	<b>By</b>	<b>To obtain</b>
Area		
square kilometer (km <sup>2</sup> )	247.1	acre
square kilometer (km <sup>2</sup> )	0.3861	square mile (mi <sup>2</sup> )

## Abbreviations

ACU	Agricultural Chemical Use
CDL	Cropland Data Layer
CRD	Crop Reporting District
DPR	California Department of Pesticide Regulation
DPR-PUR	Department of Pesticide Regulation-Pesticide Use Reporting (California)
EPest	Estimated pesticide use
FR	Fruitful Rim
GIS	Geographic Information System
NASS	National Agricultural Statistics Service
NAWQA	National Water Quality Assessment Program
NPUD	National Pesticide Use Data
PUR	Pesticide Use Reporting
RE	Relative error calculated as: (EPest–NASS) /NASS
USDA	U.S. Department of Agriculture
USEPA	U.S. Environmental Protection Agency
USGS	U.S. Geological Survey
WARP	Watershed Regressions for Pesticides



# Estimation of Annual Agricultural Pesticide Use for Counties of the Conterminous United States, 1992–2009

By Gail P. Thelin and Wesley W. Stone

## Abstract

A method was developed to calculate annual county-level pesticide use for selected herbicides, insecticides, and fungicides applied to agricultural crops grown in the conterminous United States from 1992 through 2009. Pesticide-use data compiled by proprietary surveys of farm operations located within Crop Reporting Districts were used in conjunction with annual harvested-crop acreage reported by the U.S. Department of Agriculture National Agricultural Statistics Service (NASS) to calculate use rates per harvested-crop acre, or an 'estimated pesticide use' (EPest) rate, for each crop by year. Pesticide-use data were not available for all Crop Reporting Districts and years. When data were unavailable for a Crop Reporting District in a particular year, EPest extrapolated rates were calculated from adjoining or nearby Crop Reporting Districts to ensure that pesticide use was estimated for all counties that reported harvested-crop acreage. EPest rates were applied to county harvested-crop acreage differently to obtain EPest-low and EPest-high estimates of pesticide-use for counties and states, with the exception of use estimates for California, which were taken from annual Department of Pesticide Regulation Pesticide Use Reports.

Annual EPest-low and EPest-high use totals were compared with other published pesticide-use reports for selected pesticides, crops, and years. EPest-low and EPest-high national totals for five of seven herbicides were in close agreement with U.S. Environmental Protection Agency and National Pesticide Use Data estimates, but greater than most NASS national totals. A second set of analyses compared EPest and NASS annual state totals and state-by-crop totals for selected crops. Overall, EPest and NASS use totals were not significantly different for the majority of crop-state-year combinations evaluated. Furthermore, comparisons of EPest and NASS use estimates for most pesticides had rank correlation coefficients greater than 0.75 and median relative errors of less than 15 percent. Of the 48 pesticide-by-crop combinations with 10 or more state-year combinations, 12 of the EPest-low and 17 of the EPest-high totals showed significant differences ( $p < 0.05$ ) from NASS use estimates. The differences between EPest and NASS estimates did not follow consistent patterns related to particular crops, years,

or states, and most correlation coefficients were greater than 0.75.

EPest values from this study are suitable for making national, regional, and watershed assessments of annual pesticide use from 1992 to 2009. Although estimates are provided by county to facilitate estimation of watershed pesticide use for a wide variety of watersheds, there is a greater degree of uncertainty in individual county-level estimates when compared to Crop Reporting District or state-level estimates because (1) EPest crop-use rates were developed on the basis of pesticide use on harvested acres in multi-county areas (Crop Reporting Districts) and then allocated to county harvested cropland; (2) pesticide-by-crop use rates were not available for all Crop Reporting Districts in the conterminous United States, and extrapolation methods were used to estimate pesticide use for some counties; and (3) it is possible that surveyed pesticide-by-crop use rates do not reflect all agricultural use on all crops grown. The methods developed in this study also are applicable to other agricultural pesticides and years.

## Introduction

Hundreds of millions of pounds of pesticides are applied to agricultural crops every year to control weeds, insect infestations, plant diseases, and other pests. Annually, the total amount of conventional pesticides (excluding sulfur, petroleum oil, chlorine, hypochlorites, and wood preservatives) applied to crops grown throughout the conterminous United States has increased from a low of about 698 million pounds in the early 1990s ([http://www.epa.gov/opp00001/pestsales/07pestsales/historical\\_data2007\\_3.htm#table5\\_6](http://www.epa.gov/opp00001/pestsales/07pestsales/historical_data2007_3.htm#table5_6), accessed November 16, 2011) to a high of over 800 million pounds in 1996 (*fig. 1*). From 1996 through 2007, there was a slight downward trend in the total amount of pesticides used, reflecting decreases in the use of herbicides, plant growth regulators, and other conventional pesticides. Most of these differences in pesticide use can be attributed to changes in crop-management practices, the development of new pesticides that are effective at reduced use rates, and the introduction of genetically modified crops (Young, 2006; Fernandez-Cornejo and McBride, 2000).




## 2 Estimation of Annual Agricultural Pesticide Use for Counties of the Conterminous United States, 1992–2009

Pesticides are important to crop management because they contribute to increased crop yields and improve the quality of crops. Pesticides applied to crops and soil, however, can be transported to surface water and groundwater, where they can degrade water quality. Pesticide concentrations in streams vary widely across the United States and are influenced by many factors, such as the amount and timing of pesticide applications and the soils, climate, and hydrology where they are applied (Gilliom and others, 2006). Nationally consistent information on the amount and geographic distribution of pesticide use, both current and historic, is essential for designing water-quality studies, interpreting water-quality data, assessing trends in pesticide use, and developing water-quality models that relate pesticide use to concentrations in the hydrologic environment.

Agricultural pesticide-use information is available from the U.S. Department of Agriculture (USDA) National Agricultural Statistics Service (NASS), but these data are reported as state totals for varying regions, crops, and years and, consequently, do not have sufficient geographic coverage, resolution, or temporal consistency to support studies at watershed or multicounty scales. California’s Department of Pesticide Regulation (DPR) collects detailed pesticide-use information from all licensed applicators in the State and publishes annual Pesticide Use Reports (DPR-PURs)

that include detailed pesticide-use information (California Department of Pesticide Regulation, 2010). Agricultural pesticide-use data also are available from proprietary sources, but extrapolation techniques, such as those described in this report, are needed so that these data can be used by the National Water Quality Assessment (NAWQA) Program to estimate pesticide use for all counties of the conterminous United States.

A previous U.S. Geological Survey (USGS) study focused on developing extrapolation methods to determine county-level estimates for the herbicide atrazine by using proprietary pesticide-use reports and county harvested-crop acreage (Thelin and Stone, 2010). As part of that approach, regional rates were developed by using data from multiple years, and atrazine estimates were calculated for most counties in the conterminous United States. Comparisons with other data sources indicated that this approach to regional extrapolation could over-estimate pesticide use for pesticides that are not widely used across all geographic regions or when pesticide-use practices changed. This report describes an approach to estimating pesticide use, referred to as EPest, that is based on previous efforts but has changes that limit the use of regional rates, that incorporate a refined version of crop growing regions, and that expand the method to 39 herbicides, insecticides, and fungicides used in agriculture (*table 1*).



**Figure 1.** Trends in agricultural conventional pesticide use in the conterminous United States, 1992–2009.

**Table 1.** List of pesticide names and type, for which annual county pesticide-use estimates were calculated.

Pesticide name	Type
Acetochlor	Herbicide
Acifluorfen	Herbicide
Alachlor	Herbicide
Atrazine	Herbicide
Benomyl	Fungicide
Bentazon	Herbicide
Bromoxynil	Herbicide
Butylate	Herbicide
Carbofuran	Insecticide
Chlorimuron	Herbicide
Cyanazine	Herbicide
EPTC	Herbicide
Ethalfuralin	Herbicide
Ethoprophos	Insecticide
Fluometuron	Herbicide
Fonofos	Insecticide
Glyphosate	Herbicide
Linuron	Herbicide
Methomyl	Insecticide
Methyl parathion	Insecticide
Metolachlor	Herbicide
S-metolachlor	Herbicide
Metribuzin	Herbicide
Nicosulfuron	Herbicide
Norflurazon	Herbicide
Oryzalin	Herbicide
Oxamyl	Insecticide
Pebulate	Herbicide
Phorate	Insecticide
Propachlor	Herbicide
Propanil	Herbicide
Propargite	Insecticide
Propiconazole	Fungicide
Propyzamide	Herbicide
Terbacil	Herbicide
Terbufos	Insecticide
Thiobencarb	Herbicide
Triallate	Herbicide
Trifluralin	Herbicide

## Purpose and Scope

The purpose of this report is to describe (1) a method to estimate annual pesticide-by-crop use rates (pounds applied per harvested-crop acre), referred to as EPest rates, for 39 pesticides; (2) the process that was followed to apply these rates to produce an EPest-low and EPest-high estimate of annual use for each county; and (3) how the estimates for selected pesticides and crops derived by these methods compare with estimates from other published sources. This method was developed by using pesticide-use estimates reported for Crop Reporting Districts (CRDs) to calculate annual pesticide-by-crop use rates and, from that, estimates of pesticide use for individual counties. The 39 selected pesticides represent some of the primary pesticides used throughout the nation on row crops and several orchard and

vegetable crops, and include 28 herbicides, 9 insecticides, and 2 fungicides. Most of these same pesticides were included in a Watershed Regressions for Pesticides (WARP) multi-compound model analysis (Charles Crawford, U.S. Geological Survey, oral commun., 2011).

The pesticides evaluated in this study represent a range of herbicides, insecticides, and fungicides that are used on a variety of row, fruit, nut, and specialty crops grown in different environmental settings. Several of these pesticides have had changes in use over time, providing an evaluation of method performance for a wide range of conditions. To assess the accuracy of EPest totals, state-level totals were compared with NASS use estimates for selected pesticides and crops for states and years for which NASS survey data were available.

## Data Sources

Data sources used to develop EPest pesticide-by-crop use rates and annual pesticide-use estimates by county included the following: (1) proprietary pesticide-by-crop use estimates reported for CRDs; (2) USDA county harvested-crop acreage reported in the 1992, 1997, 2002, and 2007 Census of Agriculture (<http://www.agcensus.usda.gov/>), and NASS annual harvested-crop acreage data collected from crop surveys for non-census years (<http://quickstats.nass.usda.gov/>); (3) boundaries for CRDs and counties; (4) regional boundaries derived from USDA Farm Resource Regions; and (5) pesticide-use information from California DPR-PUR. Each of these sources is described in following sections.

## Pesticide-Use Data

Proprietary data from GfK Kynetec, Inc. on the amounts of pesticides applied to individual crops by CRD are the primary source of information used in this study and are referred to as surveyed use data in the remainder of this report. The surveyed use data are based on agricultural pesticide use surveys of more than 20,000 farm operations distributed throughout the conterminous United States (AgroTrak Quality Management Plan, written commun., August 2011). Data from the Census of Agriculture on the size (in acres) and number of farms that grow individual crops and represent selected land uses, such as pasture, are used to stratify all farms in the United States by size and to allocate the number of farms that will be surveyed in each strata. The survey design allocates a greater proportion of the sample to larger farm operations so that a greater percentage of crop acreage is represented, with the goal of more accurate characterization of farm operations and pesticide-use patterns. Use estimates for over 400 pesticides that are applied to a variety of row, specialty, fruit, and nut crops are reported by multi-county areas, referred to as CRDs (*fig. 2*). Surveys of farm operations within each CRD are extrapolated to represent total pesticide use for that CRD, and then estimates for individual CRDs or groups of CRDs are expanded to estimate pesticide use for states.




Figure 2. Crop Reporting Districts of the conterminous United States.

## Harvested-Crop Acreage

The surveyed use data are based on planted-crop acres within a CRD, but NAWQA requires pesticide-use estimates at the county scale, including use estimates for pesticides that potentially were not surveyed. Therefore, the surveyed use data had to be disaggregated from CRDs to the individual counties. The USDA is the only uniform source of annual crop-acreage estimates for all counties in the United States. The USDA reports data on planted and harvested-crop acreage, but planted-acreage data are not available from the USDA for all of the individual crops with surveyed use data. Therefore, harvested acreage, rather than planted acreage, was used to develop annual pesticide-by-crop use rates. In taking this approach, it is recognized that use-rate estimates could be numerically greater than actual use rates on planted crops because not all planted acres are harvested. The emphasis of the method was to develop the best possible estimates of total use in a county, which required the use of the comprehensive data on harvested cropland. Annual harvested-crop acreage by county data from the USDA Census of Agriculture and NASS crop surveys were used in method development (1) to calculate the pesticide-by-crop use rates for each crop and CRD surveyed, and (2) to estimate pesticide use for all counties that report harvested acreage in the conterminous United States. Harvested-crop acreage was obtained from the Census of Agriculture for 1992, 1997, 2002, and 2007, and from NASS annual surveys for the years between censuses. *Table 2* lists the crops for which EPest use rates were developed and the USDA crop names for which acreage data were retrieved from the Census of Agriculture and NASS.

County-level harvested-crop acreage for the 76 crops and other non-crop agricultural-land uses, such as pasture and woodland, were obtained from USDA reports and used to produce harvested-crop acreage totals for all CRDs. However, additional processing was required in three cases: (1) the USDA did not report county acreage for a crop and year because of census nondisclosure rules that protect the identity of individual farm operations, (2) the USDA-NASS annual surveys did not collect data for a particular state or crop, or (3) the crop acreage was the total acreage for multiple categories of that crop. In cases when county acreage was not reported because of USDA nondisclosure rules or when a crop and state had not been surveyed by NASS, the county crop acreage was estimated through linear interpolation of acreage reports for the crop and county from consecutive years before and after the year of missing crop acreage. In order to produce acreage totals for EPest crop names that were composed of more than one USDA crop name, the subcategories for that crop were summed to produce total harvested acreage. For example, the county total for sorghum acreage was calculated by summing the acreage for the subcategories of sorghum:

sorghum for grain, sorghum for silage, and sorghum for syrup. Crop-acreage totals that comprised more than one crop name typically required crop acreage to be estimated through linear interpolation for some of the crop names because NASS crop surveys do not report all the same crop names as the Census of Agriculture. For example, NASS did not report acreage of corn for forage from 1992 through 2009. To estimate corn-for-forage acreage in non-census years, the acreage from two Censuses of Agriculture (prior and next) was interpolated to fill in the non-surveyed corn-for-forage acreage.

## Geospatial Data

Two geospatial datasets were integral to the method used to calculate pesticide-by-crop use rates for surveyed and non-surveyed CRDs. These datasets included boundaries for CRDs and USDA Farm Resource Regions (<http://www.ers.usda.gov/Briefing/ARMS/resourceregions/resourceregions.htm>). CRD boundaries were used (1) to develop a table that listed the spatial relation of each CRD in the conterminous United States to its surrounding CRDs and (2) to determine the counties that were associated with each CRD so that estimates reported for CRDs could be disaggregated to counties. The second geospatial dataset was a modified version of the USDA Farm Resource Boundaries, which was used (1) to determine the Farm Resource Region for each CRD and (2) to develop regional use rates for individual crops when a CRD rate did not exist.

CRDs are defined as multi-county areas that share similar geographic attributes, including soil type, terrain, elevation, and climatic factors, such as mean temperature, annual precipitation, and length of growing season. There are 304 CRDs in the conterminous United States, and most states are divided into 9 CRDs; however, some states, such as Massachusetts and New Hampshire, contain only 1 CRD, whereas Texas has 15 CRDs.

A geospatial vector dataset of CRD boundaries was used to generate a table that enumerates the spatial relation between each of the individual CRDs and the CRDs surrounding each of these 'primary' CRDs. For each primary CRD, two concentric rings of CRDs were identified by using a Geographic Information System (GIS) proximity mapping function. CRDs that touched the primary CRD were designated as tier 1 CRDs, and CRDs that touched tier 1 CRDs were designated as tier 2 CRDs. Any CRD could be considered a primary, a tier 1, or a tier 2 CRD, depending on which CRD is central to the area of interest. *Figure 3*, for example, shows primary CRD 20060 (Kansas CRD 60) and the tier 1 and tier 2 CRDs that are associated with it. When CRD-level pesticide use data were not available, associated tier 1 and tier 2 CRDs were used to calculate pesticide-by-crop rates.

**6 Estimation of Annual Agricultural Pesticide Use for Counties of the Conterminous United States, 1992–2009**

**Table 2.** EPest crop name and corresponding U.S. Department of Agriculture (USDA) Census of Agriculture crop names.

EPest crop name	USDA, Census of Agriculture crop name(s)
Alfalfa	Alfalfa hay
Almonds	Almonds
Apples	Apples
Barley	Barley for grain
Beans and peas	Green lima beans; snap beans; green peas, excluding southern peas; peas, green southern
Berries	Strawberries
Bulb crops	Garlic; green onions; dry onions
Conservation Reserve Program (CRP), long-term acres	Land enrolled in conservation reserve or wetlands reserve programs
Canola, rapeseed	Canola, other rapeseed
Cherries	Sweet cherries; tart cherries
Citrus, other	Other citrus fruit
Cole crops	Broccoli
Corn	Corn for grain
Cotton	Cotton, all
Cropland for pasture	Cropland used for pasture or grazing
Cucurbits	Cucumbers and pickles; pumpkins; squash
Dry beans and peas	Dry lima beans; dry edible beans, excluding limas; dry edible peas; dry southern peas
Eggplant and peppers	Eggplant; peppers, bell; peppers, chile
Summer fallow	Summer fallow
Flax	Flaxseed
Grapefruit	Grapefruit
Grapevines	Grapes
Hay, other	Grass silage, haylage
Idle cropland, other	Idle cropland, other
Leafy vegetables, other	Celery; spinach
Lemons	Lemons
Lettuce	Lettuce all
Lots, farmsteads, other	Lots, farmsteads and other
Melons	Cantaloupes; watermelons
Nut trees, other	Hazel nuts (filberts); pistachios
Oats and rye	Oats for grain; rye for grain
Oranges	Oranges, all
Pasture/range	Pastureland and rangeland, other than cropland and woodland pastured
Peaches	Peaches, all
Peanuts	Peanuts for nuts
Pears	Pears, all
Pecans	Pecans
Potatoes	Potatoes
Prunes	Plums and prunes
Rice	Rice
Roots and tubers	Carrots
Sorghum	Sorghum for grain; sorghum for silage or green chop; sorghum for syrup
Soybeans	Soybeans for beans
Stone-like fruit, other	Apricots; avocados
Sugarbeets	Sugar beets for sugar
Sugarcane	Sugar cane for sugar
Sunflowers	Sunflower seed all
Sweet corn	Sweet corn
Tobacco	Tobacco
Tomatoes	Tomatoes
Other vegetables	Artichokes
Walnuts	Walnuts, english
Wheat, spring	Durum wheat for grain; other spring wheat for grain
Wheat, winter	Winter wheat for grain
Woodland	Total woodland



A geospatial dataset of USDA Farm Resource Regions was used to develop regional pesticide-by-crop use rates for CRDs that were not surveyed and for which a tier 1 or tier 2 rate was not available. In a previous atrazine study (Thelin and Stone, 2010), USDA Farm Production Regions were used to develop regional rates. These boundaries follow state boundaries and often combine large areas that can have different soils, topography, and agricultural practices. The Farm Production Region boundaries were replaced with USDA Farm Resource Regions because these boundaries take into account farm practices and physiographic, soil, and climatic traits (<http://www.ers.usda.gov/publications/aib760/aib-760.pdf>). Farm Resource Region boundaries conform to CRD boundaries. There are nine Farm Resource Regions, which were further subdivided in cases where the region was not contiguous. For example, the Fruitful Rim (FR) Region is located in parts of the West, Southwest, and Southeastern United States, so this large region was subdivided into four subregions: (1) FR-Northwest, including Washington and parts of Oregon and Idaho; (2) FR-West, including parts of California and Arizona; (3) FR-Texas, including Texas and

New Mexico; and (4) FR-Southeast, including Florida and parts of Alabama, Georgia, and South Carolina. Similarly, the Eastern Uplands, Northern Crescent, and Southern Seaboard were divided into eastern and western subregions (fig. 4).

### Pesticide-Use Estimates for California

EPest-low and EPest-high estimates for California were not calculated by using the method described in this report; instead, county totals were obtained from the online DPR-PUR database (California Department of Pesticide Regulation, 2010). Since 1990, California has required reporting of all agricultural pesticide use. DPR-PUR includes information on the pesticide applied, location and time of application, and the agricultural crop treated. Annual pesticide-use estimates by crop were retrieved from the online DPR-PUR database and merged with the EPest-low and EPest-high county data after the estimation process was completed for the rest of the country.





Figure 3. Crop Reporting District 20060 (Kansas CRD 60) and neighboring tier 1 and tier 2 Crop Reporting Districts.

## Methods for Estimating Pesticide Use

The following sections describe methods developed to estimate agricultural pesticide use for counties in the conterminous United States, except those in California. In order to calculate estimates of pesticide use for counties, pesticide-by-crop use rates were developed for CRDs on the basis of surveyed use data and harvested-crop acreage from the USDA. The resulting pesticide-by-crop use rates are referred to as EPest surveyed-use rates, which are calculated by dividing the amount of pesticide applied to a crop in the CRD by harvested-crop acres. Not every CRD in the conterminous United States was surveyed; therefore, EPest

extrapolated rates were developed for unsurveyed CRDs by using surveyed rates from nearby CRDs or surveyed and extrapolated rates from CRDs in the same region. A surveyed or an extrapolated rate, depending on the CRD, was applied to county harvested acreage to estimate pesticide use on individual crops grown in each county of the conterminous United States, except California. The following sections describe (1) the method used to replace false zero values reported in the surveyed use data with inferred data, (2) how the EPest surveyed and extrapolated rates were developed, and (3) the decision process that was followed to assign these EPest rates to counties to produce EPest-high and EPest-low estimates of pesticide use for counties in the conterminous United States.



**Figure 4.** U.S. Department of Agriculture Farm Resources Regions (<http://www.ers.usda.gov/publications/aib760/aib-760.pdf>), as subdivided for calculating regional estimated pesticide-use rates.

## Processing Zero Values

The surveyed-use data included the following elements: pounds of pesticide applied to a crop, number of crop acres treated, and overall pesticide-by-crop application rate. In some cases, a zero value was reported for one or more of the data elements because of rounding or truncating values of less than one; therefore, a new inferred value was calculated to replace the false zero values as follows:

1. When the pounds applied were reported as zero, but the number of acres treated was greater than zero, and an application rate was reported, then a value for the pounds applied was calculated by multiplying the number of acres treated by the pesticide-by-crop application rate reported for the surveyed CRD.
2. When the number of acres treated and the pounds applied were reported as zero for the surveyed CRD, but an application rate was reported, then it was assumed that the number of acres treated was equal to one, and the pounds applied were equal to the application rate for 1 acre as reported for the CRD.
3. When the pounds applied and application rate were reported as zero for the surveyed CRD, but the number of acres treated was greater than zero, a new application rate could not be calculated. In these cases, the lowest non-zero application rate in the surveyed-use data across all years, pesticides, crops, and CRDs, which was 0.001 pounds per acre annually, was used to estimate the pounds applied (0.001 pounds per acre multiplied by the number of acres treated).

## EPest Crop-Use Rates for Surveyed CRDs

EPest surveyed rates for 1992 through 2009 were developed for each of the 39 pesticides included in this study by using surveyed-use estimates of pounds of pesticides applied to individual crops and the harvested acreage for these crops reported by USDA. The pesticide-by-crop use rates determined from surveyed-use data for CRDs are based on planted-crop acreage, but were adjusted to harvested acreage for EPest county-level pesticide-by-crop use rates. EPest surveyed pesticide-by-crop use rates were calculated by dividing the pounds of pesticide applied to a crop in a CRD by the harvested-crop acreage in the CRD to yield a use rate per harvested acre—for a specific crop this is referred to as an EPest surveyed pesticide-by-crop use rate. Use rates calculated by using harvested-crop acreage rather than planted acreage can result in a greater rate per acre because, typically, there are fewer harvested acres than planted acres as a result of crop failure. To avoid artificially high use rates caused solely by the difference between planted and harvested acres, the harvested-crop acreage for the CRD and associated counties was adjusted if the CRD harvested-crop acres were less than

the surveyed CRD planted-crop acres. Specifically, a county-CRD weighting factor for each crop and year was calculated by determining the percentage that each county's acreage contributed to the total acreage in the CRD. When the sum of the harvested-crop acreage for counties in the CRD was less than the planted-crop acreage for the CRD reported in the surveyed-use data, the weighting factor was used to adjust the harvested acreage for each county in the CRD to the survey-reported planted-crop acreage.

## EPest Use Rates for Unsurveyed CRDs—Tier 1, Tier 2, and Regional Use Rates

EPest surveyed-use rates were applied to the harvested-crop acreage in all counties that were part of the surveyed CRDs. Some CRDs, however, were not surveyed for a particular year or combination of years, even though a pesticide could have been used there. For these CRDs, indirect estimates were derived. To ensure that pesticide-use estimates accounted for all acreage that could have been treated, extrapolated use rates were developed for individual pesticides and crops in unsurveyed CRDs through a set of decision rules (*fig. 5*).

The decision process included developing three types of extrapolated pesticide-by-crop use rates, referred to as tier 1, tier 2, and regional rates. How a use rate was estimated for an unsurveyed CRD depended on the availability of rates from surrounding tier 1 and tier 2 CRDs. For this purpose, the proximity table of CRDs, described previously, was searched to determine if a new rate could be calculated on the basis of rates from tier 1 or tier 2 CRDs. First, the tier 1 CRDs surrounding the unsurveyed CRD were searched, and if one or more surveyed pesticide-by-crop use rates existed, the median rate was used from these surveyed rates, called tier 1 EPest rate, to estimate pesticide-by-crop use for the counties in the unsurveyed CRD. If a tier 1 rate could not be established because there were no surveyed rates available, then tier 2 CRDs were searched to determine if three or more of the tier 2 CRDs had surveyed rates. If so, then the median value of these rates was used as the tier 2 EPest rate which was then applied to the counties in the unsurveyed CRD. Finally, if a tier 1 or tier 2 EPest rate could not be determined, then a regional rate was calculated for the modified USDA Farm Resource Region (described previously) and used for the CRD. Regional rates were the median of all non-zero EPest rates, including surveyed, tier 1, and tier 2 EPest from the same modified USDA Farm Resource Region. To reduce the influence of duplicate extrapolated EPest rates on the calculation of regional rates, duplicate extrapolated rates were removed prior to the calculation. *Figure 6* illustrates the process of establishing and assigning EPest extrapolated rates for counties in the Southern Seaboard Region-East by using *S-metolachlor* on corn as an example.



The Southern Seaboard-East region is composed of 36 CRDs from all or part of 8 states, including Alabama, Delaware, Georgia, Maryland, Mississippi, North Carolina, South Carolina, and Virginia (fig. 6). In 2007, there were surveyed-use data for *S*-metolachlor on corn in 17 of the 36 CRDs in the region. On the basis of the surveyed rates for the 17 surveyed CRDs, *S*-metolachlor use on corn was estimated for 180 of 388 counties in the region. There were an additional 208 counties in the region that had corn acreage, but a surveyed rate was not available, so EPest tier 1, tier 2, or regional rates were estimated as described in the following paragraphs.

Tier 1 *S*-metolachlor-corn rates were estimated for 11 CRDs in the example region and applied to 114 counties in these CRDs. South Carolina CRD 45030, labeled *A* in figure 6, is used to illustrate how a tier 1 rate is calculated from adjacent tier 1 CRDs. The tier 1 rate was developed for South Carolina CRD 45030 by using surveyed rates from three surrounding CRDs, which had EPest surveyed rates of 0.0095, 0.7093, and 1.123 pounds per harvested acre. There were two other CRDs adjacent to South Carolina 45030, but there were no surveyed rates available for them. In this example, the median of the three available EPest surveyed rates was 0.7093 pounds per harvested acre (North Carolina CRD 37090), and this rate was used as the tier 1 rate to estimate 2007 *S*-metolachlor use on corn in the nine counties that are part of South Carolina CRD 45030.





Figure 5. Summary of decision process followed to develop EPest rates.



**Figure 6.** Methods for establishing extrapolated estimates for 2007 S-metolachlor use on corn in the Southern Seaboard-East region for (A) Epest tier 1 rate, (B) Epest tier 2 rate, and (C) Epest regional rate.

In the Southern Seaboard-East region, tier 2 *S*-metolachlor rates for corn were applied to 25 counties in two CRDs. Georgia CRD 13030, labeled *B* in *figure 6*, is an example of determining a tier 2 rate from surrounding CRDs. There were no EPest surveyed rates for *S*-metolachlor-corn from adjacent CRDs, so tier 2 CRDs were used. A minimum of three rates are required to determine a tier 2 rate, and there were five tier 2 CRDs that had surveyed annual rates of 0.1445, 0.3156, 0.7009, 0.9565, and 1.1229 pounds per harvested acre. The median of these five rates was 0.7009 pounds per harvested acre, which was assigned as the tier 2 rate used to estimate 2007 *S*-metolachlor use on corn for the nine counties in Georgia CRD 13030.

Finally, regional rates were calculated for 2007 *S*-metolachlor-corn in the Southern Seaboard-East region and applied to 6 CRDs and 69 counties. Mississippi CRD 28009, labeled *C* in *figure 6*, is used to illustrate how the regional rate was calculated from adjacent surveyed, tier 1, and tier 2 CRDs. There were 30 EPest rates available for the region, including 17 surveyed rates, 11 tier 1 rates, and 2 tier 2 rates. In the calculation of a regional rate, a minimum of three surveyed, tier 1, or tier 2 rates are required, and any duplicate extrapolated rates are dropped prior to calculating the median. In calculating the median regional rate, 7 duplicate rates were dropped, including 6 tier 1 rates and 1 tier 2 rate, so that 17 surveyed rates, 5 tier 1 rates, and 1 tier 2 rate were used to find the 2007 median rate of 0.3069 pounds per harvested acre of corn.

## EPest-Low and EPest-High Estimates

Two variations on the method for estimating county pesticide use were developed to yield EPest-low and EPest-high estimates for counties in the conterminous United States other than California. Both methods incorporated surveyed and extrapolated rates to estimate pesticide use for counties, but EPest-low and EPest-high estimations differed in how they treated situations when a CRD was surveyed and pesticide use was not reported for a particular pesticide-by-crop combination (*fig. 5*). If use of a pesticide on a crop was not reported in a surveyed CRD, EPest-low reports zero use in the CRD for that pesticide-by-crop combination. EPest-high, however, treats the unreported use for that pesticide-by-crop combination in the CRD as unsurveyed, and pesticide-by-crop use rates from neighboring CRDs and, in some cases, CRDs within the same USDA Farm Resource Region are used to calculate the pesticide-by-crop EPest-high rate for the CRD.

## Results

EPest-low and EPest-high totals were calculated from 1992 through 2009 for the 39 selected pesticides by using the methods described in this report. EPest-low totals, including California, were available for a low of 3,021 counties in 2008 to a high of 3,056 counties in 1992. The EPest-high method produced estimates for 3,049 counties in 2000 and 3,060 counties in 1994, including those in California. Pesticide-use estimates for counties in California are available from 1992 through 2009 for 35 of the 39 pesticides in this study. Use estimates are not available for the pesticides acetochlor, chlorimuron, propachlor, and terbufos because these pesticides were not used in California. For counties in California, there is a single county estimate, rather than a high and low estimate per pesticide by crop and year, which represents the sum of individual pesticide applications in a county reported by DPR-PUR ([ftp://pestreg.cdpr.ca.gov/pub/outgoing/pur\\_archives](ftp://pestreg.cdpr.ca.gov/pub/outgoing/pur_archives)).

EPest-low and EPest-high county pesticide-use totals for 1992–2009 are available from <http://water.usgs.gov/nawqa/pnsp/usage/maps/>. The county estimates represent the sum of individual pesticides used on all row, fruit, nut, and vegetable crops and selected agricultural land uses, such as summer fallow, pasture, and woodland. *Appendix 1* provides the annual EPest-low and EPest-high national totals for each of the 39 pesticides, the total pounds applied to individual crops, and the percentage of the national pesticide total each crop represents. With the exception of acetochlor, fonofos, propachlor, and *S*-metolachlor, annual estimates are available for 1992 through 2009. Acetochlor estimates are available beginning in 1994, when it was first registered for use, while estimates for fonofos and propachlor are reported for 1992 through 2005, and *S*-metolachlor estimates are available beginning in 1997.

EPest-low and EPest-high national use totals for each of the 39 pesticides are shown in *appendix 2* along with the amount and percentage of the total estimate that was derived from EPest surveyed, tier 1, tier 2, and regional rates, and from the DPR-PUR for California. Across all pesticides and years, the amount added to the EPest-low national total by extrapolated tier 1, tier 2, or regional rates, ranged from less than 1 percent for most compounds for one or more years to as much as 36 percent for terbacil use in 2003. A greater proportion of the EPest-high national total was derived from extrapolated rates, which ranged from less than 1 percent to as much as 94 percent for butylate use in 2007.

About 23 percent of the EPest-low and EPest-high annual national use totals were within 10 percent of one another and about 45 percent were within 25 percent of one another. EPest-high totals were more than double EPest-low totals for the pesticides alachlor, butylate, carbofuran, cyanazine, ethoprophos, linuron, methyl parathion, metolachlor, pebulate, propachlor, and terbacil for at least six of the years estimated. The extrapolated rates for surveyed CRDs used in EPest-high methods more than doubled the national total pesticide use for some years and pesticides for some specialty crops; for major crops, such as corn and alfalfa; and for some land uses, such as summer fallow, pasture and rangeland.


For the pesticides included in this study, EPest-low annual-use totals were less than or equal to EPest-high annual-use totals, as shown in *appendix 2*. However, EPest-low annual-use totals can be greater than EPest-high totals when the EPest-low pesticide-by-crop regional rate is greater than the EPest-high rate. EPest regional pesticide-by-crop rates are determined by using a minimum of three CRDs, and, typically, EPest-high regional rates were determined from a greater number of CRDs than EPest-low regional rates. In some cases, rates from additional CRDs can result in an EPest-high regional pesticide-by-crop rate that is less than the EPest-low regional rate. For example, if the EPest-low regional rate were determined from five rates—158, 54, 31.8, 9.68, and 5 pounds per acre—then the median would be 31.8 pounds of pesticide per harvested acre. The rates from these same five CRDs along with the EPest-high rates from any other CRDs in the region would be used to calculate the EPest-high regional rate. For example, if 158, 54, 31.8, 9.68, 9.05, 6.7, and 5 pounds of pesticide per crop acre were the rates used to determine the EPest-high regional rate, the EPest-high pesticide-by-crop regional rate would be 9.68 pounds of pesticide per harvested acre. Although these two rates were for the same counties in the region, the EPest-low total would be greater than the EPest-high use total.

In cases when a CRD was not surveyed, and a tier 1, tier 2, or regional rate was available, both EPest-low and EPest-high methods determined a pesticide-by-crop rate. In general, extrapolated rates for non-surveyed CRDs represented a greater percentage of use in more recent years because some pesticides were reported less frequently and some crops were not surveyed as extensively. EPest tier 1, tier 2, and regional rates have inherently greater uncertainty than rates for surveyed CRDs because a pesticide could have been applied to a localized area in response to a pest infestation, while the same crop grown in another part of the same region would not be managed in the same way, which can result in misrepresentative estimates of pesticide use. In addition, some EPest-high annual totals for pesticides that have been replaced or phased out, such as metolachlor and cyanazine, can be inaccurate because the EPest-high method assumes if a CRD was surveyed and an estimate for the pesticide was not reported, then an extrapolated rate could be used to estimate pesticide use.

## Comparison of EPest National Estimates with Other Sources

National annual pesticide-use estimates developed by using EPest-low and EPest-high methods were compared with independently published estimates for seven herbicides. These comparisons were limited to acetochlor, alachlor, atrazine, EPTC, glyphosate, propanil, and trifluralin and to selected years because of limited data from the published sources. EPest totals for 1997, 2001, and 2007 were compared to (1) agricultural-use estimates published by the U.S. Environmental Protection Agency (USEPA; Kiely and others, 2004; Grube and others, 2011), (2) NASS-Agricultural Chemical Use (ACU) data (National Agricultural Statistics Service, 2008; hereinafter, referred to as NASS), and (3) National Pesticide Use Database (NPUD) estimates (Crop Protection Research Institute, 2006). NASS annual data were published as the “Total of Program States” in pounds per year and represent the amount of pesticide estimated for the states and crops that were surveyed for a specific year. Thus, the NASS national totals shown in these analyses are not intended to represent total use for all states or crops but are included as a point of reference. The USEPA estimates were reported as a range for each pesticide on agricultural crops as determined from a variety of public and proprietary data sources. Estimates for some pesticides and years were not available for each set of analyses, so comparisons were made for the years with the most complete data from each of the sources. Annual state estimates for the pesticides compared were available from EPest for 1992 through 2009; USEPA for 1997, 2001, 2003, 2005, and 2007; NPUD for 1992, 1997, 2002; and NASS for 1997, 2001, and 2006. In addition, NASS use estimates for propanil only were available for 2006. The NPUD estimates used in the 2001 analysis represent use for 2002, and the NPUD estimates were not included in the 2006–07 analysis. Lastly, the 2006–07 analysis did not include the USEPA use estimates for alachlor and EPTC.

Comparisons of EPest-low and EPest-high total use estimates with the USEPA, NASS, and NPUD data for 1997, 2001–02, and 2006–07 for the seven herbicides are shown in *figures 7A, 7B, and 7C*. With the exceptions of the EPest-low 2001 estimate for alachlor, the 2007 EPest-low and EPest-high estimates for propanil, and the 2007 EPest-high estimates for trifluralin, EPest and USEPA estimates differed from one another by less than 20 percent. NASS use estimates are not complete national estimates, so they were less than both EPest-low and EPest-high totals, and most 2006 NASS use estimates were a fraction of both USEPA and EPest totals because the number of the crops and states that were surveyed and reported by NASS was reduced in 2006. Overall, the comparisons illustrated in *figure 7* indicate a high level of agreement between EPest totals and both the USEPA and NPUD estimates, although none of these three sources of national estimates is known to be a better estimate of true use than the others.



**Figure 7.** Comparison of EPEst-low and EPEst-high national total use of selected pesticides with national use estimates from other sources for (A) 1997 Agricultural-use estimates, (B) 2001–02 Agricultural-use estimates, and (C) 2006–07 Agricultural-use estimates. NASS, National Agricultural Statistics Service; USEPA, U.S. Environmental Protection Agency; EPEst, estimated pesticide use; National Pesticide Use Database.



## Comparisons of EPest and NASS State Estimates


The national comparisons provide an aggregated assessment of how comparable EPest totals are to other published sources. In order to determine how well EPest use estimates represented regional and state level amounts and patterns of pesticide use, a second set of evaluations were made that compared EPest and NASS estimates for (1) state totals for individual pesticides and (2) state totals for individual pesticide-by-crop combinations. The comparisons between EPest and NASS state and state-by-crop estimates were the most controlled evaluations possible.

## Comparison of State Total-Use Estimates

State-level comparisons were made for individual pesticides that have four or more estimates for combinations of states, crops, and years common to both EPest and NASS use estimates. Estimates for 33 pesticides and 34 states were compared for one or more years from 1992 through 2006. The pesticides included 24 herbicides, 8 insecticides, and 1 fungicide. Depending on the state and year, estimated state totals represented the sum of a pesticide used on one or more crops, including barley, corn, cotton, peanuts, rice, sorghum, soybeans, spring wheat, sunflowers, tobacco, and winter wheat. For each comparison, the difference between EPest and NASS use estimates was evaluated as the relative error (RE) for EPest relative to NASS estimates, or  $(\text{EPest} - \text{NASS}) / \text{NASS}$ , and RE was used to show the distribution of differences in state estimates for each pesticide (*fig. 8*). In *figures 8A* (EPest-low) and *8B* (EPest-high), positive RE values represent EPest totals that were greater than NASS use estimates and negative RE values represent EPest

totals that were less than NASS use estimates. Although differences between EPest and NASS estimates are expressed as proportional errors relative to NASS estimates in order to facilitate clear comparisons to publicly available NASS estimates, neither estimate can be considered a more certain estimate of true values than the other. The number of state-by-year combinations for each pesticide is indicated at the bottom of the plot (*fig. 8*). For the different pesticides, the number of state-by-year combinations used in the comparisons ranged from as few as 5 to as many as 443.

Of the 33 pesticides evaluated, less than one-third—10 EPest-low and 8 EPest-high— had median RE values significantly different from zero based on the 95-percent confidence interval on the median RE. For EPest-low, 6 of the 10 pesticides that were significantly different from NASS use estimates tended to have lower estimates compared to NASS (acifluorfen, bentazon, butylate, methomyl, methyl parathion, and propachlor), and the rest (atrazine, fluometuron, nicosulfuron, and propargite) tended to be greater than NASS. Compared to NASS use estimates, seven of the eight significantly different EPest-high totals tended toward overestimation (atrazine, fluometuron, fonofos, metribuzin, nicosulfuron, propargite, and trifluralin), and only one pesticide (methyl parathion) tended toward underestimation. The inter-quartile ranges for both sets of estimates generally were symmetrical for most pesticides, and there was a relatively small proportion of outlying individual values—generally fewer than 10 percent. Several pesticides showed wide confidence intervals around the median, and some had only a small number of estimates to compare, including propachlor and thiobencarb, among others.



**Figure 8.** Distributions of relative error between EPEst and National Agricultural Statistics Service (NASS) use estimates. Relative error expressed as  $(EPEST - NASS)/NASS$ . Estimated state totals represent the sum of use on one or more crops, including barley, corn, cotton, peanuts, rice, sorghum, soybeans, spring wheat, sunflowers, tobacco, and winter wheat. Numbers for each pesticide represent the number of state-by-year combinations compared.

## Comparison of State Estimates for Individual Pesticide-by-Crop Combinations

EPest and NASS use estimates for individual states and crops were compared for selected years from 1992 to 2006, which are the most direct comparisons possible with the data available. The comparisons were limited to pesticide-by-crop combinations that had both EPest and NASS use estimates for at least 10 state-year combinations. This requirement allowed one or more crop comparisons for 29 pesticides, including 21 herbicides, 7 insecticides, and 1 fungicide, for one or more of the following crops: corn, cotton, rice, soybeans, spring wheat, and winter wheat. There were 17 pesticides compared for corn, 13 pesticides for cotton, 9 pesticides for soybeans, 4 pesticides for winter wheat, 4 pesticides for spring wheat, and a single pesticide for rice. Although NASS also reported pesticide-use estimates for other crops included in the all-crops state totals, such as sorghum, tobacco, peanuts, and barley, there were too few estimates for each of these crops to include them in the crop-specific comparisons.

The distribution of RE values for all available state-year combinations for each of the 47 pesticide-by-crop combinations are shown by crop (rice excluded) in *figures 9A–9E* for EPest-low totals and in *figures 10A–10E* for EPest-high totals. The figures show that the range of RE values for EPest-low totals for most pesticide-by-crop combinations was less than for EPest-high totals and contained fewer outliers, indicating that EPest-low totals tended to approximate NASS estimates more accurately than EPest-high totals.

Similarly, more than two-thirds (33 of 48) of EPest-low pesticide-by-crop combinations had median REs that were 15 percent or less, whereas just over half (26 of 48) of the EPest-high totals had median REs that were less than 15 percent or less (*tables 3 and 4*). Of the 15 EPest-low pesticide-by-crop combinations that had median REs that differed by 15 percent or more, 13 pesticide crop-combinations were less than NASS use estimates and 2 pesticide-by-crop combinations were greater than NASS use estimates (*table 3*). There were 21 EPest-high pesticide-by-crop combinations that had median REs greater than 15 percent, with 13 combinations greater than NASS use estimates and 8 that were less (*table 4*). These results were consistent with the aggregated state total comparisons presented previously, and overall, these comparisons indicated a reasonable agreement between EPest and NASS use estimates, with somewhat better agreement for EPest-low than high estimates. Nevertheless, some pesticide-by-crop combinations showed substantial differences in the estimates for specific states and years.


A combination of statistical tests were used to compare EPest and NASS use estimates for the pesticide-by-crop combinations. The Wilcoxon signed rank sum test (Conover, 1980; Lehmann, 1975) was used to further evaluate differences between magnitudes of EPest and NASS annual use estimates for each pesticide-by-crop combination with

sufficient state-year combinations. This non-parametric test evaluates whether the median difference between paired estimates is significantly different than zero, where significance was assigned to a probability ( $p$ ) of less than 0.05 (two-tailed test). Comparisons that are not statistically significant can indicate agreement between estimates or also can indicate variability in the sample too great to establish significant differences. To help assess the degree of correlation between two ranked pairs of estimates, the Spearman rank correlation coefficient ( $r$ ) was used, where values range from 0 to 1, and 1 indicates perfect agreement between estimates. The  $p$ -value from the Wilcoxon test, the Spearman correlation coefficient ( $r$ ), the median RE, and the number of state/year combinations used in the evaluations of the comparisons to NASS use estimates are shown for each pesticide and crop combination in *table 3* for EPest-low and *table 4* for EPest-high.


The strongest agreement between estimates is indicated by statistically insignificant  $p$ -values, correlation coefficients approaching 1, and a low median and range for RE values. Pesticides evaluated in this study that met these criteria included acetochlor, cyanazine, and terbufos use estimates for corn, as well as chlorimuron and bentazon use estimates for soybeans. Some estimate comparisons had significantly different medians, but still showed strong correlation and a low RE value; examples include estimates for atrazine and metolachlor use for corn and trifluralin use estimates for cotton. Poor agreement between estimates was indicated by large RE values and low correlation coefficients for both significant and insignificant comparisons of medians. A small sample size can reduce the power of the tests, however, and smaller sample sizes were often associated with the lower correlation coefficients among these comparisons, particularly when RE values were greater than 0.15.

More than half of the comparisons of pesticide-by-crop combinations had RE values less than 0.15, and the majority of these comparisons were not significantly different and had correlation coefficients greater than 0.75. Of the 48 pesticide-by-crop combinations with 10 or more state-by-year combinations, 12 of the EPest-low pesticide-by-crop totals and 17 of the EPest-high totals significantly differed ( $p < 0.05$ ) from the NASS use estimates. Of the comparisons with significant differences, two-thirds or more of the pesticide-by-crop combinations had correlation coefficients greater than 0.75, especially when comparisons had RE values of 0.15 or less. Comparisons that did not have significant differences tended to have lower RE values than comparisons that had significant differences. Nevertheless, about a quarter of all the comparisons had RE values greater than 0.15, but did not have significant differences. All of these had sample numbers less than 40, and most had fewer than 20 samples for comparison. Also, most had correlation coefficients less than 0.75, which demonstrates the importance of having a sample number large enough to achieve a good comparison of estimates.





**Figure 9.** Distribution of relative error between EPest-low and National Agricultural Statistics Service (NASS) use estimates for (A) corn, (B) cotton, (C) soybeans, (D) spring wheat, and (E) winter wheat. Relative error expressed as (EPEST - NASS)/NASS.



**Figure 10.** Distribution of relative error between EPest-high and National Agricultural Statistics Service (NASS) use estimates for (A) corn, (B) cotton, (C) soybeans, (D) spring wheat, and (E) winter wheat. Relative error expressed as (EPEST - NASS)/NASS.

**Table 3.** Summary of statistics from comparison of EPest-low and National Agricultural Statistics Service (NASS) pesticide-by-crop estimates.

[Abbreviations: N, number of estimates compared; P, probability of significance; &gt;, greater than; &lt;, less than; -, no data]

Pesticide	Type	Corn				Cotton							
		N	Wilcoxon signed rank, P (two-tailed)	Wilcoxon signed rank, P (NASS >EPest)	Wilcoxon signed rank, P (NASS <EPest)	Median relative error	Spearman correlation coefficient	N	Wilcoxon signed rank, P (two-tailed)	Wilcoxon signed rank, P (NASS >EPest)	Wilcoxon signed rank, P (NASS <EPest)	Median relative error	Spearman correlation coefficient
Acetochlor	Herbicide	98	0.19	0.90	0.10	0.07	0.93	-	-	-	-	-	-
Acifluorfen	Herbicide	-	-	-	-	-	-	-	-	-	-	-	-
Alachlor	Herbicide	99	0.13	0.94	0.06	0.08	0.83	-	-	-	-	-	-
Atrazine	Herbicide	146	0.00	1.00	0.00	0.07	0.97	-	-	-	-	-	-
Bentazon	Herbicide	17	0.01	0.01	0.99	(0.39)	0.42	-	-	-	-	-	-
Bromoxynil	Herbicide	62	0.29	0.15	0.86	(0.09)	0.85	18	0.12	0.06	0.95	(0.36)	0.71
Butylate	Herbicide	16	0.00	0.00	1.00	(0.47)	0.91	-	-	-	-	-	-
Carbofuran	Insecticide	22	0.18	0.09	0.92	(0.22)	0.68	15	0.56	0.74	0.28	(0.07)	0.73
Chlorimuron	Herbicide	-	-	-	-	-	-	-	-	-	-	-	-
Cyanazine	Herbicide	76	0.20	0.90	0.10	0.07	0.92	64	0.65	0.32	0.68	(0.11)	0.82
EPTC	Herbicide	27	0.24	0.12	0.88	(0.13)	0.60	-	-	-	-	-	-
Fluometuron	Herbicide	-	-	-	-	-	-	76	0.00	1.00	0.00	0.12	0.93
Fonofos	Insecticide	17	0.85	0.59	0.43	(0.03)	0.72	-	-	-	-	-	-
Glyphosate	Herbicide	121	0.00	1.00	0.00	0.34	0.78	83	0.00	1.00	0.00	0.30	0.93
Linuron	Herbicide	-	-	-	-	-	-	-	-	-	-	-	-
Methomyl	Insecticide	-	-	-	-	-	-	27	0.01	0.00	1.00	(0.61)	0.76
Methyl parathion	Insecticide	11	0.15	0.07	0.94	(0.24)	0.32	50	0.00	0.00	1.00	(0.78)	0.47
Metolachlor	Herbicide	130	0.00	0.00	1.00	(0.10)	0.87	34	0.30	0.15	0.85	(0.04)	0.58
Metribuzin	Herbicide	-	-	-	-	-	-	-	-	-	-	-	-
Nicosulfuron	Herbicide	127	0.00	1.00	0.00	0.14	0.84	-	-	-	-	-	-
Norflurazon	Herbicide	-	-	-	-	-	-	44	0.48	0.24	0.76	(0.06)	0.78
Oxamyl	Insecticide	-	-	-	-	-	-	55	0.47	0.23	0.77	0.02	0.68
Phorate	Insecticide	14	0.86	0.60	0.43	0.03	0.50	45	0.62	0.31	0.69	(0.12)	0.80
Propanil	Herbicide	-	-	-	-	-	-	-	-	-	-	-	-
Propiconazole	Fungicide	-	-	-	-	-	-	-	-	-	-	-	-
S-Metolachlor	Herbicide	39	0.06	0.97	0.03	0.08	0.90	13	0.41	0.21	0.81	(0.21)	0.37
Terbufos	Insecticide	76	0.29	0.15	0.86	(0.05)	0.83	-	-	-	-	-	-
Triallate	Herbicide	-	-	-	-	-	-	-	-	-	-	-	-
Trifluralin	Herbicide	-	-	-	-	-	-	90	0.08	0.96	0.04	0.06	0.96

**Table 3.** Summary of statistics from comparison of EPest-low and National Agricultural Statistics Service (NASS) pesticide-by-crop estimates.—Continued

[Abbreviations: N, number of estimates compared; P, probability of significance; >, greater than; <, less than; —, no data]

Pesticide	Type	Soybeans				Spring wheat							
		N	Wilcoxon signed rank, P (two-tailed)	Wilcoxon signed rank, P (NASS >EPest)	Wilcoxon signed rank, P (NASS <EPest)	Median relative error	Spearman correlation coefficient	N	Wilcoxon signed rank, P (two-tailed)	Wilcoxon signed rank, P (NASS >EPest)	Wilcoxon signed rank, P (NASS <EPest)	Median relative error	Spearman correlation coefficient
Acetochlor	Herbicide	—	—	—	—	—	—	—	—	—	—	—	—
Aciflurofen	Herbicide	68	0.06	0.03	0.97	(0.10)	0.81	—	—	—	—	—	—
Alachlor	Herbicide	60	0.85	0.42	0.58	(0.04)	0.69	—	—	—	—	—	—
Atrazine	Herbicide	—	—	—	—	—	—	—	—	—	—	—	—
Bentazon	Herbicide	100	0.22	0.11	0.89	(0.08)	0.89	—	—	—	—	—	—
Bromoxynil	Herbicide	—	—	—	—	—	—	—	—	—	—	—	—
Butylate	Herbicide	—	—	—	—	—	—	—	—	—	—	—	—
Carbofuran	Insecticide	—	—	—	—	—	—	—	—	—	—	—	—
Chlorimuron	Herbicide	125	0.16	0.92	0.08	0.03	0.82	—	—	—	—	—	—
Cyanazine	Herbicide	—	—	—	—	—	—	—	—	—	—	—	—
EPTC	Herbicide	—	—	—	—	—	—	—	—	—	—	—	—
Fluometuron	Herbicide	—	—	—	—	—	—	—	—	—	—	—	—
Fonofos	Insecticide	—	—	—	—	—	—	—	—	—	—	—	—
Glyphosate	Herbicide	148	0.06	0.03	0.97	(0.06)	0.97	—	—	—	—	—	—
Linuron	Herbicide	17	0.68	0.34	0.68	(0.25)	0.85	—	—	—	—	—	—
Methomyl	Insecticide	—	—	—	—	—	—	—	—	—	—	—	—
Methyl parathion	Insecticide	—	—	—	—	—	—	—	—	—	—	—	—
Metolachlor	Herbicide	89	0.08	0.96	0.04	0.08	0.76	—	—	—	—	—	—
Metribuzin	Herbicide	108	0.17	0.92	0.08	0.12	0.81	—	—	—	—	—	—
Nicosulfuron	Herbicide	—	—	—	—	—	—	—	—	—	—	—	—
Norflurazon	Herbicide	—	—	—	—	—	—	—	—	—	—	—	—
Oxamyl	Insecticide	—	—	—	—	—	—	—	—	—	—	—	—
Phorate	Insecticide	—	—	—	—	—	—	—	—	—	—	—	—
Propanil	Herbicide	—	—	—	—	—	—	—	—	—	—	—	—
Propiconazole	Fungicide	—	—	—	—	—	—	—	—	—	—	—	—
S-Metolachlor	Herbicide	—	—	—	—	—	—	—	—	—	—	—	—
Terbufos	Insecticide	—	—	—	—	—	—	—	—	—	—	—	—
Triallate	Herbicide	—	—	—	—	—	—	—	—	—	—	—	—
Trifluralin	Herbicide	97	0.12	0.94	0.06	0.03	0.91	—	—	—	—	—	—
								16	0.78	0.39	0.63	(0.13)	0.53
								14	0.86	0.43	0.60	(0.06)	0.74



**Table 4.** Summary of statistics from comparison of EPest-high and National Agricultural Statistics Service (NASS) pesticide-by-crop estimates.

[Abbreviations: N, number of estimates compared; P, probability of significance; <, less than; >, greater than; -, no data]

Pesticide	Type	Corn						Cotton						
		N	Wilcoxon signed rank, P (two-tailed)	Wilcoxon signed rank, P (NASS > EPest)	Wilcoxon signed rank, P (NASS < EPest)	Median relative error	Spearman correlation coefficient	N	Wilcoxon signed rank, P (two-tailed)	Wilcoxon signed rank, P (NASS > EPest)	Wilcoxon signed rank, P (NASS < EPest)	Median relative error	Spearman correlation coefficient	
Acetochlor	Herbicide	98	0.07	0.96	0.36	0.08	0.93	-	-	-	-	-	-	-
Aciflurofen	Herbicide	-	-	-	-	-	-	-	-	-	-	-	-	-
Alachlor	Herbicide	99	0.01	1.00	0.00	0.13	0.82	-	-	-	-	-	-	-
Atrazine	Herbicide	146	0.00	1.00	0.00	0.07	0.97	-	-	-	-	-	-	-
Bentazon	Herbicide	17	0.04	0.22	0.98	(0.30)	0.34	-	-	-	-	-	-	-
Bromoxynil	Herbicide	62	0.96	0.53	0.48	(0.03)	0.85	18	0.15	0.08	0.93	(0.26)	0.74	0.74
Butylate	Herbicide	16	0.19	0.10	0.91	(0.16)	0.81	-	-	-	-	-	-	-
Carbofuran	Insecticide	22	0.82	0.41	0.60	0.05	0.74	15	0.30	0.86	0.15	0.55	0.63	0.63
Chlorimuron	Herbicide	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanazine	Herbicide	76	0.09	0.95	0.05	0.08	0.92	64	0.92	0.54	0.46	(0.08)	0.83	0.83
EPTC	Herbicide	27	0.71	0.35	0.65	0.07	0.56	-	-	-	-	-	-	-
Fluometuron	Herbicide	-	-	-	-	-	-	76	0.00	1.00	0.00	0.14	0.93	0.93
Fonofos	Insecticide	17	0.05	0.98	0.03	0.21	0.73	-	-	-	-	-	-	-
Glyphosate	Herbicide	121	0.00	1.00	0.00	0.34	0.79	83	0.00	1.00	0.00	0.30	0.92	0.92
Linuron	Herbicide	-	-	-	-	-	-	-	-	-	-	-	-	-
Methomyl	Insecticide	-	-	-	-	-	-	27	0.05	0.27	0.97	(0.46)	0.74	0.74
Methyl parathion	Insecticide	11	1.00	0.52	0.52	0.20	0.16	50	0.00	0.00	1.00	(0.69)	0.52	0.52
Metolachlor	Herbicide	130	0.01	0.00	1.00	(0.07)	0.88	34	0.99	0.49	0.51	0.05	0.65	0.65
Metribuzin	Herbicide	-	-	-	-	-	-	-	-	-	-	-	-	-
Nicosulfuron	Herbicide	127	0.00	1.00	0.00	0.17	0.84	-	-	-	-	-	-	-
Norflurazon	Herbicide	-	-	-	-	-	-	44	0.38	0.81	0.19	0.05	0.74	0.74
Oxamyl	Insecticide	-	-	-	-	-	-	55	0.65	0.68	0.32	0.10	0.64	0.64
Phorate	Insecticide	14	0.05	0.98	0.02	0.28	0.59	45	0.22	0.89	0.11	0.05	0.71	0.71
Propanil	Herbicide	-	-	-	-	-	-	-	-	-	-	-	-	-
Propiconazole	Fungicide	-	-	-	-	-	-	-	-	-	-	-	-	-
S-Metolachlor	Herbicide	39	0.04	0.98	0.02	0.16	0.91	13	1.00	0.53	0.50	(0.17)	0.37	0.37
Terbufos	Insecticide	76	0.51	0.75	0.25	0.04	0.83	-	-	-	-	-	-	-
Triallate	Herbicide	-	-	-	-	-	-	-	-	-	-	-	-	-
Trifluralin	Herbicide	-	-	-	-	-	-	90	0.03	0.99	0.01	0.10	0.95	0.95

**Table 4.** Summary of statistics from comparison of EPest-high and National Agricultural Statistics Service (NASS) pesticide-by-crop estimates.—Continued

[Abbreviations: N, number of estimates compared; P, probability of significance; <, less than; >, greater than; -, no data]

Pesticide	Type	N	Soybeans			Spring wheat			Median relative error	Spearman correlation coefficient
			Wilcoxon signed rank, P (two-tailed)	Wilcoxon signed rank, P (NASS > EPest)	Wilcoxon signed rank, P (NASS < EPest)	Wilcoxon signed rank, P (two-tailed)	Wilcoxon signed rank, P (NASS > EPest)	Wilcoxon signed rank, P (NASS < EPest)		
Acetochlor	Herbicide	-	-	-	-	-	-	-	-	-
Acifluorfen	Herbicide	68	0.29	0.15	0.85	(0.01)	0.81	-	-	-
Alachlor	Herbicide	60	0.29	0.86	0.14	0.05	0.70	-	-	-
Atrazine	Herbicide	-	-	-	-	-	-	-	-	-
Bentazon	Herbicide	100	0.58	0.29	0.71	(0.01)	0.89	-	-	-
Bromoxynil	Herbicide	-	-	-	-	-	-	-	-	0.83
Butylate	Herbicide	-	-	-	-	-	-	-	-	-
Carbofuran	Insecticide	-	-	-	-	-	-	-	-	-
Chlorimuron	Herbicide	125	0.82	0.96	0.04	0.06	0.82	-	-	-
Cyanazine	Herbicide	-	-	-	-	-	-	-	-	-
EPTC	Herbicide	-	-	-	-	-	-	-	-	-
Fluometuron	Herbicide	-	-	-	-	-	-	-	-	-
Fonofos	Insecticide	-	-	-	-	-	-	-	-	-
Glyphosate	Herbicide	148	0.10	0.05	0.95	(0.05)	0.97	0.01	1.00	0.84
Linuron	Herbicide	17	0.64	0.69	0.32	0.22	0.80	-	-	-
Methomyl	Insecticide	-	-	-	-	-	-	-	-	-
Methyl parathion	Insecticide	-	-	-	-	-	-	-	-	-
Metolachlor	Herbicide	89	0.00	1.00	0.00	0.19	0.75	-	-	-
Metribuzin	Herbicide	108	0.02	0.99	0.01	0.18	0.80	-	-	-
Nicosulfuron	Herbicide	-	-	-	-	-	-	-	-	-
Norflurazon	Herbicide	-	-	-	-	-	-	-	-	-
Oxamyl	Insecticide	-	-	-	-	-	-	-	-	-
Phorate	Insecticide	-	-	-	-	-	-	-	-	-
Propanil	Herbicide	-	-	-	-	-	-	-	-	-
Propiconazole	Fungicide	-	-	-	-	-	-	-	-	-
S-Metolachlor	Herbicide	-	-	-	-	-	-	-	-	-
Terbufos	Insecticide	-	-	-	-	-	-	-	-	-
Triallate	Herbicide	-	-	-	-	-	-	0.82	0.06	0.15
Trifluralin	Herbicide	97	0.04	0.98	0.02	0.07	0.91	0.86	0.60	0.14





Comparisons of EPest-low tended to show stronger correlation to NASS use estimates than EPest-high and also had a greater number of RE values less than 0.15, which, along with fewer significant differences between medians, indicated that EPest-low totals better approximated NASS use estimates than EPest-high overall. In general, however, the majority of the comparisons of estimates showed agreement, although low sample size limited the power of the tests for some pesticide-by-crop combinations.


Comparisons of EPest-low and EPest-high crop-pesticide combinations with NASS use estimates were further examined to evaluate differences between the estimates. These comparisons provide an understanding of the types and degrees of differences between EPest and NASS estimates and how the statistical tests summarize them.

## Herbicide Estimate Comparisons between EPest and NASS

Statistically significant differences in median estimates between the methods are important to understand because they can provide information about similarities and differences in the estimates. One or both EPest medians for 11 of the 21 herbicides were significantly different than NASS median use estimates (*tables 3 and 4*). For six of these herbicides—atrazine, bentazon, fluometuron, glyphosate, metolachlor, and nicosulfuron—both EPest-low and EPest-high medians differed significantly from NASS median use estimates. In addition, EPest-high (but not EPest-low) medians for alachlor,

metribuzin, *S*-metolachlor, and trifluralin were significantly different from NASS median use estimates, and EPest-low (but not EPest-high) medians for butylate were significantly different from NASS median use estimates. Use estimates for more than one crop were compared for some pesticides, such as metolachlor and bentazon, and both EPest medians (low and high) were significantly different from NASS median use estimates for some but not all of the crops that were compared. For example, EPest-low and EPest-high bentazon medians were significantly different than NASS median use estimates for corn but not soybeans.

Examining the data and statistical results of the pesticide-by-crop comparisons can help to better assess and understand how well the EPest method approximated current NASS pesticide-use estimates. The following sections present the data graphically and discuss the results of the statistical tests for a selection of the pesticide-by-crop combinations that showed significant differences for one or both methods. For all pesticide-by-crop combinations presented, two plots are shown: (1) a scatterplot of EPest-low and NASS state pesticide-use totals for the years compared (only plots of EPest-low estimates were used because they are similar to the EPest-high versions of the scatterplots) and (2) a plot of differences between EPest estimates and NASS state pesticide-use estimates on a common scale, organized by USDA Farm Production Regions. Because their boundaries conform to state boundaries, Farm Production Regions (*fig. 11*) were selected rather than the USDA Farm Resource Regions that were used to calculate EPest regional rates.




**Figure 11.** U.S. Department of Agriculture Farm Production Regions.

## Alachlor

For 19 states and most of the years from 1992 through 2003, 99 EPest-low and EPest-high estimates of alachlor use on corn were compared with NASS estimates. Only EPest-high estimates significantly differed ( $p < 0.05$ ) from NASS use estimates, but both EPest totals tended to be greater than NASS totals. The medians of the RE distributions comparing EPest-low and EPest-high to NASS estimates were 8 and 13 percent greater, respectively, indicating a general tendency for EPest estimates to be greater than NASS estimates. Correlation coefficients for EPest-low and NASS comparisons

were 0.83 and were 0.82 for EPest-high. The relation between EPest-low and NASS estimates for alachlor is shown in *figure 12A*, and the differences between NASS estimates and both EPest-low and EPest-high are shown by region and state in *figure 12B*.

The majority of EPest-low and EPest-high estimates differed from NASS use estimates by less than a factor of two (*fig. 12B*), and most EPest and NASS use estimates followed similar trends use for the years compared. Of the approximately 20 percent (20 of 99) of EPest-high estimates that were more than double the NASS estimate, most were in the Corn Belt and Lake States regions.



**Figure 12.** Comparison of EPest and National Agricultural Statistics Service (NASS) state estimates of alachlor use on corn: (A) EPest-low estimates compared to NASS estimates, and (B) Difference between EPest estimates and NASS estimates ( $\log_{10} \text{EPest} - \log_{10} \text{NASS}$ ).

## Atrazine


For various years from 1992 to 2003, 146 EPest-low and EPest-high estimates of atrazine use on corn were compared with NASS use estimates for 20 states located in the Appalachian, Corn Belt, Lake States, Mountain, Northeast, Northern Plains, Southeast, and Southern Plains regions. Both EPest-low and EPest-high estimates were significantly different than NASS use estimates ( $p < 0.05$ ). The medians of the RE distributions comparing EPest-low and EPest-high to NASS estimates were both 7 percent greater, indicating a general tendency for EPest estimates to be slightly greater than NASS estimates. Both EPest-low and EPest-high had correlation coefficients of 0.97 with NASS use estimates, which were among the strongest correlations between pesticide use estimates in this study. The relation between EPest and NASS estimates of atrazine estimates is shown in *figure 13A*, and the differences between NASS estimates and both EPest-low and EPest-high estimates are shown by region and state in *figure 13B*.

Almost all of the EPest and NASS estimates (142 of 146) differed by less than a factor of two (*fig. 13B*), but a majority of EPest estimates were slightly greater than NASS estimates. EPest and NASS use estimates were about the same for the Appalachian, Corn Belt, Northeast, and Southeast regions, but greater differences were found for one or more estimates from the Lake States, Mountain, and Northern Plains regions.


## Bentazon

For various years from 1992 through 2001, 17 EPest-low and EPest-high estimates of bentazon use on corn estimates were compared with NASS estimates for four states from the Corn Belt and Lake States regions. Both EPest-low and EPest-high estimates significantly differed from NASS use estimates ( $p < 0.05$ ). The medians of the RE distributions comparing EPest-low and EPest-high to NASS estimates were 39 and 30 percent less, respectively, indicating a general tendency for EPest estimates to be less than NASS estimates. The correlation coefficients for the relation between the EPest and NASS estimates were 0.42 for EPest-low and 0.34 for EPest-high. The relation between EPest-low and NASS estimates of bentazon use on corn is shown in *figure 14A*, and the differences between NASS estimates and both EPest-low and EPest-high estimates are shown by region and state in *figure 14B*.

About one-half (9 of 17) of the EPest-low estimates and 65 percent (11 of 17) of the EPest-high estimates differed by less than a factor of two from NASS estimates. There were large differences between the EPest estimates and NASS use estimates for some states and years, which, in conjunction with a relatively small sample size, likely contributes to the poor correlation between the estimates.



**Figure 13.** Comparison of EPest and National Agricultural Statistics Service (NASS) state estimates of atrazine use on corn: (A) EPest-low estimates compared to NASS estimates, and (B) Difference between EPest estimates and NASS estimates ( $\log_{10}$  EPest –  $\log_{10}$  NASS).



**Figure 14.** Comparison of EPest and National Agricultural Statistics Service (NASS) state estimates of bentazon use on corn: (A) EPest-low estimates compared to NASS estimates, and (B) Difference between EPest estimates and NASS estimates ( $\log_{10}$  EPest –  $\log_{10}$  NASS).

## Butylate

Sixteen EPest-low and EPest-high estimates of butylate use on corn estimates were compared with NASS estimates for eight states from the Appalachian, Corn Belt, Northern Plains, and Southeast regions from 1992 through 1994. Only EPest-low estimates significantly differed from NASS use estimates ( $p < 0.05$ ). The medians of the RE distributions comparing EPest-low and EPest-high to NASS estimates were 47 and 16 percent less, respectively, indicating a general tendency for EPest estimates to be less than NASS estimates. The correlation coefficient for comparison to NASS estimates to EPest-low was 0.91 and was 0.81 for EPest-high. The relation between EPest-low and NASS estimates for butylate use is shown in *figure 15A*, and the differences between NASS estimates and both EPest-low and EPest-high are shown by region and state in *figure 15B*.

The majority of EPest estimates (14 of 16 EPest-low and 10 of 16 EPest-high) were less than NASS estimates, but there was a fairly strong correlation between the estimates. Most EPest-low butylate estimates were 15 to 80 percent less than NASS estimates.

## Fluometuron

For various years from 1992 through 2005, 76 EPest and NASS estimates of fluometuron use on cotton were compared for 11 states from the Appalachian, Corn Belt, Delta, Mountain, Southeast, and Southern Plains regions. Both EPest-low and EPest-high estimates significantly differed ( $p < 0.05$ ) from NASS estimates. The medians of the RE distributions comparing EPest-low and EPest-high to NASS estimates were 12 and 14 percent greater, respectively, indicating a general tendency for EPest estimates to be slightly greater than NASS estimates. Both EPest-low and EPest-high had correlation coefficients of 0.93 with NASS use estimates. The relation between EPest-low and NASS estimates for fluometuron is shown in *figure 16A*, and the differences between NASS estimates and both EPest-low and EPest-high rate estimates are shown by region and state in *figure 16B*.

The majority of the EPest-low (68 of 76) and EPest-high (67 of 76) estimates differed from NASS use estimates by less than a factor of two. EPest estimates tended to be greater than NASS estimates for most of the regions compared, including one or more estimates for states from the Mountain, Southeast and Southern Plains regions, which were at least twice NASS estimates. EPest totals tended to be less than NASS use estimates for some of the states in the Appalachian, Delta, and Southern Plains, however.


## Glyphosate

EPest and NASS estimates of glyphosate use were compared for corn, cotton, soybeans, spring wheat, and winter wheat crops. EPest estimates significantly differed from NASS estimates for the crops evaluated, except for soybeans, which also had the highest correlation coefficient between EPest and NASS estimates and the lowest median RE. Comparisons of EPest and NASS estimates for glyphosate use on spring and winter wheat crops showed low correlation coefficients and small sample sizes, which limits the power of the statistical tests. EPest and NASS estimates of glyphosate use on corn and cotton are discussed in the following sections.

### Corn


For glyphosate use on corn, 121 EPest and NASS estimates were compared from 19 states from the Appalachian, Corn Belt, Lake States, Mountain, Northeast, Northern Plains, Southeast, and Southern Plains regions. Both EPest-low and EPest-high estimates significantly differed ( $p < 0.05$ ) from NASS estimates. The medians of the RE distributions comparing EPest-low and EPest-high to NASS estimates were both 34 percent greater, indicating a general tendency for EPest estimates to be greater than NASS estimates. Correlation coefficients for EPest-low and NASS comparisons were 0.78 and were 0.79 for EPest-high. The relation between EPest-low and NASS estimates for glyphosate use on corn is shown in *figure 17A*, and the differences between NASS estimates and both EPest-low and EPest-high are shown by region and state in *figure 17B*.

Most of the EPest and NASS estimates (90 or more of 121) differed by less than a factor of two. EPest-low and EPest-high estimates for the Corn Belt, Lake States, Northeast, Southeast, and Southern Plains regions tended to be greater than NASS estimates, and estimates for one or more states in each of these regions had EPest estimates that were more than twice the NASS estimate (*fig. 17B*).




**Figure 15.** Comparison of EPest and National Agricultural Statistics Service (NASS) state estimates of butylate use on corn: (A) EPest-low estimates compared to NASS estimates, and (B) Difference between EPest estimates and NASS estimates ( $\log_{10} \text{EPest} - \log_{10} \text{NASS}$ ).





**Figure 16.** Comparison of EPest and National Agricultural Statistics Service (NASS) state estimates of fluometuron use on cotton: (A) EPest-low estimates compared to NASS estimates, and (B) Difference between EPest estimates and NASS estimates ( $\log_{10} \text{EPest} - \log_{10} \text{NASS}$ ).



**Figure 17.** Comparison of EPest and National Agricultural Statistics Service (NASS) state estimates of glyphosate use on corn: (A) EPest-low estimates compared to NASS estimates, and (B) Difference between EPest estimates and NASS estimates ( $\log_{10} \text{EPest} - \log_{10} \text{NASS}$ ).

## Cotton

For various years from 1992 through 2005, 83 EPest-low and EPest-high estimates of glyphosate use on cotton were compared with NASS estimates for 12 states from Appalachian, Corn Belt, Delta, Mountain, Pacific, Southeast, and Southern Plains regions. Both EPest-low and EPest-high estimates significantly differed ( $p < 0.05$ ) from NASS use estimates. The medians of the RE distributions comparing EPest-low and EPest-high to NASS estimates were both 30 percent greater, indicating a general tendency for EPest estimates to be greater than NASS estimates. Correlation coefficients for EPest-low and NASS comparisons were 0.93 and were 0.92 for EPest-high. The relation between EPest and NASS estimates of glyphosate use on cotton is shown in *figure 18A*, and the differences between NASS estimates and both EPest-low and EPest-high estimates are shown by region and state in *figure 18B*.

Most EPest and NASS estimates (63 of 83) differed by less than a factor of two. EPest estimates for the Appalachian, Delta and Corn Belt regions bracketed NASS use estimates, whereas in most other regions, EPest estimates were greater than NASS use estimates. One reason for this difference could be that EPest pesticide totals include pesticide use on both upland and Pima cotton, whereas NASS reports pesticide use for upland cotton only.

## Metolachlor

### Corn


For various years from 1992 through 2003, 130 EPest-low and EPest-high estimates of metolachlor use on corn were compared with NASS estimates for 18 states from the Appalachian, Corn Belt, Lake States, Mountain, Northeast, Southeast, and Northern and Southern Plains regions. Both EPest-low and EPest-high estimates significantly differed ( $p < 0.05$ ) from NASS use estimates. The medians of the RE distributions comparing EPest-low and EPest-high to NASS estimates were 10 and 7 percent lower, respectively, indicating a general tendency for EPest estimates to be less than NASS estimates. Correlation coefficients for EPest-low and NASS comparisons were 0.87 and were 0.88 for EPest-high. The relation between EPest-low and NASS estimates of metolachlor use on corn is shown in *figure 19A*, and the differences between NASS estimates and both EPest-low and EPest-high estimates are shown by region and state in *figure 19B*.

Most EPest estimates differed from NASS estimates by less than a factor of two, and estimates for most states bracketed NASS estimates. From 1998 through 2003, however, there were 30 EPest-low and EPest-high estimates that were more than 50 percent lower than NASS estimates, representing some of the greatest underestimates of EPest compared to NASS. Beginning in the late 1990s and early 2000s, metolachlor use was being replaced by use of *S*-metolachlor. It is possible that this difference in estimates could be related to how metolachlor and *S*-metolachlor were surveyed and reported. NASS estimates for metolachlor may have also included information for the related compound *S*-metolachlor. For example, beginning in 2002, EPest-low estimates of metolachlor use were zero for several states, such as Illinois and Iowa, while NASS reported several hundred pounds to over one million pounds of metolachlor use in these same states.


### Soybeans

For various years from 1992 through 2000, 89 EPest-low and EPest-high estimates of metolachlor use on soybeans were compared with NASS estimates for 18 states from the Appalachian, Corn Belt, Delta, Lake States, Northeast, and Northern Plains regions. Only EPest-high estimates significantly differed ( $p < 0.05$ ) from NASS estimates. The medians of the RE distributions comparing EPest-low and EPest-high to NASS estimates were 8 and 19 percent greater, respectively, indicating a general tendency for EPest estimates to be greater than NASS estimates. The correlation coefficients for EPest-low and NASS comparisons were 0.76 and were 0.75 for EPest-high. The relation between EPest-low and NASS estimates of metolachlor use on soybeans are shown in *figure 20A*, and the differences between NASS estimates and both EPest-low and EPest-high estimates are shown by region and state in *figure 20B*.


The majority (71 of 89) of EPest and NASS estimates differed by less than a factor of two (*fig. 20B*). EPest estimates for most regions tended to be greater than NASS estimates, but in the Appalachian region, they tended to be less than NASS estimates.



**Figure 18.** Comparison of EPest and National Agricultural Statistics Service (NASS) state estimates of glyphosate use on cotton: (A) EPest-low estimates compared to NASS estimates, and (B) Difference between EPest estimates and NASS estimates ( $\log_{10} \text{EPest} - \log_{10} \text{NASS}$ ).



**Figure 19.** Comparison of EPest and National Agricultural Statistics Service (NASS) state estimates of metolachlor use on corn: (A) EPest-low estimates compared to NASS estimates, and (B) Difference between EPest estimates and NASS estimates ( $\log_{10} \text{EPest} - \log_{10} \text{NASS}$ ).



**Figure 20.** Comparison of EPest and National Agricultural Statistics Service (NASS) state estimates of metolachlor use on soybeans: (A) EPest-low estimates compared to NASS estimates, and (B) Difference between EPest estimates and NASS estimates ( $\log_{10} \text{EPest} - \log_{10} \text{NASS}$ ).

## Metribuzin

For various years from 1992 through 2006, 108 EPest-low and EPest-high estimates of metribuzin use on soybeans were compared with NASS estimates in 19 states located in the Appalachian, Corn Belt, Delta, Lake States, Northeast, and Southeast regions. Only EPest-high estimates were significantly different ( $p < 0.05$ ) from NASS estimates. The medians of the RE distributions comparing EPest-low and EPest-high to NASS estimates were 12 and 18 percent greater, respectively, indicating a general tendency for EPest estimates to be slightly greater than NASS estimates. Correlation coefficients for EPest-low and NASS comparisons were 0.81 and were 0.80 for EPest-high. The relation between EPest-low and NASS estimates of metribuzin use is shown in *figure 21A*, and the differences between NASS estimates and both EPest-low and EPest-high estimates are shown by region and state in *figure 21B*.

The majority of EPest estimates were within a factor of two of NASS estimates (*fig. 21B*). EPest estimates for all of the regions bracketed NASS estimates, but estimates from Arkansas and Nebraska showed some large differences.

## Nicosulfuron


For various years from 1992 through 2003, 127 EPest-low and EPest-high estimates of nicosulfuron use on corn were compared with NASS estimates for 20 states located in Appalachian, Corn Belt, Lake States, Mountain, Northeast, Northern Plains, Southeast, and Southern Plains regions. EPest-low and EPest-high estimates significantly differed ( $p < 0.05$ ) from NASS estimates. The medians of the RE distributions comparing EPest-low and EPest-high to NASS estimates were 14 and 17 percent greater, respectively, indicating a general tendency for EPest estimates to be greater than NASS estimates. Correlation coefficients for EPest and NASS comparisons were 0.84 for both EPest-low and EPest-high. The relation between EPest-low and NASS estimates of nicosulfuron use on corn is shown in *figure 22A*, and the differences between NASS estimates and both EPest-low and EPest-high estimates are shown by region and state in *figure 22B*.

Most of the EPest estimates were greater than NASS estimates, and the majority (98 of 127) of comparisons differed by less than a factor of two, although one or more EPest estimates from the Appalachian, Corn Belt, Lake States, Northeast, Northern Plains, and Southern Plains regions were at least twice NASS estimates. For some of the same states in these regions, however, EPest totals were half or less of NASS estimates.

## S-Metolachlor


For 17 states from the Appalachian, Corn Belt, Lake States, Mountain, Northeast, Northern, and Southern Plains regions from 2001 through 2003, 39 EPest-low and EPest-high estimates of *S*-metolachlor use on corn were compared with NASS estimates. Only EPest-high estimates significantly differed ( $p < 0.05$ ) from NASS estimates. The medians of the RE distributions comparing EPest-low and EPest-high to NASS estimates were 8 and 16 percent greater, respectively, indicating a general tendency for EPest estimates to be slightly greater than NASS estimates. Correlation coefficients for EPest-low and NASS comparisons were 0.90 and were 0.91 for EPest-high. The relation between EPest and NASS estimates of *S*-metolachlor use is shown in *figure 23A*, and the differences between NASS estimates and both EPest-low and EPest-high estimates are shown by region and state in *figure 23B*.

EPest and NASS estimates for the majority (36 of 39) of states and years were within a factor of two (*fig. 23B*). EPest estimates for the Corn Belt, Mountain, Northern Plains, and Southern Plains regions tended to be greater than NASS estimates, whereas EPest estimates for the Lake States and Northeast tended to be less than NASS estimates.




**Figure 21.** Comparison of EPest and National Agricultural Statistics Service (NASS) state estimates of metribuzin use on soybeans: (A) EPest-low estimates compared to NASS estimates, and (B) Difference between EPest estimates and NASS estimates ( $\log_{10} \text{EPest} - \log_{10} \text{NASS}$ ).





**Figure 22.** Comparison of EPest and National Agricultural Statistics Service (NASS) state estimates of nicosulfuron use on corn: (A) EPest-low estimates compared to NASS estimates, and (B) Difference between EPest estimates and NASS estimates ( $\log_{10} \text{EPest} - \log_{10} \text{NASS}$ ).



**Figure 23.** Comparison of EPest and National Agricultural Statistics Service (NASS) state estimates of S-metolachlor use on corn: (A) EPest-low estimates compared to NASS estimates, and (B) Difference between EPest estimates and NASS estimates ( $\log_{10}$  EPest –  $\log_{10}$  NASS).

## Trifluralin

### Cotton


For various years from 1992 through 2005, 90 EPest-low and EPest-high estimates of trifluralin use on cotton were compared with NASS estimates for 12 states from the Appalachian, Corn Belt, Mountain, Pacific, Southeast, and Southern Plains regions. Only EPest-high estimates significantly differed ( $p < 0.05$ ) from NASS estimates. The medians of the RE distributions comparing EPest-low and EPest-high to NASS estimates were 6 and 10 percent greater, respectively, indicating a general tendency for EPest estimates to be slightly greater than NASS estimates. Correlation coefficients for EPest and NASS comparisons were 0.95 for both EPest-low and EPest-high. The relation between EPest-low and NASS estimates of trifluralin use on cotton is shown in *figure 24A*, and the differences between NASS estimates and both EPest-low and EPest-high estimates are shown by region and state in *figure 24B*.

The majority of EPest estimates differed from NASS estimates by less than a factor of two. The EPest estimates for most of the states in a particular region were evenly distributed around NASS use estimates. The strong correlation between estimates was driven by use estimates in Texas, which showed the least differences between EPest and NASS estimates of all the states.


### Soybeans

For various years from 1992 through 2006, 97 EPest-low and EPest-high estimates of trifluralin use on soybeans were compared for 18 states from the Appalachian, Corn Belt, Delta, Lake States, Northeast, Southeast, and Northern Plains regions. Only EPest-high estimates significantly differed ( $p < 0.05$ ) from NASS estimates. The medians of the RE distributions comparing EPest-low and EPest-high to NASS estimates were 3 and 7 percent greater, respectively, indicating a general tendency for EPest estimates to be slightly greater than NASS estimates. Correlation coefficients for EPest and NASS comparisons were 0.91 for both EPest-low and EPest-high. The relation between EPest-low and NASS estimates of trifluralin use on soybeans is shown in *figure 25A*, and the differences between NASS estimates and both EPest-low and EPest-high estimates are shown by region and state in *figure 25B*.

The majority of EPest and NASS estimates were within a factor of two. One or more EPest and NASS estimates from every region except the Northern Plains differed by more than a factor of two. Iowa had greater trifluralin use on soybeans than other states.



**Figure 24.** Comparison of EPest and National Agricultural Statistics Service (NASS) state estimates of trifluralin use on cotton: (A) EPest-low estimates compared to NASS estimates, and (B) Difference between EPest estimates and NASS estimates ( $\log_{10} \text{EPest} - \log_{10} \text{NASS}$ ).



**Figure 25.** Comparison of EPest and National Agricultural Statistics Service (NASS) state estimates of trifluralin use on soybeans: (A) EPest-low estimates compared to NASS estimates, and (B) Difference between EPest estimates and NASS estimates ( $\log_{10} \text{EPest} - \log_{10} \text{NASS}$ ).

## Insecticide Estimate Comparisons between EPest and NASS

EPest and NASS estimates were compared for seven insecticides used on corn, cotton, or both, as summarized in *tables 3 and 4*. Only 2 of the 10 insecticide comparisons had sample numbers greater than 50; both of these were not significant and had RE values of 0.1 or less, indicating agreement between the estimates. Most of the other comparisons were not significant and had RE values of 0.15 or less, but methomyl and methyl parathion estimates for cotton significantly differed and had RE values greater than 0.6, which are discussed in the following sections.

### Methomyl


For various years from 1992 through 2003, 27 EPest-low and EPest-high estimates of methomyl use on cotton were compared with NASS estimates for 9 states from the Appalachian, Delta, Mountain, Pacific, Southeast, and Southern Plains regions. Only EPest-low estimates significantly differed ( $p < 0.05$ ) from NASS estimates. The medians of the RE distributions comparing EPest-low and EPest-high to NASS estimates were 61 and 46 percent less, respectively, indicating a general tendency for EPest estimates to be less than NASS estimates. Correlation coefficients for EPest-low and NASS comparisons were 0.76 and were 0.74 for EPest-high. The relation between EPest-low and NASS estimates of methomyl use on cotton is shown in *figure 26A*, and the differences between NASS estimates and both EPest-low and EPest-high estimates are shown by region and state in *figure 26B*.

More than half of the EPest estimates were less than 50 percent of NASS estimates, although one EPest estimate from Arkansas was more than double the NASS estimate. The few EPest and NASS estimates for California, Georgia, and Texas were in closer agreement than the estimates for other states.


### Methyl Parathion

For various years from 1992 through 2005, 50 EPest-low and EPest-high estimates of methyl parathion use on cotton were compared with NASS estimates for 8 states from the Appalachian, Corn Belt, Delta, Mountain, Southeast, and Southern Plains regions. Both EPest-low and EPest-high estimates significantly differed ( $p < 0.05$ ) from NASS estimates. The medians of the RE distributions comparing EPest-low and EPest-high to NASS estimates were 78 and 69 percent less, respectively, indicating a general tendency for EPest estimates to be less than NASS estimates. Correlation coefficients for EPest-low and NASS comparisons were 0.47 and were 0.52 for EPest-high. The relation between EPest-low and NASS estimates of methyl parathion use on cotton is shown in *figure 27A*, and the differences between NASS estimates and both EPest-low and EPest-high estimates are shown by region and state in *figure 27B*.

Most EPest and NASS estimates (EPest-low 37 of 50 and EPest-high 34 of 50) differed by more than a factor of two. The majority of EPest-low and EPest-high estimates were less than half NASS estimates, but, conversely, some EPest totals were at least twice NASS estimates. Generally, agreement between the estimates for methyl parathion was poor, and the RE was among the largest of all of the pesticides compared.



**Figure 26.** Comparison of EPest and National Agricultural Statistics Service (NASS) state estimates of methomyl use on cotton: (A) EPest-low estimates compared to NASS estimates, and (B) Difference between EPest estimates and NASS estimates ( $\log_{10} \text{EPest} - \log_{10} \text{NASS}$ ).



**Figure 27.** Comparison of EPest and National Agricultural Statistics Service (NASS) state estimates of methyl parathion use on cotton: (A) EPest-low estimates compared to NASS estimates, and (B) Difference between EPest estimates and NASS estimates ( $\log_{10} \text{EPest} - \log_{10} \text{NASS}$ ).





## Fungicide Estimate Comparisons between EPest and NASS—Propiconazole

For various years from 1993 to 2006, 14 EPest-low and EPest-high estimates of propiconazole use on winter wheat were compared with NASS estimates for 5 states from the Corn Belt, Lake States, Northern Plains, and Pacific regions. Only EPest-high estimates significantly differed ( $p < 0.05$ ) from NASS estimates. The medians of the RE distributions comparing EPest-low and EPest-high to NASS estimates were 27 and 92 percent greater, respectively, indicating a general tendency for EPest estimates to be greater than NASS

estimates. Correlation coefficients for EPest-low and NASS comparisons were 0.78 and were 0.65 for EPest-high. The relation between EPest and NASS estimates of propiconazole use is shown in *figure 28A* (low) and *28B* (high), and the differences between NASS estimates and both EPest-low and EPest-high estimates are shown by region and state in *figure 28C*.

About half of the EPest-low and EPest-high estimates differed from NASS estimates by less than a factor of two. Almost all EPest-high estimates were greater than NASS estimates, whereas more than half of the EPest-low estimates were lower than NASS estimates.



**Figure 28.** Comparison of Epest and National Agricultural Statistics Service (NASS) state estimates of propiconazole use on winter wheat: (A) Epest-low estimates compared to NASS estimates, (B) Epest-high estimates compared to NASS estimates, and (C) Difference between Epest estimates and NASS estimates ( $\text{log}_{10} \text{Epest} - \text{log}_{10} \text{NASS}$ ).

## Summary of Comparisons

EPest and NASS state estimates for as many as 34 states from 10 USDA Farm Production Regions were compared for 48 pesticide-by-crop combinations for various years from 1992 through 2006. These comparisons included 21 herbicides used on corn, cotton, rice, soybeans, spring wheat, or winter wheat; 7 insecticides used on corn or cotton; and 1 fungicide used on winter wheat.

Overall, 73 percent of the EPest-low to NASS comparisons for herbicide-by-crop (27 of 37) and 60 percent of the comparisons for insecticide-by-crop (6 of 10) had medians of the RE distributions within 0.15. About 22 percent of the herbicide-by-crop (8 of 37) and 40 percent of the insecticide-by-crop (4 of 10) EPest-low to NASS comparisons had medians of the RE distributions that indicated EPest-low estimates tended to be lower than NASS estimates. Only two herbicide-by-crop EPest-low to NASS comparisons, but none of the insecticide-by-crop comparisons, had medians of the RE distributions that indicated EPest-low estimates tended to be greater than NASS estimates.

There was somewhat less agreement between EPest-high and NASS estimates. About 60 percent of the EPest-high to NASS comparisons for herbicide-by-crop and 30 percent of the comparisons for insecticide-by-crop had median of the RE distributions within 0.15. About 16 percent of the herbicide-by-crop and 10 percent of the insecticide-by-crop EPest-high to NASS comparisons had medians of the RE distributions that indicated EPest-high estimates tended to be less than NASS estimates. About 22 percent of the herbicide-by-crop and 60 percent of the insecticide-by-crop EPest-high to NASS comparisons had medians of the RE distributions that indicated EPest-high tended to be greater than NASS estimates.

Overall, the comparisons between EPest and NASS estimates generally support the representativeness and use of the EPest method to estimate pesticide use. Most EPest and NASS estimates for the same pesticides, crops, years, and states were not significantly different from each other. EPest and NASS estimates were produced from different surveys of individual farm operations, and the methods used to expand the surveyed data to estimate state use also differed; therefore, some disagreement in the estimates is expected.

## Applications of EPest Use Data

Estimates of pesticide use developed by this study provide information on the amounts, distribution, and trends in agricultural use of 39 pesticides for 1992 through 2009. Maps showing the geographic distribution of estimated average annual pesticide use intensity in each county of the conterminous United States and a graph showing each

pesticide's national use-trend from 1992 through 2009 are provided at <http://water.usgs.gov/nawqa/pnsp/usage/maps/>.

The pesticide-use intensity estimates shown on the maps were calculated by dividing the pounds of pesticide applied annually to each county by the area of agricultural land (in square miles) in the county. These annual-use rates were applied to the satellite-based 2009 Cropland Data Layer (CDL) produced by the USDA (Johnson and Mueller, 2010). The CDL is a crop-specific land-cover dataset mapped at 56-meter resolution. Each 56-meter cell is assigned to one of over 100 agricultural or nonagricultural land-use classes. For the purpose of mapping pesticide-use intensity, the CDL was generalized into 1-kilometer cells. First, the CDL was divided equally into 1-meter cells and then it was converted into a binary raster with each cell labeled as either agriculture or non-agriculture and assigned a value of 1 or 0, respectively. The 1-meter cells were next aggregated to 1-kilometer cells, and the percentage of agricultural or non-agricultural land use in the 1-kilometer cell was calculated. County pesticide-use estimates were then multiplied by the percentage of agricultural land in each cell.

The county-level estimates are suitable for making national, regional, statewide, and watershed assessments of annual pesticide use during 1992–2009. Although estimates are provided by county to facilitate estimation of watershed-use rates for a wide variety of watersheds, there is a high degree of uncertainty in individual county-level estimates because (1) pesticide-by-crop use rates were developed on the basis of pesticide use on harvested acres in multi-county areas (CRDs) and then allocated to county harvested cropland; (2) pesticide-by-crop use rates were not available for all CRDs in the conterminous United States, and extrapolation methods were used to estimate pesticide use for some counties; and (3) it is possible that surveyed pesticide-by-crop use rates do not reflect all agricultural uses or crops grown.

For water-quality studies, estimates of pesticide use within watersheds and groundwater recharge areas can be used to assist with study design and to help explain and model pesticide occurrence in water resources. Information on pesticide use and other watershed characteristics serve as explanatory variables in regression models developed to predict concentrations of pesticides in streams and groundwater (Barbash and others, 2001; Stackelberg and others, 2006; Stone and Gilliom, 2009). Pesticide-use information has also been used to explain the atmospheric transport of agricultural chemicals from the area the pesticides were applied to other sites where they are detected in air and rain samples (Majewski and others, 1998). The availability of pesticide-use information for the 18-year study period enables assessments of the temporal and spatial variations in pesticide use that can relate these patterns to changes in water quality (Sullivan and others, 2009). The methods developed in this study are applicable to other agricultural pesticides and years.

## Summary and Conclusions

A method was developed to estimate pesticide use (EPest) for 39 pesticides used on a variety of row crops, fruit, nut, and specialty crops grown throughout the conterminous United States for 1992 through 2009. EPest pesticide-by-crop rates were developed for individual crops on the basis of (1) surveyed pesticide-use reports from farm operations within CRDs and (2) harvested crop acreage reported by USDA Census of Agriculture and NASS annual crop surveys. EPest rates were developed for all crops that were surveyed in a particular year by dividing the pounds of a pesticide applied to each crop grown in the CRD by the harvested acreage for that crop. Not all crops were surveyed in each year and CRD; therefore, extrapolated rates for non-surveyed CRDs, referred to as tier 1, tier 2, and regional EPest rates, were developed by using information from adjacent CRDs.

The EPest rates were applied to county harvested-crop acreage differently for surveyed CRDs with unreported pesticide-by-crop estimates to produce EPest-low and EPest-high estimates of pesticide use for every year from 1992 through 2009. If a CRD was surveyed, but there was no reported pesticide use, then the EPest-low method did not estimate pesticide use for the CRD; EPest-high treated these non-reported estimates as unsurveyed, and pesticide use was estimated on the basis of an EPest extrapolated rate. For both methods, if a CRD was not surveyed, then pesticide use was estimated by using EPest extrapolated rates, if possible.

About 45 percent of the national EPest-low and EPest-high annual pesticide-by-year estimates differed from one another by less than 25 percent, including the estimates for several of the most widely used pesticides, such as acetochlor, atrazine, glyphosate, and metolachlor. EPest-high estimates, however, were more than double EPest-low totals for six or more years for the pesticides alachlor, butylate, carbofuran, cyanazine, ethoprophos, linuron, methyl parathion, metolachlor, pebulate, propachlor, and terbacil. EPest extrapolated rates used to calculate EPest-high estimates contributed a significant amount to the national total for some pesticides and years for some specialty crops and major crops, such as corn and alfalfa, and land uses, such as summer fallow, pasture, and rangeland. In general, non-surveyed use represented a greater percentage of the national estimate for some pesticides and crops because some pesticides were reported less frequently and some crops were not surveyed as extensively during the latter part of the study. EPest tier 1, tier 2, and regional rates have inherently greater uncertainty than rates for surveyed CRDs because a pesticide could

have been applied to a localized area in response to a pest infestation, while the same crop grown in another part of the same region would not be managed in the same way, which can result in misrepresentative estimates of pesticide use.

National and state annual estimates for a subset of the 39 pesticides were compared with data published by other sources. EPest-low and EPest-high national estimates for seven herbicides were compared with published data from the USEPA, NASS, and NPUD for three periods (1997, 2001–02, and 2006–07). Overall, there was agreement between EPest estimates and the estimates from USEPA and NPUD; however, EPest estimates tended to be greater than NASS estimates, which are not complete national estimates.

A second set of evaluations compared EPest state and state-by-crop estimates for selected pesticides with NASS estimates. State estimates for 33 pesticides that had 5 or more estimates for a combination of states, crops, or years were evaluated, in addition to the estimates for 29 pesticides that had 10 or more state and year estimates for corn, cotton, soybeans, spring wheat, or winter wheat. Of the 33 pesticides evaluated, less than one-third—10 EPest-low and 8 EPest-high—had median RE values significantly different from zero based on the 95-percent confidence interval on the median. EPest-high estimates were mostly greater than NASS estimates when they differed significantly, whereas EPest-low estimates were more evenly distributed around NASS estimates when they differed significantly.

EPest and NASS estimates for individual states and crops were compared for selected years from 1992 to 2006. This comparison was made for 48 pesticide-by-crop combinations, including 21 herbicides, 7 insecticides, and 1 fungicide used on corn, cotton, soybeans, rice, spring wheat, or winter wheat. Most EPest and NASS pesticide-by-crop estimates were not significantly different, had low median relative errors ( $RE < 0.15$ ), and had relatively strong correlation coefficients ( $r > 0.75$ ). EPest-low and EPest-high state estimates for some pesticide-by-crop combinations, however, were significantly different ( $p < 0.5$ ) from NASS estimates. Among the pesticide-by-crop estimate comparisons, those that did show a significant difference between EPest and NASS estimates did not show clear or consistent patterns by pesticide type, crop, year, or state. EPest and NASS estimates were produced from different surveys of individual farm operations, and the methods used to expand the surveyed data to estimate state use also differed; therefore, some disagreement in the estimates is expected. The comparisons between EPest and NASS estimates generally support the representativeness and use of the EPest method to estimate pesticide use.

## References Cited

- Barbash, J.E., Thelin, G.P., Kolpin, D.W., and Gilliom, R.J., 2001, Major herbicides in ground water: Results from the National Water-Quality Assessment: *Journal of Environmental Quality*, v. 30, no. 3, p. 831–845.
- California Department of Pesticide Regulation, 2010, Pesticide use reporting (PUR): Sacramento, Calif., Department of Pesticide Regulation, accessed February 1, 2012 at <http://www.cdpr.ca.gov/docs/pur/purmain.htm>
- Conover, W. J., 1980, *Practical nonparametric statistics* (2d ed.): Wiley, New York, 592 p.
- Crop Protection Research Institute, 2006, *National Pesticide Use Database 2002*: Washington, D.C., CropLife Foundation, accessed January 6, 2011, data available online at <http://croplifefoundation.org>
- Fernandez-Cornejo, Jorge, and McBride, William D., 2000, *Genetically Engineered Crops for Pest Management in U.S. Agriculture: Farm-Level Effects*: U.S. Department of Agriculture, Economic Research Service, Resource Economics Division, *Agricultural Economic Report* No. 786, 20 p.
- Gilliom, R.J., Barbash, J.E., Crawford, C.G., Hamilton, P.A., Martin, J.D., Nakagaki, Naomi, Nowell, Lisa, Scott, J.C., Stackelberg, P.E., Thelin, G.P., and Wolock, D.M., 2006, *Pesticides in the nation's streams and ground water, 1992–2001*: U.S. Geological Survey Circular 1289.
- Grube, Arthur, Donaldson, David, Kiely, Timothy, and Wu, La, 2011, *Pesticides Industry Sales and Usage—2006 and 2007 Market Estimates*: Washington, D.C., Office of Pesticide Programs, U.S. Environmental Protection Agency, EPA-733-R-11-001, 33p.
- Johnson, David, and Mueller, Richard, 2010, *The 2009 Cropland Data Layer: Photogrammetric Engineering and Remote Sensing*, v. 76 no. 11, p. 1201–1205.
- Kiely, Timothy, Donaldson, David, and Grube, Arthur, 2004, *Pesticides industry sales and usage—2000 and 2001 market estimates*: Washington, D.C., Office of Prevention, Pesticides, and Toxic Substances, U.S. Environmental Protection Agency, EPA-733-R 04-001, 33 p.
- Lehmann, E.L., 1975, *Nonparametrics: statistical methods based on ranks*: San Francisco, Calif., Springer, 480 p.
- Majewski, M.S., Foreman, W.T., Goolsby, D.A., and Nakagaki, Naomi, 1998, *Airborne pesticide residues along the Mississippi River*: *Environmental Science and Technology*, v. 32, no. 23, p. 3689–3698.
- National Agricultural Statistics Service, 2008, *Agricultural chemical use database*: Washington D.C., U.S. Department of Agriculture, accessed September 21, 2011 at <http://www.pestmanagement.info/nass/>
- Stackelberg, P.E., Gilliom, R.J., Wolock, D.M., and Hitt, K.J., 2006, *Development and application of a regression equation for estimating the occurrence of atrazine in shallow ground water beneath agricultural areas of the United States*: U.S. Geological Survey Scientific Investigations Report 2005-5287, 12 p.
- Stone, W.W., and Gilliom, R.J., 2009, *Update of Watershed Regressions for Pesticides (WARP) for predicting atrazine concentration in streams*: U.S. Geological Survey Open-File Report 2009-1122, 22 p., also available at <http://pubs.usgs.gov/of/2009/1122/>
- Sullivan, D.J., Vecchia, A.V., Lorenz, D.L., Gilliom, R.J., and Martin, J.D., 2009, *Trends in pesticide concentrations in corn-belt streams, 1996–2006*: U.S. Geological Survey Scientific Investigations Report 2009-5132, 75 p.
- Thelin, G.P., and Stone, W.W., 2010, *Method for estimating annual atrazine use for counties in the conterminous United States, 1992–2007*: U.S. Geological Survey Scientific Investigation Report 2010-5034, 129 p.

## Appendix 1. Summary of Epest-Low and Epest-High Annual National Totals by Pesticide and Crop Type.

Appendix 1 is available in Microsoft Excel® format at <http://pubs.usgs.gov/sir/2013/5009/appendix1.xlsx>

## Appendix 2. Epest-Low and Epest-High Annual National Totals Derived from Epest Surveyed, Tier 1, Tier 2, and Regional Rate Estimates.

Appendix 2 is available in Microsoft Excel® format at <http://pubs.usgs.gov/sir/2013/5009/appendix2.xlsx>

Prepared by the Sacramento Publishing Service Center.

For more information concerning this report, contact:

Director  
U.S. Geological Survey  
California Water Science Center  
6000 J Street, Placer Hall  
Sacramento, CA 95819  
GS-W-CAWSC\_WWW@usgs.gov

or visit our Web site at:  
<http://ca.water.usgs.gov>



