

Jail-Based Medication Assisted-Treatment

Sergio Huerta, MD

Medical Director

Recovery Services of New Mexico (RSONM)

What is Opioid Use Disorder (OUD)?

- OUD is a chronic medical illness characterized by compulsive use of opioids even when a person wants to stop or when using opioids negatively affects a person's physical and emotional well-being.
- It is a brain disease that impacts areas of the brain that control motivation, impulse control, reaction to stress, memory and decision making. These changes last a long time, even after a person stops using opioids.
- Like diabetes or heart disease, there is no cure for addiction, but it can be treated and people with addiction can and do recover. Without treatment, addiction can continue to get worse.



Opioid Use Disorder (OUD) in New Mexico

10% of New Mexicans are living with a substance use disorder (SUD)¹²

- 205,000 New Mexicans with SUD
- 39,000 New Mexicans with opioid use disorder (OUD)

Only 35% of New Mexicans with an SUD are receiving treatment¹²

• 134,000 New Mexicans need treatment

In 2020, New Mexico had its highest drug overdose (OD) death rate – 766 deaths²⁰

Majority (66%) attributed to opioids



Incarcerated Individuals with OUD

Prisoners and jail inmates released to the community are between <u>10</u> to <u>40 times more likely to die of an opioid overdose</u> than the general population¹⁶

The U.S. has the second-highest incarceration rate in the world and the societal costs are estimated to be as high as \$1.7 trillion annually⁷

Nearly two-thirds of persons who are incarcerated have a history of SUD¹⁴



Incarcerated Individuals with OUD in NM

The number of inmates admitted to the prison system for drug possession in NM increased by 18% over the last decade¹³

NM three-year recidivism rate was 54% in FY19 and FY20 with substance use as one of the main drivers for return to prison after release¹³



Medication Assisted-Treatment (MAT)

Three generic FDA approved medications for the treatment of OUD

- Methadone
- 2. Buprenorphine (brand name of buprenorphine/naloxone formulation *Suboxone*)
- 3. Naltrexone (brand name of extended-release formulation *Vivitrol*)

Multidisciplinary team to deliver evidence-based services

- Counseling
- Case management
- Drug testing



MAT Benefits

- Reduce mortality and overdose
- Reduce opioid use
- Increase retention in treatment
- Decrease illicit opioid use and other criminal activity
- Increase patient's ability to gain and maintain employment
- Improve infectious disease outcomes
- Improve birth outcomes for women who have OUD and are pregnant



Jail-based MAT: Benefits

Inmates who received methadone during incarceration were:

- More likely to engage in treatment post-release ¹¹
- Less likely to use opioids post-release ¹¹
- Had reduced odds of injection substance use post-release ¹¹
- Reduced contraction of communicable diseases¹⁶
- Experience less withdrawal and suffering

Provision of MAT reduced the rate of fatal OD among recently released individuals by more than 60% 10



Jail-based MAT: Support

"The standard of care for all persons who are detained or incarcerated."

American Society of Addiction Medicine¹

"There is overwhelming evidence that medication-assisted treatment is an effective intervention for addressing OUD in criminal justice populations." – SAMHSA 16

"A central component of the contemporary standard of care for the treatment of OUDs." — National Sherriff's Association⁸



Jail-based MAT: Reality

Only 30 out of 5,100 (0.5%) prisons and jails offered methadone or buprenorphine in 2017¹⁶

Only 14 states offered methadone or buprenorphine maintenance for jail or prison inmates in 2018¹⁶



Jail-based MAT: State and Federal Barriers

Methadone can only be dispensed through an accredited opioid treatment program (OTP)

- Accreditation and regulation through various entities:
 - Substance Abuse and Mental Health Services Administration (SAMHSA), Commission on Accreditation of Rehabilitation Facilities (CARF), Drug Enforcement Agency (DEA), NM Board of Pharmacy
- Additional accreditation for jail OTPs:
 - National Commission on Correctional Health Care (NCCHC)



Jail-based MAT: State and Federal Barriers

Concerns about MAT costs

• Medication, staffing, training, certification, storage, etc.

Concerns about security

Policies and staffing needed to reduce the risk of diversion

Lack of community-based MAT providers to provide services in correctional settings

Misunderstanding of MAT

• Stigma of "substituting one drug for another."



Pioneering Jail-based MAT in NM

Through collaboration with the Bernalillo County Behavioral Health Services Department and Bernalillo County Metropolitan Detention Center (MDC):

- RSONM developed the first privately owned opioid treatment program (OTP)
 in a correctional facility in the nation
- One of only eleven programs accredited through the National Commission on Correctional Health Care (NCCHC)



History of RSONM MDC Program

2010: Methadone maintenance treatment (MMT) program

Continuing community methadone during incarceration

2017: Methadone induction program

 Identifying untreated patients with OUD and starting them on methadone during incarceration

2021: Buprenorphine maintenance and induction program

Continuing community buprenorphine during incarceration



- Screening
- Assessment
- Treatment Medication and Counseling
- Re-entry



Screening:

- MDC screens all inmates for OUD on intake
 - If on MMT in the community:
 - Dose is verified, enrolled in program
 - If not on MMT in the community:
 - RSONM staff identifies potential patients, and they are offered induction
 - Patients can also self request to be on program through kiosks at MDC



Assessment:

- Potential patients are assessed and enrolled into the program by RSONM multidisciplinary team:
 - Intake coordinator
 - Nurse
 - Counselor
 - Physician (Addiction Psychiatrist)
- Collaborate with MDC partners:
 - Medical provider, correction officers, administration, security threat group and addiction treatment program (detox program)



Treatment:

- RSONM provides comprehensive treatment consisting of a combination of MAT and substance use counseling
- Urine toxicology testing



Re-entry:

- Follow-up care is coordinated at discharge with community OTP partners in Albuquerque, NM
- Harm reduction:
 - All patients receive naloxone (brand name Narcan) training
 - Leave with Narcan in-hand at time of release



RSONM MDC Program: Walkthrough

- Methadone is stored in a secure location
- Licensed staff pours medication in the secure area
- Nurse transports medication throughout MDC
 - One area (pod) of MDC at a time
- Nurse administers medication
 - Inspects mouth to ensure medication is consumed
- This cycle repeats for each jail pod/cell




Patient Dosing Process



Staff transporting methadone



Patient consuming methadone



Patient inspection

© Rosales, Roberto. Albuquerque Journal.



RSONM MDC Program: Walkthrough

- Average daily patient census:
 - 200-300 patients on methadone
 - 100-150 patients on buprenorphine
- Staff administers medications daily –weekends and holidays

Physician completes inductions 6 days a week



Outcomes: Patients Treated

Oct 2021 to September 2022

• Methadone: 298 intakes

• Suboxone:

Maintenance: 203

• Inductions: 111



RSONM MDC MMT Independent Research

- 1) Westerberg, V. S., McCrady, B. S., Owens, M., & Guerin, P. (2016). Community-Based Methadone Maintenance in a Large Detention Center is Associated with Decreases in Inmate Recidivism. *Journal of substance abuse treatment*, 70, 1–6.
- 2) Horn, B. P., Li, X., Mamun, S., McCrady, B., & French, M. T. (2018). The economic costs of jail-based methadone maintenance treatment. The American journal of drug and alcohol abuse, 44(6), 611–618
- 3) Horn, B. P., Li, X., McCrady, B., Guerin, P., & French, M. T. (2020). Cost-effectiveness analysis of a large jail-based methadone maintenance treatment continuation program in New Mexico. *Journal of substance abuse treatment*, 115, 108042.



Outcomes: Reduces Recidivism

Inmates with OUD on MMT compared to those with OUD who underwent detoxification:

• MMT inmates were less likely to be rebooked (53.4% vs 72.2%) 20

 MMT inmates had longer time periods between rebooking (236.3 vs 257.6 days)²⁰



Outcomes: Cost-effective Treatment


 MMT inmates were incarcerated less days due to reduced recidivism (29.33 days less)⁷

It costs less to provide jail-based MMT than the subsequent cost associated with higher recidivism:

- Average per-day cost of incarceration is \$116.49
- Costs \$23.49 to prevent an incarcerated day using jail-based MMT⁷



Outcomes: Patient Success



"Without all of you and this program, my success would not have been possible. I want to thank you for your efforts and dedication to really changing people's lives. I never thought I would ever see the day that drugs don't cross my mind anymore. I was given a second chance at the life I deserve and want you to know that I share this success with you. I couldn't have done it without you. Today I am not only clean from heroin but shortly after my meth addiction followed suit. Thank you and I love you all! You have also helped me achieve these grades and my very first driver's license!"

- RSONM Methadone Induction Patient



Opportunities for Improving Access

Legislative requests

 Re-introduce legislation like HB-290 (2021), introduced by Representative Andrea Romero, that established that methadone-dependent inmates be provided with methadone therapy.

Jail-based strategies

- Expanding services to other jail systems
- Expanding services to DOC facilities

- Community-based strategies
 - Bundled rates like Medicare model

- Utilizing opioid settlement funds
 - Funding for our jail-based and community-based strategies



Summary and Request



Inmates with OUD are marginalized and have poor access to MAT and have higher risk of OD compared to the general population



RSONM's jail-based MAT program pioneered treatment for inmates with OUD, has been serving the community for over 10 years, treated thousands of patients and has been shown to reduce recidivism and be cost effective



Ask

Our ask is to support strategies that increase access to treatment for people suffering from incarceration and for those in the community with OUD



References

- 1. Access to Medications for Addiction Treatment in Correctional Settings: State Brief. American Society of Addiction Medicine, 2020.
- 2. Bandara, S., Kennedy-Hendricks, A., Merritt, S., Barry, C. L., & Saloner, B. (2021). Methadone and buprenorphine treatment in United States jails and prisons: lessons from early adopters. *Addiction (Abingdon, England)*, 10.1111/add.15565. Advance online publication.
- 3. Evans, E. A., Zhu, Y., Yoo, C., Huang, D., & Hser, Y. I. (2019). Criminal justice outcomes over 5 years after randomization to buprenorphine-naloxone or methadone treatment for opioid use disorder. *Addiction (Abingdon, England)*, 114(8), 1396–1404.
- 4. County roles and opportunities in opioid treatment for justice-involved individuals. National Association of Counties, 2017.
- 5. Grella, C. E., Ostile, E., Scott, C. K., Dennis, M., & Carnavale, J. (2020). A Scoping Review of Barriers and Facilitators to Implementation of Medications for Treatment of Opioid Use Disorder within the Criminal Justice System. *The International journal on drug policy*, 81, 102768.
- 6. Horn, B. P., Li, X., Mamun, S., McCrady, B., & French, M. T. (2018). The economic costs of jail-based methadone maintenance treatment. The American journal of drug and alcohol abuse, 44(6), 611–618
- 7. Horn, B. P., Li, X., McCrady, B., Guerin, P., & French, M. T. (2020). Cost-effectiveness analysis of a large jail-based methadone maintenance treatment continuation program in New Mexico. *Journal of substance abuse treatment*. 115. 108042.
- 8. Jail-based medication-assisted treatment promising practices, guidelines and resources for the field. National Sheriff's Association, 2018.
- 9. Malta, M., Varatharajan, T., Russell, C., Pang, M., Bonato, S., & Fischer, B. (2019). Opioid-related treatment, interventions, and outcomes among incarcerated persons: A systematic review. PLoS medicine, 16(12), e1003002.
- 10. Mital, S., Wolff, J., & Carroll, J. J. (2020). The relationship between incarceration history and overdose in North America: A scoping review of the evidence. *Drug and alcohol dependence*, 213, 108088. Advance online publication.
- 11. Moore, K. E., Roberts, W., Reid, H. H., Smith, K., Oberleitner, L., & McKee, S. A. (2019). Effectiveness of medication assisted treatment for opioid use in prison and jail settings: A meta-analysis and systematic review. *Journal of substance abuse treatment*, 99, 32–43.
- 12. New Mexico Substance Use Disorder Treatment Gap Analysis. New Mexico Department of Health, 2020.
- 13. Progress Report: Addressing Substance Use Disorders. New Mexico Legislative Finance Committee. 2021.
- 14. Public Policy Statement on Treatment of Opioid Use Disorder in Correctional Settings. American Society of Addiction Medicine, 2020.
- 15. Reisen, Matthew. "BernCo Jail Offers Methadone Program to Inmates." Albuquerque Journal, 18 Nov. 2017.
- 16. Substance Abuse and Mental Health Services Administration: Use of Medication-Assisted Treatment for Opioid Use Disorder in Criminal Justice Settings. HHS Publication No. PEP19-MATUSECJS Rockville, MD: National Mental Health and Substance Use Policy Laboratory. Substance Abuse and Mental Health Services Administration, 2019.
- 17. Substance Abuse and Mental Health Services Administration: TIP 63 Medications for Opioid Use Disorder. ubstance Abuse and Mental Health Services Administration, 2021.
- Sugarman, O. K., Bachhuber, M. A., Wennerstrom, A., Bruno, T., & Springgate, B. F. (2020). Interventions for incarcerated adults with opioid use disorder in the United States: A systematic review with a focus on social determinants of health. *PloS one*, 15(1), e0227968.
- 19. Toyoshima, T., McNiel, D. E., Schonfeld, A., & Binder, R. (2021). The Evolving Medicolegal Precedent for Medications for Opioid Use Disorder in U.S. Jails and Prisons. *The journal of the American Academy of Psychiatry and the Law*, JAAPL.200127-20. Advance online publication.
- Westerberg, V. S., McCrady, B. S., Owens, M., & Guerin, P. (2016). Community-Based Methadone Maintenance in a Large Detention Center is Associated with Decreases in Inmate Recidivism. *Journal of substance abuse treatment*, 70, 1–6.





Thank you!

Sergio Huerta, MD Medical Director RSONM

shuerta@rsonm.com

